INDEXES TO THE JOURNAL OF THE AMERICAN CERAMIC SOCIETY

INCLUDING ADVANCED CERAMIC MATERIALS AND COMMUNICATIONS

compiled by

The American Ceramic Society

VOLUME 74, 1991

AUTHOR INDEX TO THE JOURNAL OF THE AMERICAN CERAMIC SOCIETY INCLUDING ADVANCES IN CERAMICS AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of the *Journal*; numbers following are *page* numbers.

Abraham, Marvin M.; and Bamberger, Carlos E.
Electron paramagnetic resonance spectroscopic determination of Ti^{3+} in several titanium phosphate compounds. (9) 2299

Abramoff, Bennet; and Klein, Lisa C.
Mechanical properties of silica xerogels. (6) 1469

Adachi, Motoaki See Tohge, Noboru

Aggarwal, Ishwar D. See Jewell, John M.

Agrafiotis, Christos C.; Puszynski, Jan A.; and Hlavacek, Vladimir
Effect of metal particle morphology on the combustion of refractory metals in nitrogen. (11) 2912

Agrawal, Dinesh K. See Srikanth, Varanasi

Agrawal, Pradeep K. See Lee, Woo Y.

Akagi, Hirokazu See Sone, Takanori

Akaishi, Minoru; Ohsawa, Toshikazu; and Yamaoka, Shinobu
Synthesis of fine-grained polycrystalline diamond compact and its microstructure. (1) 5

Akbar, Sheikh A. See Mhaisalkar, Subodh G.

Akinc, Mufit See Celikkaya, Ahmet; Han, Yong

Akita, Chiyoshi See Tanaka, Shigeru

Aksay, Ilhan A. See Sundaresan, Sankaran

Aksay, Ilhan A.; Dabbs, Daniel M.; and Sarikaya, Mehmet
Mullite for structural, electronic, and optical applications. (10) 2343

Albaro, José Luis Amoros See Leonelli, Cristina

Aldinger, Fritz See Buhr, Hendrik

Alim, Mohammad A.
Temperature dependence of electrical conductivity in polycrystalline tin oxide—comment. (7) 1757

Allaire, Claude; and Desclaux, Paul
Effect of alkalis and of a reducing atmosphere on the corrosion of refractories by molten aluminum. (11) 2781

Allard, Lawrence F. See Borek, Theodore T.; Nolan, Theodore A.

Allen, William R. See Kim, Hyoun-Ee

Alles, Aldo B.; Amarakoon, Vasantha R. W.; and Burdick, Vernon L.
Positive temperature coefficient of resistivity effect in undoped atmospherically reduced barium titanate—reply. (7) 1750

Almazan, Alex See Pope, Edward J. A.

Amarakoon, Vasantha R. W. See Alles, Aldo B.; Brooks, Keith G.

Amini, Mostafa M.; and Sacks, Michael D.
Synthesis of potassium niobate from metal alkoxides. (1) 53

Ando, Ken See Nomura, Shunji; Sakka, Yoshio

Ando, Teiichi; and Shiohara, Yuh
Metastable alumina structures in melt-extracted alumina-25 wt% zirconia and alumina-42 wt% zirconia ceramics. (2) 410

Angelini, Peter See Becher, Paul F.

Angell, C. Austen See Senapati, Hema

Anghaie, Samim See Wang, Simon C. P.

Apperley, David C.; Harris, Robin K.; Marshall, Gregory L.; and Thompson, Derek P.
Nuclear magnetic resonance studies of silicon carbide polytypes. (4) 777

Apperley, Miles H. See Zhou, Ji-Ping

Asada, Shinji See Suzuki, Suguru

Averback, Robert S. See Guermazi, Mohamed; Hahn, Horst

Ayuzawa, Nobuo See Mitomo, Mamoru

Babonneau, Florence See Soraru, Gian Domenico; Zhang, Zhi-Fan

Babonneau, Florence; Soraru, Gian Domenico; Thorne, Kevin J.; and Mackenzie, John D.
Chemical characterization of Si-Al-C-O precursor and its pyrolysis. (7) 1725

Backhaus-Ricoult, Monika
Oxidation behavior of SiC-whisker-reinforced alumina-zirconia composites. (8) 1793

Bae, Byeong-Soo; and Weinberg, Michael C.
Oxidation-reduction equilibrium in copper phosphate glass melted in air. (12) 3039

Baik, Sunggi See Kim, Sang S.

Baik, Sunggi; and Moon, Jong Ha
Effects of magnesium oxide on grain-boundary segregation of calcium during sintering of alumina. (4) 819

Baik, Young-Joon; and Eun, Kwang Yong
Chemically induced migration of liquid films and grain boundaries in TiN-Ni-(TiC) alloy. (6) 1397

Baker, Theresa L.; Faber, K. T.; and Readey, Dennis W.
Ferroelastic toughening in bismuth vanadate. (7) 1619

Bamberger, Carlos E. See Abraham, Marvin M.

Bamberger, Carlos E.; MacDougall, C. Sue; Begun, George M.; and Hatmaker, Terry L.
Synthesis of solid phosphate compounds Ti(III) and Ti(IV). (4) 837

Bando, Takashi See Hashimoto, Noboru

Bandyopadhyay, Siddhartha See Sanyal, Amiya S.

Bannister, Michael J. See Hedges, Michelle M.

Barber, David J. See Reaney, Ian M.

Barber, James R. See Cho, Chongdu

Barbic, Lenart; Tinta, Vence; Lozar, Bojan; and Marinkovic, Velibor
Effect of storage time on the rheological behavior of oil well cement slurries. (5) 945

Barefield, E. K. See Shapiro, M. J.

Barnes, Steven M. See Jain, Vijay

Barron, Andrew R. See MacInnes, Andrew N.

Barsoum, Michel; Kangutkar, Pramod; and Koczak, Michael J.
Nitridation kinetics and thermodynamics of silicon powder compacts. (6) 1248

Barsoum, Michel; and Tung, I-Chung
Effect of oxidation on single-fiber pullout interfacial shear stresses in a silicon carbide-borosilicate glass system. (10) 2693

Bartlett, Andrew See He, Ming-Yuan

Bauer, Robert A.; Becht, Johanna G. M.; Kruis, F. Einar; Scarlett, Brian; and Schoonman, Joop
Laser synthesis of low-agglomerated submicrometer silicon nitride powders from chlorinated silanes. (11) 2759

Bayer, Gerhard; Hofmann, Martin; and Gauckler, Ludwig J.
Effect of ionic substitution on the thermal expansion of $ZrTiO_4$. (9) 2205

Becher, Paul F.
Microstructural design of toughened ceramics. (2) 255; Microstructural design of toughened ceramics — correction. (10) 2720; See also Lin, Hua-Tay

Becher, Paul F.; Fuller, Edwin R., Jr.; and Angelini, Peter
Matrix-grain-bridging contributions to the toughness of whisker-reinforced ceramics. (9) 2131

Becht, Johanna G. M. See Bauer, Robert A.

Begun, George M. See Bamberger, Carlos E.

Behrman, E. C. See Shah, Ritesh P.

Benfer, Richard H. See Richards, Kerry T.

Berger, Axel
Inversion domains in aluminum nitride. (5) 1148

Berghöfer, Katarina See Zürz, Alfred

Besmann, Theodore M. See Sheldon, Brian W.

Bhalla, Amar S. See Ravindranathan, P.

Bhatt, Hemanshu; Donaldson, Kimberly Y.; Hasselman, D. P. H.; Chyung, Kenneth; and Taylor, Mark P.
Role of specimen geometry in the effect of fiber orientation on the thermal conductivity of a uniaxial carbon-fiber-reinforced aluminoborosilicate glass-matrix composite. (6) 1463

Bhattacharya, Arun K.
Effect of silicon carbide reinforcement on the properties of combustion-synthesized titanium silicide. (10) 2707; Green density of a powder compact and its influence on the steady-state wave velocity in combustion synthesis of condensed phase. (9) 2113

Bhattacharya, Arun K.; and Petrovic, John J.
Hardness and fracture toughness of SiC-particle-reinforced $MoSi_2$ composites. (10) 2700

Birnie, Dunbar P., III
Model for the ferroelectric transition in nonstoichiometric lithium niobate and lithium tantalate. (5) 988

Biswas, Dipak See Orcel, Gerard

Black, David R. See Krueger, Susan

Blakely, Jack M. See Mukhopadhyay, Sharmila M.

Bleier, Alan; and Westmoreland, C. Gary
Effects of pH and particle size on the processing of and the development of microstructure in alumina-zirconia composites. (12) 3100

Bloomer, Tamara E. See Golden, Steve J.

Bloyer, Donald R. See Martin, Steve W.

Boch, Phillippe; and Chartier, Thierry
Tape casting and properties of mullite and zirconia-mullite ceramics. (10) 2448

Bohn, Randy G. See Hanna, Baher

Boilot, Jean-Pierre See Bouquin, Olivier

Bonnet, Jean-Pierre See Heintz, Jean-Marc

Bordia, Rajendra K.; Dalgleish, Brian J.; Charalambides, Panos G.; and Evans, Anthony G.
Cracking and damage in a notched unidirectional fiber-reinforced brittle matrix composite. (11) 2776
Borek, Theodore T.; Qiu, Xiaomei; Rayfuse, Leann M.; Datye, Abhaya K.; Paine, Robert T.; and Allard, Lawrence F.
Boron nitride coatings on oxide substrates: Role of surface modifications. (10) 2587
Borowiec, Krzysztof; Przyluski, Jan; and Kolbrecka, Krystyna
Intrinsic kinetics of carbon dioxide degradation of $YBa_2Cu_3O_{7-x}$. (8) 2007
Boufrou, Brahim; Desgardin, Gilbert; and Raveau, Bernard
Tetragonal tungsten bronze niobate $K_{0.2}Sr_{0.4}NbO_3$: A new material for capacitors with flat dielectric curves. (11) 2809
Bouquin, Olivier; Lejeune, Martine; and Boilot, Jean-Pierre
Formation of the perovskite phase in the $PbMg_{1/3}Nb_{2/3}O_3$-$PbTiO_3$ system. (5) 1152
Bowen, H. Kent See Sumita, Shigekazu
Bowman, Keith J.
Texture from domain switching of tetragonal zirconias. (10) 2690; See also Ma, Yuechu
Boyce, Rethia S. See Kalen, Joseph D.
Bozkurt, Bedri See Gadalla, Ahmed M.
Bozkurt, Nazim See Sacks, Michael D.
Bradt, Richard C. See Ghosh, Asish; Han, Young H.; Li, Hong; Li, Zhuang; Senda, Tetsuya
Breder, Kristin See Giannakopoulos, Antonios
Breval, Else See Johnson, William B.
Brezny, Rasto; and Green, David J.
Factors controlling the fracture resistance of brittle cellular materials. (5) 1061
Bridger, Keith See VanDamme, Nubuko S.
Bright, Jeffrey D.; Danchaivijit, Sawai; and Shetty, Dinesh K.
Interfacial sliding friction in silicon carbide-borosilicate glass composites—A comparison of pullout and pushout tests. (1) 115
Brinker, C. Jeffrey See Fahrenholtz, William G.
Brody, Harold D. See Chow, Hui Meng
Brook, Richard J. See Chu, May-Ying
Brooks, Keith G.; and Amarakoon, Vasantha R. W.
Sintering of lithium zinc ferrites with alkoxide-derived borosilicate liquid phase. (10) 2513; Sol-gel coating of lithium zinc ferrite powders. (4) 851
Brosse, Christian Robin See Naslain, Roger
Brough, Adrian See Groves, Geoffrey W.
Brow, Richard K. See Bunker, Bruce C.
Brow, Richard K.; Phifer, Carol C.; Turner, Gary L.; and Kirkpatrick, R. James
Cation effects on ^{31}P MAS NMR chemical shifts of metaphosphate glasses. (6) 1287
Brown, Paul W. See Shi, Dexiang
Brown, Paul W.; and Fulmer, Mark
Kinetics of hydroxyapatite formation at low temperature. (5) 934
Brown, Paul W.; Hocker, Nancy; and Hoyle, Susan
Variations in solution chemistry during the low-temperature formation of hydroxyapatite. (8) 1848
Brückner-Foit, Angelika See Thiemeier, Thomas
Bruni, Silvia See Leonelli, Cristina
Bryson, Nathan See Seyferth, Dietmar
Bucko, Miroslaw M. See Pyda, Waldemar
Bühr, Hendrik; Müller, Gerd; Wiggers, Hartmut; Aldinger, Fritz; Foley, Paul; and Roosen, Andreas
Phase composition, oxygen content, and thermal conductivity of AlN(Y_2O_3) ceramics. (4) 718
Buining, Paul A.; Pathmamanoharan, C.; Jansen, J. Ben H.; and Lekkerkerker, Hendrik N. W.
Preparation of colloidal boehmite needles by hydrothermal treatment of aluminum alkoxide precursors. (6) 1303
Bunker, Bruce C. See Michalske, Terry A.
Bunker, Bruce C.; Kirkpatrick, R. James; Brow, Richard K.; Turner, Gary L.; and Nelson, Carolyn
Local structure of alkaline-earth boroaluminate crystals and glasses: I, Crystal chemical concepts—Structural predictions and comparisons to known crystal structures. (6) 1425; Local structure of alkaline-earth boroaluminate crystals and glasses: II, ^{11}B and ^{27}Al MAS NMR spectroscopy of alkaline-earth boroaluminate glasses. (6) 1430
Burdick, Vernon L. See Alles, Aldo B.
Burggraaf, Anthonie J. See Lin, Yue-Sheng
Burkhart, Lawrence E. See Lu, Hsin-Chun
Burton, Benjamin P. See Roth, Robert S.
Butkus, Lawrence M. See Zawada, Larry P.
Butler, Elizabeth P.; Jain, Himanshu; and Smyth, Donald M.
Cation interdiffusion in polycrystalline calcium and strontium titanate. (4) 772
Butt, Darryl P.; Tressler, Richard E.; and Spear, Karl E.
Etching of silicon carbide materials at elevated temperatures in a nitrogen-based gas. (2) 457
Cáceres, Carlos H. See Robertson, A. Gordon; Wilkinson, David S.
Cai, Hongda; Moran, B.; and Faber, K. T.
Analysis of a microcrack prototype and its implications for microcrack toughening. (7) 1695
Caignol, Elizabeth See Davies, Peter K.
Cambier, Francis See Descamps, Phillippe
Campostrini, Renzo See Soraru, Gian Domenico
Cannon, W. Roger See Haerle, Andrew G.
Carciello, Neal R. See Sugama, Toshifumi
Carisati, Franco See Leonelli, Cristina
Carim, Atlaf H.; Tuttle, Bruce A.; Doughty, Daniel H.; and Martinez, Sheri L.
Microstructure of solution-processed lead zirconate titanate (PZT) thin films. (6) 1455
Carisson, Roger See Lidén, Eva
Carlström, Ells See Lidén, Eva
Carry, Claude See Stoto, Tiziana
Carter, W. B. See Shapiro, M. J.
Castro-Montero, Alberto See Miller, Richard A.
Cavalieri, Ana L. See Sanz, Jesus
Cawley, James D. See Kalen, Joseph D.
Cawley, James D.; Halloran, John W.; and Cooper, Alfred R.
Oxygen tracer diffusion in single-crystal alumina. (9) 2086
Celikkaya, Ahmet; and Akinc, Mufit
Preparation and mechanism of formation of spherical submicrometer zinc sulfide powders—reply. (6) 1474
Chaim, Rachman; and Heuer, Arthur H.
Carbon interfacial layers formed by oxidation of SiC in SiC/Ba-stuffed cordierite glass-ceramic reaction couples. (7) 1663
Chakraborty, Madhusudan See Krishnarao, Raghavarapu Venkata
Chakravorty, Akshoy Kumar; and Ghosh, Dilip Kumar
Kaolinite-mullite reaction series: The development and significance of a binary aluminosilicate phase. (6) 1401
Chan, Chin-Jong See Leung, Dominic K.
Chan, Chin-Jong; Lange, Fred F.; Rühle, Manfred; Jue, Jan-Fong; and Virkar, Anil V.
Ferroelastic domain switching in tetragonal zirconia single crystals—Microstructural aspects. (4) 807
Chan, Helen M. See Stearns, Laura C.
Chan, Hing W. See Howitt, David G.
Chan, Kwai S.; and Page, Richard A.
Creep-crack growth by damage accumulation in a glass-ceramic. (7) 1605
Chan, Sai-Kit; Fang, Yue; Grimsditch, Marcos; Li, Zhuang; Nevitt, Michael V.; Robertson, William M.; and Zouboulis, Elias S.
Temperature dependence of the elastic moduli of monoclinic zirconia. (7) 1742
Chang, Chih-Yu See Haung, Chorng-Jye
Chang, Jeanne C.; Velamakanni, Bhaskar V.; Lange, Fred F.; and Pearson, Dale S.
Centrifugal consolidation of Al_2O_3 and Al_2O_3/ZrO_2 composite slurries vs interparticle potentials: Particle packing and mass segregation. (9) 2201
Chang, Luke L. Y. See Liu, Huifang
Chao, Luen-Yuan; and Shetty, Dinesh K.
Reliability analysis of structural ceramics subjected to biaxial flexure. (2) 333
Charalambides, Panos G.
Steady-state mechanics of delamination cracking in laminated ceramic-matrix composites. (12) 3066; See also Bordia, Rajendra K.
Chartier, Thierry See Boch, Phillippe
Chatterji, Susanta
Mechanism of sulfate expansion in hydrated portland cement—comment. (1) 250
Chaudhri, M. Munawar
Direct observation and analysis of indentation cracking in glasses and ceramics—comment. (11) 2945
Cheetham, Anthony K. See Golden, Steve J.
Chen, Ching-Fong; Wiederhorn, Sheldon M.; and Chuang, Tzejer
Cavitation damage during flexural creep of SiAlON-YAG ceramics. (7) 1658
Chen, Guan-Hua See Chen, Zhi
Chen, I-Wei
Model of transformation toughening in brittle materials. (10) 2564; See also Li, Ping; Liu, Shih-Yu; Xue, Liang A.
Chen, Jong See Jue, Jan Fong
Chen, Mao-Chieh See Haung, Chorng-Jye
Chen, San-Yuan See Sue, Yuan-Jang
Chen, San-Yuan; Cheng, Syh-Yuh; and Wang, Chien-Min
Effect of barium titanate on microstructural evolution and properties of lead zinc magnesium niobate ceramics. (2) 400
Chen, San-Yuan; Wang, Chien-Min; and Cheng, Syg-Yuh
Reaction kinetics of perovskite phase formation in lead zinc magnesium niobate ceramics. (10) 2506
Chen, Ying-Chung; Chong, Kwok-Keung; Meen, Teen-Hang; Wu, Long; and Houng, Mau-Phon
Humidity effect on the high-T_c (Pb,Bi)SrCaCuO superconductor. (7) 1710
Chen, Zhan See Ji, Yangyang
Chen, Zhi; Jin, Mao-Chang; Zhen, Chao; and Chen, Guan-Hua
Properties of modified anodic-spark-deposited alumina porous ceramic films as humidity sensors. (6) 1325
Cheng, Ching See Heine, Volker
Cheng, Herbert S. See Liu, Haiyan
Cheng, Syh-Yuh See Chen, San-Yuan
Cheng, Yibing; and Thompson, Derek P.
Nitrogen-containing tetragonal zirconia. (5) 1135
Cheung, T. T. Peter See O'Donnell, Daniel J.
Chiaramonte, Francis P.; and Rosenthal, Bruce N.
Wettability of pyrolytic boron nitride by aluminum. (3) 658
Chiba, Akio See Yasutomi, Yoshiyuki
Chiu, Chien C. See Li, Chen C.
Chiu, Chien C.; Li, Chen C.; and Desu, Seshu B.
Molten salt synthesis of a complex perovskite, $Pb(Fe_{0.5}Nb_{0.5})O_3$. (1) 38
Cho, Chongdu; Holmes, John W.; and Barber, James R.
Estimation of interfacial shear in ceramic composites from frictional heating measurements. (11) 2802
Choi, Byung-Cheul See Lee, Moon-Ho
Chokshi, Atul H.; Nieh, Tai-Gang; and Wadsworth, Jeffrey
Role of concurrent cavitation in the fracture of a superplastic zirconia-alumina composite. (4) 869
Chong, Kwok-Keung See Chen, Ying-Chung
Chou, Kan-Sen
Preparation and mechanism of formation of spherical submicrometer zinc sulfide powders—comment. (6) 1472
Chou, Ting C.; and Joshi, Anne
Selectivity of silicon carbide/stainless steel solid-state reactions and discontinuous decomposition of silicon carbide. (4) 1364
Chou, Ting C.; and Nieh, Tai-Gang
Nucleation and concurrent anomalous grain growth of α-Al_2O_3 during $\gamma \rightarrow \alpha$ phase transformation. (9) 2270
Choudhary, Manoj K.
Mathematical modeling of flow and heat-transfer phenomena in glass furnace channels and forehearths. (12) 3091
Chow, Hui Meng; Jiang, Xiao Ping; Cima, Michael J.; Haggerty, John S.; Brody, Harold D.; and Flemings, Merton C.
Effects of annealing on the microstructure and phase chemistry of directionally solidified $Bi_2Sr_2CaCu_2O_x$. (6) 1391
Chu, May-Ying See Rahaman, Mohamed N.
Chu, May-Ying; De Jonghe, Lutgard C.; Lin, Mark K. F.; and Lin, Frank J. T.
Precoarsening to improve microstructure and sintering of powder compacts. (11) 2902
Chu, May-Ying; Rahaman, Mohamed N.; De Jonghe, Lutgard C.; and Brook, Richard J.
Effect of heating rate on sintering and coarsening. (6) 1217
Chuang, Tze-jer See Chen, Ching-Fong
Chuang, Tze-jer; Liu, Wei-jun; and Wiederhorn, Sheldon M.
Steady-state creep behavior of Si-SiC C-rings. (10) 2531
Chung, Gui-Yung; and McCoy, Benjamin J.
Modeling of chemical vapor infiltration for ceramic composites reinforced with layered, woven fabrics. (4) 746
Chung, Y. S. See Shapiro, M. J.
Chyung, Kenneth See Bhatt, Hemanshu
Cima, Michael J. See Chow, Hui Meng; Ushifusa, Nobuyuki
Claussen, Nils See Lutz, Ekkehard H.; Nischik, Carmen; Wu, Suxing
Coffey, Dorothy W. See Nolan, Theodore A.
Cole, David R. See Maya, Leon
Collins, Clayton See Wang, Simon C. P.
Cook, William R., Jr.
Positive temperature coefficient of resistivity effect in undoped atmospherically reduced barium titanate—comment. (7) 1749
Cooke, Theodore F.
Inorganic fibers—A literature review. (12) 2959
Coon, Dennis N. See O'Brien, Michael H.
Cooper, Alfred R. See Cawley, James D.
Cooper, Reid F.; Yoon, Woo Young; and Perepezko, John H.
Internal nucleation of highly undercooled magnesium metasilicate melts. (6) 1312
Corbin, Normand D. See Russell, Laura M.
Cornilsen, Bahne C. See Kline, Andrew A.
Cotterell, Brian See Lam, Khin-Yong
Cotteret, Jacques See Naslain, Roger
Cox, Brian N. See Dadkhah, Mahyar S.
Cross, L. Eric See Shimizu, Yasuhiro
Curtin, William A.
Theory of mechanical properties of ceramic-matrix composites. (11) 2837
Cutler, Raymond A.; Mayhew, Robert J.; Prettyman, Kevin M.; and Virkar, Anil V.
High-toughness Ce-TZP/Al_2O_3 ceramics with improved hardness and strength. (1) 179
Dabbs, Daniel M. See Aksay, Ilhan A.
Dadkhah, Mahyar S.; Marshall, David B.; Morris, Winfred L.; and Cox, Brian N.
Direct measurement of transformation zone strains in toughened zirconia. (3) 584
Dalgleish, Brian J. See Bordia, Rajendra K.
Damodaran, Alathoor D. See Mani, Themanam Veettil; Muralidharan, Pottayil Uma Devi
Danchaivijit, Sawai See Bright, Jeffrey D.
Dando, Neal R. See Fahrenholtz, William G.
Datye, Abhaya K. See Borek, Theodore T.; Gulliver, Eric A.

Dauskardt, Reinhold H. See Steffen, Angela A.
Davies, Peter K. See Thiele, Erik
Davies, Peter K.; Caignol, Elizabeth; and King, Todd
New phases in the CaO-M_2O_3-CuO (M = Nd, Gd, Y) systems at 1000 °C. (3) 569
Davis, Robert F. See Lipetzky, Pete
Day, Delbert E. See Ray, Chandra S.; Xu, Xiaojie J.
De Aza, Salvador See Sanz, Jesus
De Jonghe, Lutgard C. See Chu, May-Ying; Rahaman, Mohamed N.
de With, Gysbertus See Dortmans, Leonardus J. M.
DeNatale, Jeffrey F. See Howitt, David G.
Deki, Shigehito See Hashimoto, Noboru
Denda, Mitsunori See Haerle, Andrew G.
Descamps, Phillippe; Sakaguchi, Shuji; Poorteman, Marc; and Cambier, Francis
High-temperature characterization of reaction-sintered mullite-zirconia composites. (10) 2476
Desclaux, Paul See Allaire, Claude
Desgardin, Gilbert See Boufrou, Brahim
Desu, Seshu B. See Chiu, Chien C.; Li, Chen-C.
Dickerson, Robert M.; and Heuer, Arthur H.
Calcia-zirconia phase diagram revisited: Stability of the ordered phases Φ_1 and Φ_2. (1) 234
Dingwell, Donald B.
Density of titanium(IV) oxide liquid. (10) 2718
Dobson, Christopher M. See Groves, Geoffrey W.
Dominguez-Rodriguez, A. See Martinez-Fernandez, J.; Pajares, Antonia
Donaldson, Kimberly Y. See Bhatt, Hemanshu; Russell, Laura M.
Dong, X.; Jahanmir, Said; and Hsu, Stephen M.
Tribological characteristics of α-alumina at elevated temperatures. (5) 1036
Doremus, Robert H. See Hynes, Anne P.; Perera, Gunarathna
Dortmans, Leonardus J. M.; and de With, Gysbertus
Noise sensitivity of fit procedures for Weibull parameter extraction. (9) 2293
Dou, Shi-Xue See Zhou, Ji-Ping
Dou, Xhi-Xue See Song, Kang-Ho
Doughty, Daniel H. See Carim, Atlaf H.
Drew, Robin A. L. See Durham, Simon J. P.; McDermid, Joseph R.
Drory, Michael D.; Gardinier, Clayton F.; and Speck, James S.
Fracture toughness of chemically vapor-deposited diamond. (12) 3148
Drozdov, A. V.; Galenko, Velodya O.; Gogotsi, George A.; and Swain, Michael V.
Acoustic emission during micro- and macrocrack growth in Mg-PSZ. (8) 1922
Du, Yong; Jin, Zhanpeng; and Huang, Peiyun
Thermodynamic assessment of the ZrO_2-$YO_{1.5}$ system. (7) 1569; Thermodynamic calculation of the ZrO_2-$YO_{1.5}$-MgO system. (9) 2107
Dugne, Olivier See Naslain, Roger
Dumas, Philippe; and Taylor, Jenifer A. T.
Effect of purity of raw materials and processing on the microstructure and properties of high-T_c $Ba_2YCu_3O_{7-x}$. (10) 2663
Duncombe, Peter R. See Shaw, Thomas M.
Duong, Hiep; and Wolfenstine, Jeff
Low-stress creep of single-crystalline calcium oxide. (10) 2697
Duran, Pedro See Hernandez, María T.
Duraud, Jean-Paul See Jollet, Francois
Durham, Simon J. P.; Shanker, Kartik; and Drew, Robin A. L.
Carbothermal synthesis of silicon nitride: Effect of reaction conditions. (1) 31
Ebert, Rolf See Hohenberger, Gert
Ekström, Thommy See Slasor, Shaun
Engström, E. Urban See Falk, Lena K. L.
Enloe, Jack H.; Rice, Roy W.; Lau, John W.; Kumar, R.; and Lee, S. Y.
Microstructural effects on the thermal conductivity of polycrystalline aluminum nitride. (9) 2214
Epicier, Thierry
Benefits of high-resolution electron microscopy for the structural characterization of mullites. (10) 2359
Etouneau, Jean See Heintz, Jean-Marc
Eun, Kwang Yong See Baik, Young-Joon
Evans, Amalia L. See Mackert, J. Rodway, Jr.
Evans, Anthony G. See Bordia, Rajendra K.; He, Ming-Yuan; Zok, Frank
Faber, K. T. See Baker, Theresa L.; Cai, Hong-Da
Fahrenholtz, William G.; Hietala, Susan L.; Newcomer, Paula; Dando, Neal R.; Smith, Douglas M.; and Brinker, C. Jeffrey
Effect of physical structure on the phase development of aluminosilicate gels. (10) 2393
Falk, Lena K. L.; and Engström, E. Urban
Elemental concentration profiles in an oxidized silicon nitride material. (9) 2286
Fang, Yue See Chan, Sai-Kit
Faulk, Nancy M. See Gadalla, Ahmed M.
Ferrari, Mauro; and Filipponi, Marco
Appraisal of current homogenizing techniques for the elastic response of porous and reinforced glass. (1) 229
Fierro, José L. G. See Hernandez, María T.
Filipponi, Marco See Ferrari, Mauro
Fine, Morris E. See Liu, Haiyan
Finney, Russell J. See Madsen, Ian C.
Fischer, Henry E. See Olson, Jeffrey R.
Fischman, Gary S. See Wang, Hongyu
Flann, Robert C. A. See Madsen, Ian C.
Flemings, Merton C. See Chow, Hui Meng
Foley, Paul See Buhr, Hendrik
Francis, Lorraine Falter; and Payne, David A.
Thin-layer dielectrics in the $Pb[(Mg_{1/3}Nb_{2/3})_{1-x}Ti_x]O_3$ system. (12) 3000
Frandsen, Marvin V.; and Williams, Wendell S.
Thermal conductivity and electrical resistivity of cemented transition-metal carbides at low temperatures. (6) 1411
Freeman, Garth B. See Hanigofsky, John A.; Lee, Woo Y.
Freiman, Stephen W. See Mecholsky, John J., Jr.; White, Grady S.
Frost, Malcolm T. See Madsen, Ian C.
Fu, Hengzhi See Zhou, Wancheng
Fuierer, Paul A.; and Newnham, Robert E.
$La_2Ti_2O_7$ ceramics. (11) 2876
Fujitsu, Satoru See Noritake, Fumitomo
Fukuda, Koichiro See Maki, Iwao
Fukuhara, Mikio
Phase relations in the Si_3N_4-rich portion of the Si_3N_4-AlN-Al_2O_3-Y_2O_3 system—reply. (3) 688
Fukunaga, Osamu See Hirai, Hisako; Ikawa, Hiroyuki
Fuller, Edwin R., Jr. See Becher, Paul F.; Rödel, Jürgen
Fulmer, Mark See Brown, Paul W.
Fung, Kuan Zong; and Virkar, Anil V.
Phase stability, phase transformation kinetics, and conductivity of Y_2O_3-Bi_2O_3 solid electrolytes containing aliovalent dopants. (8) 1970
Furusaki, Tsuyoshi See Unuma, Hidero
Gadalla, Ahmed M.; Bozkurt, Bedri; and Faulk, Nancy M.
Modeling of thermal spalling during electrical discharge machining of titanium diboride. (4) 801
Galenko, Velodya O. See Drozdov, A. V.
Gani, Mary S. J. See Hedges, Michelle M.
Gao, Jian-Hua See Shi, Jian-Lin
Gardinier, Clayton F. See Drory, Michael D.
Garvey, John W. See Gulliver, Eric A.
Gasser, Michael See Odler, Ivan
Gauckler, Ludwig J. See Bayer, Gerhard
Gaudi, Kai-Uwe See Riedel, Ralf
Gautier, Martine See Jollet, Francois
German, Randall M. See Yang, Sung-Chul
Ghosh, Asish See Li, Zhuang
Ghosh, Asish; White, Kenneth W.; Jenkins, Michael G.; Kobayashi, Albert S.; and Bradt, Richard C.
Fracture resistance of a transparent magnesium aluminate spinel. (7) 1624
Ghosh, Dilip Kumar See Chakravorty, Akshoy Kumar
Giannakopoulos, Antonios; and Breder, Kristin
Synergism of toughening mechanisms in whisker-reinforced ceramic-matrix composites. (1) 194
Giannelis, Emmanuel P. See Keddie, Joseph L.
Gilbert, Thomas R. See MacInnes, Andrew N.
Glasser, Fred P. See Yilmaz, Veysel T.
Godkhindi, Mahadev Malhar See Krishnarao, Raghavarapu Venkata
Gogotsi, George A. See Drozdov, A. V.
Goktas, A. Aydin; and Weinberg, Michael C.
Preparation and crystallization of sol-gel calcia-alumina compositions. (5) 1066
Golden, Steve J.; Bloomer, Tamara E.; Lange, Frederick F.; Segadaes, Ana M.; Valdya, Kaushik J.; and Cheetham, Anthony K
Processing and characterization of thin films of the two-layer superconducting phase in the Bi-Sr-Ca-Cu-O system: Evidence for solid solution. (1) 123
Golden, Steve J.; Lange, Fred F.; Valdya, Kaushik J.; and Bloomer, Tamara E.
Processing and characterization of thin films of the one-layer phase in the Bi-Sr-Ca-Cu-O system: Ca solubility. (4) 797
Golestani-Fard, Farhad See Hashemi, Tooraj
Golic, Ljubo See Kraševec, Viktor
Goodbrake, Chris J. See Richards, Elizabeth A.
Goto, Takashi See Narushima, Takayuki
Goto, Yasuhiro See Ohji, Tatsuki
Graham, Earl K. See Srikanth, Varanasi
Grathwohl, Georg; and Liu, Tianshun
Crack resistance and fatigue of transforming ceramics: I, Materials in the ZrO_2-Y_2O_3-Al_2O_3 system. (2) 318; Crack resistance and fatigue of transforming ceramics: II, CeO_2-stabilized tetragonal ZrO_2. (12) 3028
Green, David J. See Brezny, Rasto; Marple, Basil R.; Tandon, Rajan; Van Voorhees, Eric J.
Greer, A. Lindsay; and Kelton, Kenneth F.
Nucleation in lithium disilicate glass: A test of classical theory by quantitative modeling. (5) 1015
Grimes, Robin W.; and Lagerlof, K. Peter D.
Polymorphs of cobalt oxide. (2) 270
Grimsditch, Marcos See Chan, Sai-Kit
Groves, Geoffrey W.; Brough, Adrian; Richardson, Ian G.; and Dobson, Christopher M.
Progressive changes in the structure of hardened C,S cement pastes due to carbonation. (11) 2891
Gu, Bing-lin See Zhang, Xiao-wen
Guazzone, Laurent See White, Kenneth W.
Guermazi, Mohamed; Höfler, H. Jurgen; Hahn, Horst; and Averback, Robert S.
Temperature dependence of the hardness of nanocrystalline titanium dioxide. (10) 2672
Guette, Alain See Naslain, Roger
Guha, J. P.
Synthesis and characterization of barium lanthanum titanates. (4) 878
Guiberteau, Fernando See Pajares, Antonia
Guiu, Frank See Reece, Michael
Gulliver, Eric A.; Garvey, John W.; Wark, Teresa A.; Hampden-Smith, Mark J.; and Datye, Abhaya
Hydrolytic condensation of tin(IV) alkoxide compounds to form particles with well-defined morphology. (5) 1091
Gupta, Prabhat K.
Simple method for measuring the friction coefficient of thin fibers. (7) 1692
Gwo, Tsung-Ju See Nair, Shanti V.
Haberko, Krzysztof See Pyda, Waldemar
Haerle, Andrew G.; Cannon, W. Roger; and Denda, Mitsunori
Direct measurement of crack tip stresses. (11) 2897
Hagaman, Edward W. See Maya, Leon
Haggerty, John S. See Chow, Hui Meng; Sheldon, Brian W.
Hahn, Horst See Guermazi, Mohamed
Hahn, Horst; and Averback, Robert S.
Low-temperature creep of nanocrystalline titanium(IV) oxide. (11) 2918
Halloran, John W. See Cawley, James D.
Hamamoto, Mitsuharu See Tsubakino, Harushige
Hampden-Smith, Mark J. See Gulliver, Eric A.
Hampshire, Stuart See Ohashi, Masayoshi
Han, Kwonhoon; Safari, Ahmad; and Riman, Richard E.
Colloidal processing for improved piezoelectric properties of flexible 0-3 ceramic-polymer composites. (7) 1699
Han, Won-Taek See Tomozawa, Minoru
Han, Yong; and Akinc, Mufit
Preparation of calcium lanthanum sulfide powders via alkoxide sulfurization. (11) 2815
Han, Young H.; Li, Hong; Wong, Thomas Y.; and Bradt, Richard C.
Knoop microhardness anisotropy of single-crystal aragonite. (12) 3129
Hannoka, Hirokazu See Ōya, Asao
Haneda, Hajime See Tanaka, Shigeru
Hanigofsky, John A. See Shapiro, M. J.
Hanigofsky, John A.; More, Karren L.; Lackey, W. J.; Lee, Woo Y.; and Freeman, Garth B.
Composition and microstructure of chemically vapor-deposited boron nitride, aluminum nitride, and boron nitride + aluminum nitride composites. (2) 301
Hanna, Baher; and Bohn, Randy G.
Thermal conductivity of Li_2O-Al_2O_3-$n$$SiO_2$ glass-ceramics between 5 and 100 K. (12) 3035
Hara, Tatsuo See Makishima, Akio
Harada, Makoto See Kinoshita, Masahiro
Hariguchi, Yoichi See Kinoshita, Masahiro
Harmer, Martin P. See Stearns, Laura C.
Harris, Larry A. See Ong, Joo L.
Harris, Robin K. See Apperley, David C.
Harrod, John F. See Zhang, Zhi-Fan
Hartman, George A. See Zawada, Larry P.
Hashemi, Tooraj; Illingsworth, Jenny; and Golestani-Fard, Farhad
X-ray photoelectron spectroscopy of cadmium tin oxide ceramics in as-fired and electrochemically reduced forms. (3) 662
Hashimoto, Noboru; Sawada, Yasushi; Bando, Takashi; Yoden, Hiroyoshi; and Deki, Shigehito
Preparation of aluminum nitride powder from aluminum polynuclear complexes. (6) 1282
Hasselman, D. P. H. See Bhatt, Hemanshu; Russell, Laura M.
Hasselman, D. P. H.; Venkateswaran, A.; and Tawil, H.
Role of interfacial debonding and matrix cracking in the effective thermal diffusivity of alumina-fiber-reinforced chemical-vapor-infiltrated silicon carbide matrix composites. (7) 1631
Hatmaker, Terry L. See Bamberger, Carlos E.
Hattori, Akiyoshi See Hirano, Shinichi
Hattori, Tetsuyuki See Wakamatsu, Mitsuru
Haung, Chorng-Jye; Chang, Chih-Yu; Chen, Mao-Chieh; and Tseng, Tseung-Yuen
In situ growth of superconducting $YBa_2Cu_3O_{7-x}$ thin films. (9) 2305
Hautaniemi, Jarmo Antero; and Hero, Hakon
Effect of crystalline leucite on porcelain bonding on titanium. (6) 1449
Hawn, David D. See Williams, P. Douglas
Hayakawa, Issei See Kamizono, Hiroshi
Hayashi, Takashi See Hirano, Shinichi
He, Ming-Yuan; Bartlett, Andrew; Evans, Anthony G.; and Hutchinson, John W.
Kinking of a crack out of an interface: Role of in-plane stress. (4) 767
Hedges, Michelle M.; Bannister, Michael J.; and Gani, Mary S. J.
$Ba(Ti,Zr)O_3$-$(Zr,Ti)O_2$ field in the phase system BaO-TiO_2-ZrO_2. (9) 2318

Heine, Volker; Cheng, Ching; and Needs, Richard J.
Preference of silicon carbide for growth in the metastable cubic form. (10) 2630
Heintz, Jean-Marc; Sanz, Mariano; Marquestaut, Emile; Etouneau, Jean; and Bonnet, Jean-Pierre
Influence of $BaCuO_2$ on the sintering and the properties of $YBa_2Cu_3O_{7-\delta}$-based ceramics. (5) 998
Hench, Larry L.
Bioceramics: From concept to clinic. (7) 1487
Hernandez, María T.; Jurado, José R.; Duran, Pedro; and Fierro, José L. G.
Subeutectoid degradation of yttria-stabilized tetragonal zirconia polycrystal and ceria-doped yttria-stabilized tetragonal zirconia polycrystal ceramics. (6) 1254
Hero, Hakon See Hautaniemi, Jarmo Antero
Heuer, Arthur H. See Chaim, Rachman; Dickerson, Robert M.; Maloy, Stuart; Martinez-Fernandez, J.; Morscher, Gregory N.; Pajares, Antonia; Powell-Dogan, Cynthia A.; Tikare, Veena
Heuer, James P. See Howitt, David G.
Hietala, Susan L. See Fahrenholtz, William G.; Lindquist, David A.
Hikichi, Yasuo See Suzuki, Suguru
Hill, D. Norman See Shapiro, M. J.
Hillert, Mats
Thermodynamic model of the cubic → tetragonal transition in nonstoichiometric zirconia. (8) 2005
Hirai, Hisako; Fukunaga, Osamu; and Odawara, Osamu
Effect of microwave power on hydrogen content in chemically vapor deposited diamond films. (7) 1715
Hirai, Toshio See Narushima, Takayuki
Hiramatsu, Katsuto See Mizuhara, Yukako
Hirano, Masanori; and Inada, Hiroshi
Strength and phase stability of yttria-ceria-doped tetragonal zirconia/alumina composites sintered and hot isostatically pressed in argon-oxygen gas atmosphere. (3) 606
Hirano, Shinichi; Hayashi, Takashi; and Hattori, Akiyoshi
Chemical processing and microwave characteristics of $(Zr,Sn)TiO_4$ microwave dielectrics. (6) 1320
Hirata, Yoshihiro; Matsushita, Shinichi; Ishihara, Yoshimi; and Katsuki, Hiroaki
Colloidal processing and mechanical properties of whisker-reinforced mullite matrix composites. (10) 2438
Hirayama, Shigekazu See Nakamura, Yoshikazu
Hirota, Kazushi See Lee, Jong-Heun
Hitchcock, David C.; Rusin, Richard P.; and Johnson, D. Lynn
Reaction of $YBa_2Cu_3O_{7-\delta}$ powder with NO_x gas in an aerosol reactor. (9) 2165
Hlavacek, Vladimir See Agrafiotis, Christos C.
Hocker, Nancy See Brown, Paul W.
Hodge, James D.
Monte Carlo solution to the problem of diffusion in grain boundaries. (4) 823
Hofler, H. Jurgen See Guermazi, Mohamed
Hofmann, Martin See Bayer, Gerhard
Hohenberger, Gert; Tomandl, Gerhard; Ebert, Rolf; and Taube, Thomas
Inhomogeneous conductivity in varistor ceramics: Methods of investigation. (9) 2067
Holmes, John W.
Influence of stress ratio on the elevated-temperature fatigue of a silicon carbide fiber-reinforced silicon nitride composite. (7) 1639; See also Cho, Chongdu
Hom, Craig L. See Zok, Frank
Hong, Byungsun; and Mason, Thomas O.
Solid-solution ranges of the $n=2$ and $n=3$ superconducting phases in $Bi_2(Sr,Ca_{1-x})_{n+1}Cu_nO_y$ and the effect on T_c. (5) 1045
Hong, Dyllan J. L.; and Smyth, Donald M.
Defect equilibria and transport in $YBa_2Cu_3O_{7-x}$ at elevated temperatures: I, II, and III—comment. (7) 1751
Hong, Lu-Sheng; and Komiyama, Hiroshi
Chemical vapor deposition of CuO, films by CuI and O_2: Role of cluster formation on film morphology. (7) 1597
Horie, Y.
Fabricating nanocrystalline diamond ceramics by a shock compaction method—comment. (7) 1760
Horiguchi, Yasunobu See Noritake, Fumitomo
Houng, Mau-Phon See Chen, Ying-Chung
Howard, Christopher J.; Kisi, Erich H.; and Ohtaka, Osamu
Crystal structures of two orthorhombic zirconias. (9) 2321
Howitt, David G.; Chan, Hing W.; DeNatale, Jeffrey F.; and Heuer, James P.
Mechanism for the radiolytically induced decomposition of soda-silicate glasses. (5) 1145
Hoyle, Susan See Brown, Paul W.
Hrma, Pavel See Kim, Dong-Sang
Hsieh, Chien-Chung See Tsai, Dah-Shyang
Hsu, Jen-Yan; and Speyer, Robert F.
Crystallization of $Li_2O{\cdot}Al_2O_3{\cdot}6SiO_2$ glasses containing niobium pentoxide as nucleating dopant. (2) 395
Hsu, Stephen M. See Dong, X.
Hsueh, Chun-Hway
Considerations of determination of residual stresses and Young's moduli in ceramic coatings. (7) 1646
Hsyung, Niey-B. See Tiller, Frank M.
Hu, Xiao-Zhi; Lutz, Ekkehard H.; and Swain, Michael V.
Crack-tip-bridging stresses in ceramic materials. (8) 1828
Huang, Chi-Yuen See Srikanth, Varanasi
Huang, Peiyun See Du, Yong
Huang, Wenhai See Ray, Chandra S.
Huang, Yong See Sun, Qingping
Hubbard, Camden R. See Nolan, Theodore A.
Huebner, Wayne See Wang, Sea Fue
Huling, Jeffrey C.; and Messing, Gary L.
Epitactic nucleation of spinel in aluminosilicate gels and its effect on mullite crystallization. (10) 2374
Hutchinson, John W. See He, Ming-Yuan
Hwang, Nong M. See Roth, Robert S.
Hyder, Mohammed J. See Woodford, David A.
Hynes, Anne P.; and Doremus, Robert H.
High-temperature compressive creep of polycrystalline mullite. (10) 2469
Igawa, Naoki See Ishii, Yoshinobu
Iguchi, Yasutaka See Narushima, Takayuki
Iio, Satoshi; Yokoi, Hitoshi; Watanabe, Masakazu; and Matsuo, Yasushi
Mechanical properties of Si_3N_4O/SiC-whisker composites. (2) 296
Ikawa, Hiroyuki; Shimojima, Hiromasa; Urabe, Kazuyori; and Fukunaga, Osamu
Thermal expansion of solid solutions in the $ZrTiO_4$-In_2O_3-M_2O_5 (M = Sb, Ta) system. (8) 1899
Ikawa, Hiroyuki; Yamada, Toshiyuki; Kojima, Kenji; and Matsumoto, Shigeo
X-ray photoelectron spectroscopy study of high- and low-temperature forms of zirconium titanate. (6) 1459
Ikeda, Masaaki See Sumita, Shigekazu
Ikegami, Takashi See Takahashi, Junichi
Illingsworth, Jenny See Hashemi, Tooraj
Im, Ho Bin See Lee, Eun Gu
Imafuji, Osamu See Yao, Takeshi
Inada, Hiroshi See Hirano, Masanori
Ingo, Gabriel Maria
Origin of darkening in 8 wt% yttria-zirconia plasma-sprayed thermal barrier coatings. (2) 381
Inoue, Masashi; Otsu, Hiroyuki; Kominami, Hiroshi; and Inui, Tomoyuki
Synthesis of yttrium aluminum garnet by the glycothermal method. (6) 1452
Inui, Tomoyuki See Inoue, Masashi
Iseki, Takayoshi See Suematsu, Hisayuki
Ishida, Shingo See Wakamatsu, Mitsuru
Ishihara, Tatsumi See Mizuhara, Yukako
Ishihara, Yoshimi See Hirata, Yoshihiro
Ishii, Yoshinobu; Nagasaki, Takanori; Igawa, Naoki; Watanabe, Hitoshi; and Ohno, Hideo
Temperature dependence of the Raman spectrum in lithium oxide single crystal. (9) 2324
Ishizaki, Kozo See Watari, Koji
Ishizawa, Nobuo See Kajiyoshi, Koji; Yashima, Masatomo; Yokogawa, Yoshiyuki
Isoda, Takeshi See Yokoyama, Yasuharu
Ito, Eiji See Ohtaka, Osamu
Iwasaki, Matae See Uchino, Takashi
Jackson, T. Barrett See Log, Torgrim
Jaganathan, James See Jewell, John M.
Jahanmir, Said See Dong, X.
Jain, Himanshu See Butler, Elizabeth P.
Jain, Vijay; Barnes, Steven M.; Vethanayagam, Thirukumar; and Pye, L. David
Noble metal and spinel deposition on the floor of the Joule-heated ceramic melter. (7) 1559
Jang, Kam Yong See Kim, Kyekyoon (Kevin)
Janney, Mark A. See Young, Albert C.
Janney, Mark A.; Kimrey, Hal D.; Schmidt, Monica A.; and Kiggans, James O.
Grain growth in microwave-annealed alumina. (7) 1675
Jansen, J. Ben H. See Buining, Paul A.
Jemian, Pete R. See Krueger, Susan
Jenkins, Michael G. See Ghosh, Asish
Jero, Paul D.; Kerans, Ronald J.; and Parthasarathy, Triplicane
Effect of interfacial roughness on the frictional stress measured using pushout tests. (11) 2793
Jewell, John M.
Thermooptic coefficients of some standard reference material glasses. (7) 1689
Jewell, John M.; Jaganathan, James; and Aggarwal, Ishwar D.
Heterogeneous platinum nucleation and crystallization of a heavy-metal fluoride glass. (4) 788
Jewell, John M.; Spess, Marie S.; Ortolano, Renee L.; and Shelby, James E.
Effect of heat-treatment temperature on the properties of a lithium aluminosilicate glass. (1) 92
Ji, Yangyang; Liang, Jingkui; Chen, Zhan; and Xie, Sishen
Phase relations in the system Al_2O_3-B_2O_3-Nd_2O_3. (2) 444
Jiang, Xiao Ping See Chow, Hui Meng
Jiang, Zhihua See Zhou, Liqin
Jiang, Zhonghong See Yong, Ding
Jiang, Zuo Zhao See Sun, Qingping
Jimenez-Melendo, M. See Martinez-Fernandez, J.
Jin, Mao-Chang See Chen, Zhi
Jin, Zhanpeng See Du, Yong
Jinno, Hiroshi See Yao, Takeshi
Johnson, D. Lynn
Microwave heating of grain boundaries in ceramics. (4) 849; See also Hitchcock, David C.
Johnson, David W., Jr. See Tripathi, Ramesh B.
Johnson, William B.; Nagelberg, Alan S.; and Breval, Else
Kinetics of formation of a platelet-reinforced ceramic composite prepared by the directed reaction of zirconium with boron carbide. (9) 2093
Jollet, Francois; Noguera, Claudine; Gautier, Martine; Thromat, Nathalie; and Duraud, Jean-Paul
Influence of oxygen vacancies on the electronic structure of yttrium oxide. (2) 358
Jones, Lori See VanDamme, Nobuko S.
Joshi, Anne See Chou, Ting C.
Judson, Elizabeth A. See Shapiro, M. J.
Jue, Jan Fong See Chan, Chin-Jong
Jue, Jan Fong; Chen, Jong; and Virkar, Anil V.
Low-temperature aging of t'-zirconia: The role of microstructure on phase stability. (8) 1811
Jurado, José R. See Hernandez, María T.
Kageyama, Keisuke See Takahashi, Junichi
Kajiyoshi, Koji; Ishizawa, Nobuo; and Yoshimura, Masahiro
Preparation of tetragonal barium titanate thin film on titanium metal substrate by hydrothermal method. (2) 369
Kale, Girish M.
Activity-composition relations in the nickel oxide-magnesium oxide system at 1300 K by the solid-state galvanic cell technique. (9) 2209
Kalen, Joseph D.; Boyce, Rethia S.; and Cawley, James D.
Oxygen tracer diffusion in vitreous silica. (1) 203
Kamiya, Kanichi See Yoko, Toshinobu
Kamiya, Nobuo See Makino, Hiroaki
Kamizono, Hiroshi
Durability of high-level waste glass in groundwater. (9) 2234
Kamizono, Hiroshi; Hayakawa, Issei; and Muraoka, Susumu
Durability of zirconium-containing ceramic waste forms in water. (4) 863
Kaneko, Yasuyuki See Kimura, Toshio
Kang, Kwang Yong See Sung, Gun Yong
Kang, Suk-Joong L.; Kim, Kwan-Hyeong; and Yoon, Duk N. Densification and shrinkage during liquid-phase sintering. (2) 425
Kang, Youn-Ho See Kordas, George
Kangutkar, Pramod See Barsoum, Michel
Kanzaki, Shuzo See Ohashi, Masayoshi
Karihaloo, Bhushan L.
Contribution of $t \rightarrow m$ phase transformation to the toughening of ZTA. (7) 1703
Kasahara, Michika See Oya, Asao
Kasuga, Toshihiro See Uno, Tomoko
Kato, Hidezumi See Nagano, Takayuki
Kato, Zenji See Uematsu, Keizo
Katsuki, Hiroaki See Hirata, Yoshihiro
Kaya, Hiroshi See Yokoyama, Yasuharu
Keddie, Joseph L.; and Giannelis, Emmanuel P.
Effect of heating rate on the sintering of titanium dioxide thin films: Competition between densification and crystallization. (10) 2669
Keddie, Joseph L.; Li, Jian; Mayer, James W.; and Giannelis, Emmanuel P.
Effect of nitridation rate on the composition and conductivity of titanium nitride film prepared from sol-gel titania. (11) 2937
Kelkar, Girish P. See White, Kenneth W.
Kelton, Kenneth F. See Greer, A. Lindsay
Kerans, Ronald J. See Jero, Paul D.
Kerans, Ronald J.; and Parthasarathy, Triplicane
Theoretical analysis of the fiber pullout and pushout tests. (7) 1585
Keyes, Scott W. See Matthewson, M. John
Kido, Hiroyasu See Malla, Prakash B.
Kido, Hiroyasu; Komarneni, Sridhar; and Roy, Rustum
Preparation of $La_2Zr_2O_7$ by sol-gel route. (2) 422
Kiggans, James O. See Janney, Mark A.
Kim, Dae-Joon; and Tien, Tseng-Ying
Phase stability and physical properties of cubic and tetragonal ZrO_2 in the system ZrO_2-Y_2O_3-Ta_2O_5. (12) 3061
Kim, Dong-Sang; and Hrma, Pavel
Foaming in glass melts produced by sodium sulfate decomposition under isothermal conditions. (3) 551
Kim, Duk Hee; Um, Woo Sik; No, Kwangsoo; and Kim, Ho Gi
Preparation of superconducting Bi(Pb)-Sr-Ca-Cu-O thick films on magnesia substrate. (9) 2102
Kim, Ho Gi See Kim, Duk Hee
Kim, Hyoun-Ee; and Moorhead, Arthur J.
Corrosion and strength of SiC-whisker-reinforced alumina exposed at high temperatures to H_2-H_2O atmospheres. (6) 1354; Effect of doping on the strength and infrared transmittance of hot-pressed cesium iodide. (1) 161; Strength of Nicalon silicon carbide fibers exposed to high-temperature gaseous environments. (3) 666

Kim, Hyoun-Ee; Zinkle, Steven J.; and Allen, William R.
Preparation of magnesium aluminate spinel containing controlled amounts of ^{17}O isotope. (6) 1442
Kim, Jin-Young See Uematsu, Keizo
Kim, Kwan-Hyeong See Kang, Suk-Joong L.
Kim, Kyekyoon (Kevin); Jang, Kam Yong; and Upadhye, Ravindra S.
Hollow silica spheres of controlled size and porosity by sol-gel processing. (8) 1987
Kim, Moon-G. See Sinn, Dong-Sook
Kim, Ran Y.; and Pagano, Nicholas J.
Crack initiation in unidirectional brittle-matrix composites. (5) 1082
Kim, Sang S.; and Baik, Sunggi
Hot isostatic pressing of sintered silicon nitride. (7) 1735
Kim, Sung S.; and Sanders, Thomas H., Jr.
Thermodynamic modeling of phase diagrams in binary alkali silicate systems. (8) 1833
Kimrey, Hal D. See Janney, Mark A.
Kimura, Toshio See Watanabe, Hidenori
Kimura, Toshio; Kaneko, Yasuyuki; and Yamaguchi, Takashi
Consolidation of alumina-zirconia mixtures by a colloidal process. (3) 625
King, Todd See Davies, Peter K.
Kinoshita, Masahiro; Harada, Makoto; Sato, Yasuo; and Hariguchi, Yoichi
Percolation phenomenon for dissolution of sodium borosilicate glasses in aqueous solutions. (4) 783
Kirby, Kevin W.; and Wechsler, Barry A.
Phase relations in the barium titanate-titanium oxide system. (8) 1841
Kirkpatrick, R. James See Brow, Richard K.; Bunker, Bruce C.
Kisi, Erich H. See Howard, Christopher J.
Klein, Lisa C. See Abramoff, Bennet
Kline, Andrew A.; Mullins, Michael E.; and Cornilsen, Bahne C.
Sol-gel kinetics followed by cylindrical attenuated total reflectance infrared spectroscopy. (10) 2559
Kobayashi, Albert S. See Ghosh, Asish; Li, Zhuang; Yang, Wein-Joe
Kobayashi, Nobuo See Ushio, Masumi
Koczak, Michael J. See Barsoum, Michel
Kodaira, Kohei See Unuma, Hidero
Kodama, Masao
Anomalous behavior of ultrasonic velocity in rubidium borate glasses. (10) 2603
Kodas, Toivo T. See Lindquist, David A.
Koester, David A. See Lipetzky, Pete
Kohl, James G. See Nair, Shanti V.
Kohli, Jeffrey T.; and Shelby, James E.
Rare-earth aluminogermanate glasses. (5) 1031
Kohyama, Masanori See Ohuchi, Fumio S.
Kojima, Kenji See Ikawa, Hiroyuki
Kokubo, Tadashi; Yoshihara, Satoru; Nishimura, Naomi; Yamamuro, Takao; and Nakamura, Takashi
Bioactive bone cement based on $CaO-SiO_2-P_2O_5$ glass. (7) 1739
Kolbrecka, Krystyna See Borowiec, Krzysztof
Kölker, Helmut See Thiemeier, Thomas
Komarneni, Sridhar See Kido, Hiroyasu; Mall, Prakash B.; Ravindranathan, P.; Selvaraj, Ulagaraj; Tsuji, Masamichi
Kominami, Hiroshi See Inoue, Masashi; Hong, Lu-Sheng
Kondo, Kenichi
Fabricating nanocrystalline diamond ceramics by a shock compaction method—reply. (7) 1761
Kordas, George; and Kang, Youn-Ho
Three-dimensional electron paramagnetic resonance imaging technique for mapping porosity in ceramics. (4) 709
Koshy, Jacob See Muralidharan, Pottayil Uma Devi
Koumoto, Kunihito See Noritake, Fumitomo; Pai, Chul-Hoon
Kourouklis, Gerasimos A.; and Liarokapis, Efthymios
Pressure and temperature dependence of the Raman spectra of zirconia and hafnia. (3) 520
Kousaka, Yasuo See Tohge, Noboru
Kraševec, Viktor; Trontelj, Marija; and Golič, Ljubo
Transmission electron microscope study of antimony-doped zinc oxide ceramics. (4) 760
Kratsch, Kenneth See Pope, Edward J. A.
Krishnan, Shankar; Weber, J. K. Richard; Schiffman, Robert A.; Nordine, Paul C.; and Reed, Robert A.
Refractive index of liquid aluminum oxide at 0.6328 μm. (4) 881
Krishnarao, Raghavarapu Venkata; and Godkhindi, Mahadev Malhar
Bonding of dense silicon nitride with carbon interlayers. (9) 2315
Krishnarao, Raghavarapu Venkata; Godkhindi, Mahadev Malhar; Pudukotta Gopal, Iyengar Mukunda; and Chakraborty, Madhusudan
Direct pyrolysis of raw rice husks for maximization of silicon carbide whisker formation. (11) 2869
Kriven, Waltraud M. See Popoola, Oludele O.
Krueger, Susan See Long, Gabrielle G.
Krueger, Susan; Long, Gabrielle G.; Black, David R.; Minor, Dennis; Jemian, Pete R.; Nieman, G. William; and Page, Richard A.
Evolution of the pore size distribution in final-stage sintering of alumina measured by small-angle X-ray scattering. (10) 2535
Kruis, F. Einar See Bauer, Robert A.
Kubota, Kazuhide See Sato, Tsugio
Kuharuangrong, Sutin; and Taylor, Jenifer A.T.
Melt processing of $YBa_2Cu_3O_{7-x}$. (8) 1964
Kuhn, Liisa T.; McMeeking, Robert M.; and Lange, Fred F.
A model for powder consolidation. (3) 682
Kulwicki, Bernard M.
Humidity sensors. (4) 697
Kumar, Binod; and Lin, Steve
Redox state of iron and its related effects in the $CaO-P_2O_5-Fe_2O_3$ glasses. (1) 226
Kumar, R. See Enloe, Jack H.
Kume, Shoichi See Ohtaka, Osamu
Lacefield, William R. See Ong, Joo L.
Lachowski, Eric E. See Yilmaz, Veysel T.
Lackey, W. J. See Hanigofsky, John A.; Lee, Woo Y.; Shapiro, M. J.
Laczka, Maria
Effect of aluminum and neodymium admixtures on devitrification of silica glasses. (8) 1916
Lagerlof, K. Peter D. See Grimes, Robin W.
Lai, Chih-Huang See Wu, Jenn-Ming
Laine, Richard M. See Zhang, Zhi-Fan
Lam, Khin-Yong; Cotterell, Brian; and Phua, Swee-Pheng
Statistics of flaw interaction in brittle materials. (2) 352
Lamon, Jacques; and Pherson, David
Thermal stress failure of ceramics under repeated rapid heatings. (6) 1189
Lanford, William See Perera, Gunarathna; Tomozawa, Minoru
Lange, Fred F. See Chan, Chin-Jong; Chang, Jeanne C.; Golden, Steve J.; Kuhn, Liisa T.; Leung, Dominic K.; Marshall, David B.; Velamakanni, Bhaskar V.; Zok, Frank
Lathabai, Srinivasarao; Rödel, Jürgen; and Lawn, Brian R.
Cyclic fatigue from frictional degradation at bridging grains in alumina. (6) 1340
Lau, John W. See Enloe, Jack H.
Lawn, Brian R. See Lathabai, Srinivasarao; Rödel, Jürgen
Le Caer, Gerard See Matteazzi, Paolo
Lee, Byeong-Joo; and Lee, Dong Nyung
Thermodynamic evaluation for the Y_2O_3-BaO-CuO, system. (1) 78
Lee, Dong Nyung See Lee, Byeong Joo
Lee, Eun Gu; Im, Ho Bin; and Roh, Jae Sung
Effects of wet oxidation on the properties of sub-10-nm-thick silicon nitride films. (7) 1563
Lee, Jong-Heun; Park, Soon-Ja; and Hirota, Kazushi
Temperature dependence of electrical conductivity in polycrystalline tin oxide—reply. (7) 1759
Lee, Moon-Ho; and Choi, Byung-Cheul
Crystallization of lead titanate prepared by wet chemical methods. (9) 2309
Lee, Ran-Rong
Development of high thermal conductivity aluminum nitride ceramic. (9) 2242
Lee, S. Y. See Enloe, Jack H.
Lee, Woo Y. See Hanigofsky, John A.
Lee, Woo Y.; Lackey, W. J.; and Agrawal, Pradeep K.
Kinetic analysis of chemical vapor deposition of boron nitride. (10) 2642; Simultaneous chemical vapor deposition of boron nitride and aluminum nitride. (10) 2649
Kinetic and thermodynamic analyses of chemical vapor deposition of aluminum nitride. (8) 1821
Lee, Woo Y.; Lackey, W. J.; Freeman, Garth B.; Agrawal, Pradeep K.; and Twait, D. J.
Preparation of dispersed phase ceramic boron nitride and aluminum composite coatings by chemical vapor deposition. (9) 2136
Lei, Ting-Chuan See Zhou, Yu
Lejeune, Martine See Bouquin, Olivier
Lekkerkerker, Hendrik N. W. See Buining, Paul A.
Leonelli, Cristina; Manfredini, Tizsuo; Paganelli, Mariano; Pellacani, Gian Carlo; Albaro, José Luis Amoros; Navarro, José Emilio Enrique; Orts, Maria José; Bruni, Silvia; and Cariati, Franco
$Li_2O-SiO_2-Al_2O_3-Me^{II}O$ glass-ceramic systems for tile glaze applications. (5) 983
Lessing, Paul A. See Tai, Lone-Wen
Leung, Dominic K.; Chan, Chin-Jong; Rühle, Manfred; and Lange, Fred F.
Metastable crystallization, phase partitioning, and grain growth of $ZrO_2-Gd_2O_3$ materials processed from liquid precursors. (11) 2786
Levy, Alvin
Thermal residual stresses in ceramic-to-metal brazed joints. (9) 2141
Lewandowski, John See Maloy, Stuart
Lewis, Duane J.
Technique for producing mullite and other mixed-oxide systems. (10) 2410
Li, Chen C. See Chiu, Chien C.
Li, Chen C.; Chiu, Chien C.; and Desu, Seshu B.
Formation of lead niobates in molten salt systems. (1) 42
Li, Dong X.; and Thomson, William J.
Effects of hydrolysis on the kinetics of high-temperature transformations in aluminosilicate gels. (3) 574; Mullite formation from nonstoichiometric diphasic precursors. (10) 2382
Li, Hong See Han, Young H.
Li, Hong; and Bradt, Richard C.
Knoop microhardness anisotropy of single-crystal cassiterite (SnO_2). (5) 1053
Li, Jaixiang See MacInnes, Andrew N.
Li, Jian See Keddie, Joseph L.
Li, Ke-Wen See Ownby, P. Darrell
Li, Ping; Chen, I-Wei; Penner-Hahn, James E.; and Tien, Tseng-Ying
X-ray absorption studies of ceria with trivalent dopants. (5) 958
Li, Zhuang See Chan, Sai-Kit
Li, Zhuang; Ghosh, Asish; Kobayashi, Albert S.; and Bradt, Richard C.
Indentation fracture toughness of sintered silicon carbide in the Palmqvist crack regime—reply. (4) 889
Li, Zongjin; Mobasher, Barzin; and Shah, Surendra P.
Characterization of interfacial properties in fiber-reinforced cementitious composites. (9) 2156
Liang, Jingkui See Ji, Yangyang
Liarokapis, Efthymios See Kourouklis, Gerasimos A.
Lidén, Eva; Persson, Michael; Carlström, Ells; and Carlsson, Roger
Electrostatic adsorption of a colloidal sintering agent on silicon nitride particles. (6) 1335
Lin, Bo-Chien See Matthewson, M. John
Lin, Chih-Kuang Jack; and Socie, Darrell F.
Static and cyclic fatigue of alumina at high temperatures. (7) 1511
Lin, Frank J. T. See Chu, May-Ying
Lin, Hua-Tay; and Becher, Paul F.
High-temperature creep deformation of alumina-SiC-whisker composites. (8) 1886
Lin, Li-Jiaun; and Wu, Tai-Bor
Structure evolution from $Pb(Mg_{1/3}Nb_{2/3})O_3$ to $La(Mg_{1/3}Nb_{2/3})O_3$. (6) 1360
Lin, Mark K. F. See Chu, May-Ying
Lin, Steve See Kumar, Binod
Lin, Yue-Sheng; and Burggraaf, Anthonie J.
Preparation and characterization of high-temperature thermally stable alumina composite membrane. (1) 219; Preparation and characterization of high-temperature thermally stable alumina composite membrane — correction. (10) 2721
Lin, Zu-Xiang See Shi, Jian-Lin
Lindquist, David A.; Kodas, Toivo T.; Smith, Douglas M.; Xiu, Xiaomei; Hietala, Susan L.; and Paine, Robert T.
Boron nitride powders formed by aerosol decomposition of poly(borazinylamine) solutions. (12) 3126
Ling, Hung C.; Yan, Man F.; and Rhodes, Warren W.
Aging behavior of $xPb(Fe_{2/3}W_{1/3})O_3$-$(1-x)Pb(Fe_{1/2}Nb_{1/2})O_3$ ceramic. (2) 287
Lipetzky, Pete; Nutt, Steven R.; Koester, David A.; and Davis, Robert F.
Atmospheric effects on compressive creep of SiC-whisker-reinforced alumina. (6) 1240
Liu, Chun Ling See Selvaraj, Ulagaraj
Liu, Haiyan; Fine, Morris E.; and Cheng, Herbert S.
Tribological behavior of SiC-whisker/Al_2O_3 composites against carburized 8620 steel in lubricated sliding. (9) 2224
Liu, Hua-Kun See Song, Kang-Ho
Liu, Huifang; and Chang, Luke L. Y.
Thortveitite-type manganese (Mg,Zn,Ni) vanadates. (10) 2686
Liu, Jenq; and Ownby, P. Darrell
Boron carbide reinforced alumina composites. (3) 674; Enhanced mechanical properties of alumina by dispersed titanium diboride particulate inclusions. (1) 241; Normal-pressure hot-pressing of α-alumina-diamond composites. (10) 2666
Liu, Shih-Yu; and Chen, I-Wei
Fatigue of yttria-stabilized zirconia: I, Fatigue damage, fracture origins, and lifetime prediction. (6) 1197; Fatigue of yttria-stabilized zirconia: II, Crack propagation, fatigue striations, and short-crack behavior. (6) 1206
Liu, Tianshun See Grathwohl, Georg
Liu, Wei-jun See Chuang, Tze-jer
LLorca, Javier; and Singh, Raj N.
Influence of fiber and interfacial properties on fracture behavior of fiber-reinforced ceramic composites. (11) 2882
Lloyd, Isabel K. See Wang, Ling
Log, Torgrim
Transient hot-strip method for simultaneous determination of thermal conductivity and thermal diffusivity of refractory materials. (3) 650
Log, Torgrim; and Jackson, T. Barrett
Simple and inexpensive flash technique for determining thermal diffusivity of ceramics. (5) 941

Londry, Frank A.; and Slavin, Alan J.
Effective thermal conductivity of a packed bed of hollow zirconia microspheres, under vacuum and under 100 kPa of argon. (12) 3118
Long, Gabrielle G. See Krueger, Susan
Long, Gabrielle G.; Krueger, Susan; and Page, Richard A.
Effect of green density and the role of magnesium oxide additive on the densification of alumina measured by small-angle neutron scattering. (7) 1578
Lozar, Bojan See Barbic, Lenart
Lu, Hong-Yang See Sue, Yuan-Jang
Lu, Hsin-chun; Burkhart, Lawrence E.; and Schrader, Glenn L.
Sol-gel process for the preparation of $Ba_2Ti_9O_{20}$ and $BaTi_5O_{11}$. (5) 968
Lucas, Linda C. See Ong, Joo L.
Luh, Ellice Y. See Weihs, Timothy P.
Luthra, Krishan L.
New perspectives on oxidation of silicon carbide and silicon nitride. (5) 1095
Lutz, Ekkehard H. See Hu, Xiao-Zhi
Lutz, Ekkehard H.; Claussen, Nils; and Swain, Michael V.
K^R-curve behavior of duplex ceramics. (1) 11
Lutz, Ekkehard H.; and Swain, Michael V.
Interrelation between flaw resistance, *R*-curve behavior, and thermal shock strength degradation in ceramics. (11) 2859
Lutz, Ekkehard H.; Swain, Michael V.; and Claussen, Nils
Thermal shock behavior of duplex ceramics. (1) 19
Ma, Junzhang See Zhou, Wancheng
Ma, Weiping See Shi, Dexiang
Ma, Yuechu; and Bowman, Keith J.
Texture in hot-pressed or forged alumina. (11) 2941
MacDougall, C. Sue See Bamberger, Carlos E.
MacInnes, Andrew N.; Barron, Andrew R.; Li, Jiaxiang; and Gilbert, Thomas R.
Formation of refractory metal carbide coatings on carbon fibers by a reaction-bonding process. (11) 2928
Machida, Nobuya See Shinkuma, Yoshikane
Mackenzie, John D. See Babonneau, Florence
Mackert, J. Rodway, Jr.; and Evans, Amalia L.
Quantitative X-ray diffraction determination of leucite thermal instability in dental porcelain. (2) 450
Madsen, Ian C.; Finney, Russell J.; Flann, Robert C. A.; Frost, Malcolm T.; and Wilson, Bill W.
Quantitative analysis of high-alumina refractories using X-ray powder diffraction data and the Rietveld method. (3) 619
Maeshima, Tsugio See Yokoyama, Yasuharu
Maki, Iwao; Fukuda, Koichiro; Seki, Shunichi; and Tanioka, Takashi
Impurity distribution during crystal growth of alite in portland cement clinker. (9) 2082
Makino, Hiroaki; Kamiya, Nobuo; and Wada, Shigetaka
Effects of grain size of hot-pressed silicon nitride on contact damage morphology and residual strength. (8) 2001
Makishima, Akio; and Hara, Tatsuo
Thermal expansions and chemical durabilities of yttria-aluminosilicate glasses containing Na_2O and ZrO_2. (2) 428
Malla, Prakash See Tsuji, Masamichi
Malla, Prakash B.; Komarneni, Sridhar; Taguchi, Hideki; and Kido, Hiroyasu
Probing the nature and the structure of pores in silica xerogels by water sorption: The tetramethyl orthosilicate-hydrogen chloride/fluoride system. (12) 2988
Maloy, Stuart; Heuer, Arthur H.; Lewandowski, John; and Petrovic, John
Carbon additions to molybdenum disilicide: Improved high-temperature mechanical properties. (10) 2704
Manfredini, Tiziauo See Leonelli, Cristina
Mani, Themanam Veettil; Varma, Hari Krishna; Warrier, Krishna Gopakumara; and Damodaran, Alathoor D.
Aluminum titanate powder synthesis via thermal decomposition of transparent gels. (8) 1807
Marinkovic, Velibor See Barbic, Lenart
Marple, Basil R. See Root, John H.
Marple, Basil R.; and Green, David J.
Mullite/alumina particulate composites by infiltration processing: III, Mechanical properties. (10) 2453
Marques, Fernando M. B.; and Wirtz, Gerald P.
Electrical properties of ceria-doped yttria. (3) 598
Marquestaut, Emile See Heintz, Jean-Marc
Marra, John E.; and Peacock, Harold B.
Reactions during the processing of U_3O_8-Al cermet fuels. (4) 733
Marshall, David B. See Dadkhah, Mahyar S.
Marshall, David B.; Ratto, Joseph J.; and Lange, Fred F.
Enhanced fracture toughness in layered microcomposites of Ce-ZrO_2 and Al_2O_3. (12) 2979
Marshall, Gregory L. See Apperley, David C.
Martin, Steve W.
Ionic conduction in phosphate glasses. (8) 1767
Martin, Steve W.; and Bloyer, Donald R.
Preparation and infrared characterization of thioborate compounds and polycrystals. (5) 1003
Martin, Steve W.; and Polewik, Tamara
Density measurements of glasses in the series $xNa_2S + (1-x)B_2S$. (6) 1466
Martinez, Sheri L. See Carim, Altaf H.
Martinez-Fernandez, J.; Jimenez-Melendo, M.; Dominguez-Rodriguez, A.; and Heuer, Arthur H.
Microindentation-induced transformation in 3.5-mol%-yttria-partially-stabilized zirconia single crystals. (5) 1071
Mason, Thomas O. See Hong, Byung-Sun
Matsumoto, Shigeo See Ikawa, Hiroyuki
Matsuo, Yasushi See Iio, Satoshi
Matsushita, Kenichi See Tanaka, Isao
Matsushita, Noritaka See Ogihara, Takashi
Matsushita, Shinichi See Hirata, Yoshihiro
Matteazzi, Paolo; and Le Caer, Gerard
Room-temperature mechanosynthesis of carbides by grinding of elemental powders. (6) 1382
Matthews, M. Dean; and Pechenik, Alexander
Rapid hot-pressing of ultrafine PSZ powders. (7) 1547
Matthewson, M. John; Rondinella, Vincenzo V.; Lin, Bochien; and Keyes, Scott W.
Effect of alkali hydroxides on the strength and fatigue of fused silica optical fiber. (10) 2592
Maya, Leon
Polymeric cyanoborane, $(CNBH_2)_n$: Single source for chemical vapor deposition of boron nitride films. (2) 406
Maya, Leon; Cole, David R.; and Hagaman, Edward W.
Carbon-nitrogen pyrolyzates: Attempted preparation of carbon nitride. (7) 1686
Mayer, James W. See Keddie, Joseph L.
Mayhew, Robert J. See Cutler, Raymond A.
McCoy, Benjamin J. See Chung, Gui-Yung
McDermid, Joseph R.; and Drew, Robin A. L.
Thermodynamic brazing alloy design for joining silicon carbide. (8) 1855
McMeeking, Robert M. See Kuhn, Liisa T.
Mecholsky, John J., Jr.; and Freiman, Stephen W.
Relationship between fractal geometry and fractography. (12) 3136
Meen, Teen-Hang See Chen, Ying-Chung
Menchhofer, Paul A. See Young, Albert C.
Merriam, Kathy See Powell-Dogan, Cynthia A.
Messing, Gary L. See Huling, Jeffrey C.
Mhaisalkar, Subodh G.; Readey, Dennis W.; and Akbar, Sheikh A.
Microwave dielectric properties of doped $BaTi_4O_9$. (8) 1894
Mian, Guo See Yamaguchi, Takashi
Michalske, Terry A.; Smith, William L.; and Bunker, Bruce C.
Fatigue mechanisms in high-strength silica-glass fibers. (8) 1993
Miller, Richard A.; Castro-Montero, Alberto; and Shah, Surendra P.
Cohesive crack models for cement mortar examined using finite-element analysis and laser holographic measurements. (1) 130
Milne, Steven J.; and Pyke, Stephen H.
Modified sol-gel process for the production of lead titanate films. (6) 1407
Minami, Tsutomu See Shinkuma, Yoshikane; Tohge, Noboru
Minor, Dennis See Krueger, Susan
Misra, Ajay K.
Thermochemical analysis of the silicon carbide-alumina reaction with reference to liquid-phase sintering of silicon carbide. (2) 345
Mitachi, Seiko See Tick, Paul A.
Mitomo, Mamoru; Sato, Yohichiro; Ayuzawa, Nobuo; and Yashima, Isamu
Plasma etching of α-Sialon ceramics. (4) 856
Miura, Koh See Unuma, Hidero
Miyamoto, Yoshinari See Tanaka, Isao; Zeng, Jianren
Miyashita, Masayori See Uematsu, Keizo
Mizuhara, Yukako; Noguchi, Masao; Ishihara, Tatsumi; Satoh, Atsushi, Hiramatsu, Katsuto; and Takita, Yasaku
Preparation of fiberlike silicon nitride from diatomaceous earth. (4) 846
Mizuno, Mineo
Microstructure, microchemistry, and flexural strength of mullite ceramics. (12) 3017
Mobasher, Barzin See Li, Zongjin
Moon, Anthony R.; and Phillips, Matthew R.
Iron and spinel precipitation in iron-doped sapphire. (4) 865
Moon, Jong Ha See Baik, Sunggi
Moorhead, Arthur J. See Kim, Hyoun-Ee
Moran, B. See Cai, Hong-Da
More, Karren L. See Hanigofsky, John A.; Shapiro, M. J.
Mori, Katsunori See Watari, Koji
Mori, Tsutomu See Suematsu, Hisayuki
Morita, Shoji See Sakka, Yoshio
Morrell, Roger See Quinn, George D.
Morris, Winfred L. See Dadkhah, Mahyar S.
Morscher, Gregory N.; Pirouz, Pirouz; and Heuer, Arthur H.
Temperature dependence of hardness in yttria-stabilized zirconia single crystals. (3) 491
Moss, T. S. See Shapiro, M. J.
Moya, Josè S. See Sanz, Jesus; Soria, Javier
Mu, Ying See Zhang, Zhi-Fan
Mukerji, Joydeb See Reddy, Navuri Kishan; Sanyal, Amiya S.
Mukhopadhyay, Sharmila M.; and Blakely, Jack M.
Ionic double layers at the surface of magnesium-doped aluminum oxide: Effect on segregation properties. (1) 25
Müller, Gerd See Buhr, Hendrik
Mullins, Michael E. See Kline, Andrew A.
Muralidharan, Pottayil Uma Devi; Paulose, Kannai V.; Koshy, Jacob; and Damodaran, Alathoor D.
Thermopower of $YBa_2Cu_3O_{7-\delta}$-Ag composites. (10) 2679
Muraoka, Susumu See Kamizono, Hiroshi
Nagano, Takayuki; Kato, Hidezumi; and Wakai, Fumihiro
Deformation of alumina/titanium carbide composite at elevated temperatures. (9) 2258
Nagasaka, Katsumi See Nogami, Masayuki
Nagasaki, Takanori See Ishii, Yoshinobu
Nagelberg, Alan S. See Johnson, William B.
Nair, Shanti V.; Gwo, Tsung-Ju; Narbut, Nancy M.; Kohl, James G.; and Sundberg, Glenn J.
Mechanical behavior of a continuous-SiC-fiber-reinforced RBSN-matrix composites. (10) 2551
Nakajima, Hidenori See Ogihara, Takashi
Nakajima, Kiichi See Uno, Tomoko
Nakamura, Arao See Nogami, Masayuki
Nakamura, Takashi See Kokubo, Tadashi
Nakamura, Yoshikazu; Yamaguchi, Yoshimasa; Hirayama, Shigekazu; and Watanabe, Yoshihisa
IR absorption and Raman spectra of as-deposited and annealed hydrogenated amorphous carbon films by plasma decomposition of toluene. (11) 2932
Nakanishi, Kazuki; and Soga, Naohiro
Phase separation in gelling silica-organic polymer solution: Systems containing poly(sodium styrenesulfonate). (10) 2518
Nakano, Yukie See Sumita, Shigekazu
Nambu, Shinji; and Oiji, Masaki
Coherent phase diagram for spinodal decomposition in the tetragonal titanium dioxide-tin oxide system. (8) 1910
Nanba, Tokuro See Yokoyama, Yasuharu
Narbut, Nancy M. See Nair, Shanti V.
Narushima, Takayuki; Goto, Takashi; Iguchi, Yasutaka; and Hirai, Toshio
High-temperature active oxidation of chemically vapor-deposited silicon carbide in an Ar-O_2 atmosphere. (10) 2583
Naslain, Roger; Dugne, Olivier; Guette, Alain; Sevely, Jean; Brosse, Christian Robin; Rocher, Jean-Philippe; and Cotteret, Jacques
Boron nitride interphase in ceramic-matrix composites. (10) 2482
Nauer, Marco See Stoto, Tiziana
Navarro, José Emilio Enrique See Leonelli, Cristina
Navrotsky, Alexandra See Ohtaka, Osamu
Needs, Richard J. See Heine, Volker
Nelson, Carolyn See Bunker, Bruce C.
Nemoto, Hiroshi
Charge-up scanning electron microscopy images of intergranular phases in semiconducting $BaTiO_3$ positive temperature coefficient of resistivity ceramics. (7) 1719
Nevitt, Michael V. See Chan, Sai-Kit
Newcomer, Paula See Fahrenholtz, William G.
Newnham, Robert E. See Fuierer, Paul A.
Newnham, Robert E.; and Ruschau, Gregory R.
Smart electroceramics. (3) 463
Nicholson, Patrick S. See Troczynski, Thomas B.
Nieh, Tai-Gang See Chokshi, Atul H.; Chou, Ting C.
Nieman, G. William See Krueger, Susan
Niihara, Koichi See Sawaguchi, Akihiro
Nischik, Carmen; Seibold, Michael M.; Travitzky, Nahum A.; and Claussen, Nils
Effect of processing on mechanical properties of platelet-reinforced mullite composites. (10) 2464
Nishimura, Naomi See Kokubo, Tadashi
Nishio, Hiroaki See Yabuta, Kazuya
Nishiwaki, Toshio See Yoko, Toshinobu
Nishiyama, Kousuke See Sumita, Shigekazu
Nix, William D. See Weihs, Timothy P.
Nixdorf, Richard W. See Nolan, Theodore A.
No, Kwangsoo See Kim, Duk Hee
Nogami, Masayuki; Zhu, Yi-Qing; Tohyama, Yoshihide; Nagasaka, Katsumi; Tokizaki, Takashi; and Nakamura, Arao
Preparation and nonlinear optical properties of quantum-sized CuCl-doped silica glass by the sol-gel process. (1) 238
Noguchi, Masao See Mizuhara, Yukako
Noguera, Claudine See Jollet, Francois
Nolan, Theodore A.; Allard, Lawrence F.; Coffey, Dorothy W.; Hubbard, Camden R.; Padgett, Raymond A.; Rawlins, Mary H.; and Nixdorf, Richard W.
Microstructure and crystallography of titanium nitride whiskers grown by a vapor-liquid-solid process. (11) 2769
Noma, Tatsuo See Yashima, Masatomo
Nomura, Shunji; Yamashita, Tomohisa; Yoshino, Hisashi; and Ando, Ken
Cation deficiency in $Bi_2(Sr,Ca)_3Cu_2O_{x-\delta}$. (10) 2711
Nomura, Takeshi See Sumita, Shigekazu

Nordine, Paul C. See Krishnan, Shankar
Noritake, Fumitomo; Yamamoto, Nobuyuki; Horiguchi, Yasunobu; Fujitsu, Satoru; Koumoto, Kunihito; and Yanagida, Hiroaki
Vapor-phase growth of transparent zinc oxide ceramics with *c*-axis orientation. (1) 232
Norr, Marriner See Zaykoski, James
Notis, Michael R. See Westwood, Alistair D.
Nowotny, Januszk; and Rekas, Mieczyslaw
Nonstoichiometry of $YBa_2Cu_3O_x$ and redox processes for the $YBa_2Cu_3O_x/O_2$ system—reply. (7) 1753
Nozato, Ryoichi See Tsubakino, Harushige
Nutt, Steven R. See Lipetzky, Pete
O'Brien, D. F. See Shapiro, M. J.
O'Brien, Michael H.; and Coon, Dennis N.
Mechanistic analysis of time-dependent failure of oxynitride glass-joined silicon nitride below 1000°C. (1) 103
O'Donnell, Daniel J.; Cheung, T. T. Peter; Schuette, George F.; and Sardashti, Mazlar
Solid-sample ^{11}B nuclear magnetic resonance and X-ray photoelectron spectroscopy study of boron-doped β-silicon carbide. (8) 2025
Odawara, Osamu See Hirai, Hisako
Oden, Laurance L.
Contribution to the phase diagram Al_4C_3-AlN-SiC—reply. (9) 2329
Odler, Ivan See Zürz, Alfred
Odler, Ivan; and Gasser, Michael
Mechanism of sulfate expansion in hydrated portland cement—reply. (1) 251
Ogata, Nobuo See Ogihara, Takashi
Ogihara, Takashi; Nakajima, Hidenori; Yanagawa, Teruaki; Ogata, Nobuo; Yoshida, Kokichi; and Matsushita, Noritaka
Preparation of monodisperse, spherical alumina powders from alkoxides. (9) 2263
Oh, Ki-Young See Uchino, Kenji
Ohashi, Humihiko See Oya, Asao
Ohashi, Masayoshi; and Hampshire, Stuart
Formation of Ce-Si-O-N glasses. (8) 2018
Ohashi, Masayoshi; Kanzaki, Shuzo; and Tabata, Hideyo
Processing, mechanical properties, and oxidation behavior of silicon oxynitride ceramics. (1) 109
Ohashi, Naoki See Tanaka, Shigeru
Ohji, Tatsuki; Goto, Yasuhiro; and Tsuge, Akihiko
High-temperature toughness and tensile strength of whisker-reinforced silicon nitride. (4) 739
Ohno, Hideo See Ishii, Yoshinobu
Ohsawa, Toshikazu See Akaishi, Minoru
Ohtaka, Osamu See Howard, Christopher J.
Ohtaka, Osamu; Yamanaka, Takamitsu; Kume, Shoichi; Ito, Eiji; and Navrotsky, Alexandra
Stability of monoclinic and orthorhombic zirconia: Studies by high-pressure phase equilibria and calorimetry. (3) 505
Ohtsu, Hideniko See Yoshino, Yuichi
Ohuchi, Fumio S.; and Kohyama, Masanori
Electronic structure and chemical reactions at metal-alumina and metal-aluminum nitride interfaces. (6) 1163
Oiji, Masaki See Nambu, Shinji
Oishi, Yasumichi See Sakka, Yoshio
Okada, Kazuki; Yoshizawa, Yuichi; and Sakuma, Taketo
Grain-size distribution in Al_2O_3-ZrO_2 generated by high-temperature annealing. (11) 2820
Okada, Kiyoshi; and Otsuka, Nozomu
Synthesis of mullite whiskers and their application in composites. (10) 2414
Okamoto, Taira See Pezzotti, Giuseppe; Tanaka, Isao
Okuwaki, Akitsugu See Sato, Tsugio
Okuyama, Kikuo See Tohge, Noboru
Olander, Donald R. See Park, Kwangheon
Olson, Jeffrey R.; Fischer, Henry E.; and Pohl, Robert O.
Effect of crystallization on thermal conductivity and specific heat of two Corning glass-ceramics. (3) 564
Omatete, Ogbemi O. See Young, Albert C.
Ong, Joo L.; Harris, Larry A.; Lucas, Linda C.; Lacefield, William R.; and Rigney, Douglas
X-ray photoelectron spectroscopy characterization of ion-beam sputter-deposited calcium phosphate coatings. (9) 2301
Orcel, Gerard; and Biswas, Dipak
Influence of processing parameters on the strength of fluoride glass fibers. (6) 1373
Ortolano, Renee L. See Jewell, John M.
Orts, Maria José See Leonelli, Cristina
Oscroft, R. J.; and Thompson, Derek P.
Contribution to the phase diagram Al_4C_3-AlN-SiC—comment. (9) 2327
Otani, Sugio See Oya, Asao
Otsu, Hiroyuki See Inoue, Masashi
Otsuka, Nozomu See Okada, Kiyoshi
Ouyang, Chengsheng See Shah, Surendra P.
Ouyang, Chengsheng; and Shah, Surendra P.
Geometry-dependent *R*-curve for quasi-brittle materials. (11) 2831
Ownby, P. Darrell See Liu, Jenq
Ownby, P. Darrell; Li, Ke-Wen; and Weirauch, Douglas A., Jr.
High-temperature wetting of sapphire by aluminum. (6) 1275
Oya, Asao; Kasahara, Michika; Ohashi, Humihiko; and Otani, Sugio
Carbothermal reduction of the molybdenum oxide/phenathroline complex. (6) 1439
Oya, Asao; Saito, Makoto; Otani, Sugio; and Hanaoka, Hirokazu
Structure and properties of hot-pressed clay mineral/acrifavine complex disk. (11) 2824
Padgett, Raymond A. See Nolan, Theodore A.
Paganelli, Mariano See Leonelli, Cristina
Pagano, Nicholas J. See Kim, Ran Y.
Page, Richard A. See Chan, Kwai S.; Krueger, Susan; Long, Gabrielle G.
Pai, Chul-Hoon; Sasaki, Yasuhiro; Koumoto, Kunihito; and Yanagida, Hiroaki
Reaction sintering of polycarbosilane-impregnated compact of silicon carbide hollow particles and the resultant thermoelectric properties. (11) 2922
Paine, Robert T. See Borek, Theodore T.; Lindquist, David A.
Pajares, Antonia; Guiberteau, Fernando; Dominguez-Rodriguez, A.; and Heuer, Arthur H.
Indentation-induced cracks and the toughness anisotropy of 9.4-mol%-yttria-stabilized cubic zirconia single crystals. (4) 859
Pareek, Vinod; and Shores, David A.
Oxidation of silicon carbide in environments containing potassium salt vapor. (3) 556
Park, Kwangheon; and Olander, Donald R.
Hydrogen dissolution in and release from nonmetals: III, Tetragonal zirconia. (1) 72
Park, Sin-Chong See Sung, Gun Yong
Park, Soon-Ju See Lee, Jong-Heun
Parthasarathy, Triplicane See Jero, Paul D.; Kerans, Ronald J.
Pask, Joseph A.; and Tomsia, Antoni P.
Formation of mullite from sol-gel mixtures and kaolinite. (10) 2367
Passing, Gerd; Riedel, Ralf; and Petzow, Günter
Influence of pyridine-borane on the sintering behavior and properties of α-silicon carbide. (3) 642
Pathmamanoharan, C. See Buining, Paul A.
Patrick R. See Shapiro, M. J.
Paulose, Kannai V. See Muralidharan, Pottayil Uma Devi
Payne, David A. See Francis, Lorraine Falter
Peacock, Harold B. See Marra, John E.
Pearson, Dale S. See Chang, Jeanne C.
Pechenik, Alexander See Matthews, M. Dean
Pellacani, Gian Carlo See Leonelli, Cristina
Pena, Pilar See Sanz, Jesus
Penner-Hahn, James E. See Li, Ping
Perepezko, John H. See Cooper, Reid F.
Perera, Gunarathna; and Doremus, Robert H.
Dissolution rates of commercial soda-lime and Pyrex borosilicate glasses: Influence of solution pH. (7) 1554
Perera, Gunarathna; Doremus, Robert H.; and Lanford, William
Dissolution rates of silicate glasses in water at pH 7. (6) 1269
Persson, Michael See Lidén, Eva
Petrovic, John J. See Bhattacharya, Arun K.; Maloy, Stuart; Russell, Laura M.
Petzow, Günter See Passing, Gerd; Schneider, Gerold A.
Pezzotti, Giuseppe See Tanaka, Isao
Pezzotti, Giuseppe; Tanaka, Isao; and Okamoto, Taira
Si_3N_4/SiC-whisker composites without sintering aids: III, High-temperature behavior. (2) 326
Pherson, David See Lamon, Jacques
Phifer, Carol C. See Brow, Richard K.
Phillips, Matthew R. See Moon, Anthony R.
Phillipse, Albert P.; and Schram, Henny L.
Non-Darcian airflow through ceramic foams. (4) 728
Phua, Swee-Pheng See Lam, Khin-Yong
Pirouz, Pirouz See Morscher, Gregory N.
Pohl, Robert O. See Olson, Jeffrey R.
Polewik, Tamara See Martin, Steve W.
Poorteman, Marc See Descamps, Phillippe
Pope, Edward J. A.; Almazan, Alex; and Kratsch, Kenneth
Caged alumina particles in reticular foam. (10) 2715; Sol-gel alumina-coated carbon film. (7) 1722
Popoola, Oludele O.; Kriven, Waltraud M.; and Young, J. Francis
Microstructural and microchemical characterization of a calcium aluminate-polymer composite (MDF cement). (8) 1928
Porter, John R. See Zok, Frank
Powell-Dogan, Cynthia A.; Heuer, Arthur H.; Ready, Michael J.; and Merriam, Kathy
Residual-stress-induced grain pullout in a 96% alumina. (3) 646
Prettyman, Kevin M. See Cutler, Raymond A.
Przyluski, Jan See Borowiec, Krzysztof
Pudukotta Gopal, Iyengar Mukunda See Krishnarao, Raghavarapu Venkata
Puszynski, Jan A. See Agrafiotis, Christos C.
Pyda, Waldemar; Haberko, Krzysztof; and Bucko, Miroslaw M.
Hydrothermal crystallization of zirconia and zirconia solid solutions. (10) 2622
Pye, L. David See Jain, Vijay
Pyke, Stephen H. See Milne, Steven J.
Qiu, Xiaomei See Borek, Theodore T.
Quinn, Candace; and Wusirika, Raja
Twinning in $YNbO_4$. (2) 431
Quinn, George D.; and Morrell, Roger
Design data for engineering ceramics: A review of the flexure test. (9) 2037
Rahaman, Mohamed N. See Chu, May-Ying
Rahaman, Mohamed N.; and De Jonghe, Lutgard C.
Sintering of ceramic particulate composites: Effect of matrix density. (2) 433
Rahaman, Mohamed N.; De Jonghe, Lutgard C.; and Chu, May-Ying
Effect of green density on densification and creep during sintering. (3) 514
Rahn, Jeffrey A. See Zhang, Zhi-Fan
Raj, Rishi See Wang, Jenq-Daw; Xue, Liang A.
Ramachandran, Nageswaran; and Shetty, Dinesh K.
Rising crack-growth-resistance (*R*-curve) behavior of toughened alumina and silicon nitride. (10) 2634
Rao, Gutti V. See Srikanth, Varanasi
Ratto, Joseph J. See Marshall, David B.
Ravagni, Alberto See Soraru, Gian Domenico
Ravesu, Bernard See Boufrou, Brahim
Ravindranathan, Palaniappan; Komarneni, Sridhar; Bhalla, Amar S.; and Roy, Rustum
Synthesis and dielectric properties of solution sol-gel-derived $0.9Pb(Mg_{1/3}Nb_{2/3})O_3$-$0.1PbTiO_3$ ceramics. (12) 2996
Rawlins, Mary H. See Nolan, Theodore A.
Rawn, Claudia J. See Roth, Robert S.
Ray, Chandra S. See Xu, Xiaojie J.
Ray, Chandra S.; Huang, Wenhai; and Day, Delbert E.
Crystallization kinetics of a lithia-silica glass: Effect of sample characteristics and thermal analysis measurement techniques. (1) 60
Rayfuse, Leann M. See Borek, Theodore T.
Readey, Dennis W. See Baker, Theresa L.; Mhaisalkar, Subodh G.
Ready, Michael J. See Powell-Dogan, Cynthia A.
Reaney, Ian M.; and Barber, David J.
Microstructural characterization of ferroelectric thin films in transverse section. (7) 1635
Reddy, Navuri Kishan; and Mukerji, Joydeb
Silicon nitride-silicon carbide refractories produced by reaction bonding. (5) 1139
Reece, Michael; and Gulu, Frank
Indentation fatigue of high-purity alumina in fluid environments. (1) 148
Reed, Robert A. See Krishnan, Shankar
Rekas, Mieczyslaw See Nowotny, Januszk
Rhine, Wendell E. See Sumita, Shigekazu
Rhodes, James F. See Russell, Laura M.
Rhodes, Warren W. See Ling, Hung C.
Rice, Roy W.
Black color in partially stabilized zirconia—comment. (7) 1745; See also Enloe, Jack H.
Richards, Elizabeth A.; Goodbrake, Chris J.; and Sowman, Harold G.
Reactions and microstructure development in mullite fibers. (10) 2404
Richards, Kerry T.; and Benfer, Richard H.
Hot isostatic pressing of $YBa_2Cu_3O_{7-x}$. (8) 2014
Richardson, Ian G. See Groves, Geoffrey W.
Riedel, Ralf See Passing, Gerd
Riedel, Ralf; and Gaudi, Kai-Uwe
Formation and characterization of amorphous aluminum nitride powder and transparent aluminum nitride film by chemical vapor deposition. (6) 1331
Rigney, Douglas See Ong, Joo L.
Riman, Richard E. See Han, Kwonhoon
Ritchie, Robert O. See Steffen, Angela A.
Ritter, Joseph J. See Roth, Robert S.
Robertson, A. Gordon See Wilkinson, David S.
Robertson, A. Gordon; Wilkinson, David S.; and Caceres, Carlos H.
Creep and creep fracture in hot-pressed alumina. (5) 915
Robertson, William M. See Chan, Sai-Kit
Robinson, R. S.; and Yuce, Hakan H.
Scanning tunneling microscopy of optical fiber corrosion: Surface roughness contribution to zero-stress aging. (4) 814
Rocher, Jean-Philippe See Naslain, Roger
Rödel, Jürgen See Lathabai, Srinivasarao
Rödel, Jurgen; Fuller, Edwin R., Jr.; and Lawn, Brian R.
In situ observations of toughening processes in alumina reinforced with silicon carbide whiskers. (12) 3154
Roesky, Rainer; and Varner, James R.
Influence of thermal history on the crystallization behavior and hardness of a glass-ceramic. (5) 1129
Roh, Jae Sung See Lee, Eun Gu
Rondinella, Vincenzo V. See Matthewson, M. John
Roosen, Andreas See Buhr, Hendrik
Root, John H.; Sullivan, James D.; and Marple, Basil R.
Residual stress in alumina-mullite composites. (3) 579
Rosenthal, Bruce N. See Chiaramonte, Francis P.
Roth, Robert S.; Hwang, Noag M.; Rawn, Claudia J.; Burton, Benjamin P.; and Ritter, Joseph J.
Phase equilibria in the systems CaO-CuO and CaO-Bi_2O_3. (9) 2148
Roy, Rustum See Kido, Hiroyasu; Ravindranathan, Palaniappan; Selvaraj, Ulagaraj; Srikanth, Varanasi
Rühle, Manfred See Chan, Chin-Jong; Leung, Dominic K.
Ruschau, Gregory R. See Newnham, Robert E.

Rusin, Richard P. See Hitchcock, David C.
Russell, Laura M.; Donaldson, Kimberly Y.; Hasselman, D. P. H.; Corbin, Normand D.; Petrovic, John J.; and Rhodes, James F.
Effect of vapor-liquid-solid and vapor-solid silicon carbide whiskers on the effective thermal diffusivity/conductivity of silicon nitride matrix composites. (4) 874
Sacks, Michael D. See Amini, Mostafa M.
Sacks, Michael D.; Bozkurt, Nazim; and Scheiffele, Gary W.
Fabrication of mullite and mullite-matrix composites by transient viscous sintering of composite powders. (10) 2428
Safari, Ahmad See Han, Kwonhoon
Saito, Makoto See Oya, Asao
Sakaguchi, Shuji See Descamps, Phillippe
Sakai, Kazuo See Sata, Toshiyuki
Sakka, Sumio See Yamashita, Hiroya; Yoko, Toshinobu
Sakka, Tetsuo See Uchino, Takashi
Sakka, Yoshio; Oishi, Yasumichi; Ando, Ken; and Morita, Shoji
Cation interdiffusion and phase stability in polycrystalline tetragonal ceria-zirconia-hafnia solid solution. (10) 2610
Sakuma, Taketo See Okada, Kazuki; Zhou, Yu
Sanders, Thomas H., Jr. See Kim, Sung S.
Sandhage, Kenneth H.; and Yurek, Gregory J.
Indirect dissolution of $(Al,Cr)_2O_3$ in CaO-MgO-Al_2O_3-SiO_2 (CMAS) melts. (8) 1941
Sano, Nobuo See Wakasugi, Takashi
Sanyal, Amiya S.; Mukerji, Joydeb; and Bandyopadhyay, Siddhartha
Mössbauer study of the influence of Fe-Si-N liquid in the synthesis of β-Si_3N_4 from silica. (9) 2312
Sanz, Jesus; Sobrados, Isabel; Cavalieri, Ana L.; Pena, Pilar; De Aza, Salvador; and Moya, Jose S.
Structural changes induced on mullite precursors by thermal treatment: A ^{27}Al MAS-NMR investigation. (10) 2398
Sanz, Mariano See Heintz, Jean-Marc
Sardashti, Mazlar See O'Donnell, Daniel J.
Sarikaya, Mehmet See Aksay, Ilhan A.
Sasaki, Yasuhiro See Pai, Chul-Hoon
Sata, Toshiyuki; Sakai, Kazuo; and Tashiro, Suguru
Vapor pressure of barium and copper components in $YBa_2Cu_3O_{7-x}$ superconductor ceramics. (6) 1445
Sato, Shigeki See Sato, Tsugio
Sato, Tsugio; Kubota, Kazuhide; and Shimada, Masahiko
Corrosion kinetics and strength degradation of sintered α-silicon carbide in potassium sulfate melts. (9) 2152
Sato, Tsugio; Sato, Shigeki; Okuwaki, Akitsugu; and Tanaka, Syun-ichiro
Corrosion behavior of alumina ceramics in caustic alkaline solutions at high temperatures. (12) 3081
Sato, Yasuo See Kinoshita, Masahiro
Sato, Yohichiro See Mitomo, Mamoru
Satoh, Atsushi See Mizuhara, Yukako
Sawada, Yasushi See Hashimoto, Noboru
Sawaguchi, Akihiro; Toda, Kohji; and Niihara, Koichi
Mechanical and electrical properties of silicon nitride-silicon carbide nanocomposite material. (5) 1142
Sbaizero, Orfeo See Weihs, Timothy P.; Zok, Frank
Scarlett, Brian See Bauer, Robert A.
Scattergood, Ronald O. See Srinivasan, Sreeram
Scheiffele, Gary W. See Sacks, Michael D.
Scherer, George W.
Cell models for viscous sintering. (7) 1523
Schiffman, Robert A. See Krishnan, Shankar
Schmid, Herbert K.
Diffusion-induced grain-boundary migration in ceria-stabilized tetragonal zirconia polycrystals. (2) 387
Schmidt, Monica A. See Janney, Mark A.
Schneider, Gerold A.; and Petzow, Günter
Thermal shock testing of ceramics—A new testing method. (1) 98
Schoonman, Joop See Bauer, Robert A.
Schrader, Glenn L. See Lu, Hsin-Chun
Schram, Henny L. See Phillipse, Albert P.
Schuette, George F. See O'Donnell, Daniel J.
Segadaes, Ana M. See Golden, Steve J.
Seibold, Michael M. See Nischik, Carmen
Seki, Shunichi See Maki, Iwao
Selvaraj, Ulagaraj; Liu, Chun Ling; Komarneni, Sridhar; and Roy, Rustum
Epitaxial crystallization of seeded albite glass. (6) 1378
Senapati, Hema; and Angell, C. Austen
Nucleation and crystallization kinetics in fragile glass-forming liquids. (10) 2659
Senda, Tetsuya; and Bradt, Richard C.
Grain growth of zinc oxide during the sintering of zinc oxide-antimony oxide ceramics. (6) 1296
Sevely, Jean See Naslain, Roger
Seyferth, Dietmar; Bryson, Nathan; Workman, David P.; and Sobon, Christine A.
Preceramic polymers as "reagents" in the preparation of ceramics. (10) 2687
Shah, Ritesh P.; and Behrman, E. C.
Perturbation theory for the transport properties of multicomponent glass melts. (10) 2599
Shah, Surendra P. See Li, Zongjin; Miller, Richard A.; Ouyang, Chengsheng
Shah, Surendra P.; and Ouyang, Chengsheng
Mechanical behavior of fiber-reinforced cement-based composites. (11) 2727
Shanker, Kartik See Durham, Simon J. P.
Shapiro, M. J.; More, Karren L.; Lackey, W. J.; Hanigofsky, John A.; Hill, D. Norman; Carter, W. B.; Barefield, E. K.; Judson, Elizabeth A.; O'Brien, D. F.; Patrick, R.; Chung, Y. S.; and Moss, T. S.
Interaction of chemically vapor deposited $YBa_2Cu_3O_x$ with yttria-stabilized zirconia substrates. (8) 2021
Shaw, Thomas M.; and Duncombe, Peter R.
Forces between aluminum oxide grains in a silicate melt and their effect on grain boundary wetting. (10) 2495
She, Shengyang See Zhou, Wanchang
Shelby, James E. See Jewell, John M.; Kohli, Jeffrey T.
Sheldon, Brian W.; and Besmann, Theodore M.
Reaction and diffusion kinetics during the initial stages of isothermal chemical vapor infiltration. (12) 3046
Sheldon, Brian W.; and Haggerty, John S.
Nitrogen adsorption onto silane-derived silicon powders. (6) 1417
Shen, Pouyan See Sue, Yuan-Jang
Sherif, Fawzy G.; and Shyu, Lieh-Jiun
Emulsion precipitation of yttria-stabilized zirconia for plasma spray coatings—(correction). (6) 1477; Emulsion precipitation of yttria-stabilized zirconia for plasma spray coatings. (2) 375
Shetty, Dinesh K. See Bright, Jeffrey D.; Chao, Luen-Yuan; Ramachandran, Nageswaran; Tsai, Jing-Fong
Shi, Dexiang; Brown, Paul W.; and Ma, Weiping
Lognormal simulation of pore size distributions in cementitious materials. (8) 1861
Shi, Jian-Lin; Gao, Jian-Hua; Lin, Zu-Xiang; and Yen, Tung-Sheng
Sintering behavior of fully agglomerated zirconia compacts. (5) 994
Shimada, Masahiko See Sato, Tsugio
Shimizu, Yasuhiro; Udayakumar, K. R.; and Cross, L. Eric
Preparation and electrical properties of lanthanum-doped lead titanate thin films by sol-gel processing. (12) 3023
Shimojima, Hiromasa See Ikawa, Hiroyuki
Shinkuma, Yoshikane; Machida, Nobuya; and Minami, Tsutomu
Preparation and Cu^+-ion-conducting properties of the glasses in the system $CuBr$-Cu_2MoO_4-Cu_3PO_4. (12) 3133
Shiohara, Yuh See Ando, Teiichi
Shores, David A. See Pareek, Vinod
Shyu, Jiin-Jyh; and Wu, Jean-Ming
Spherulitic growth of apatite in a MgO-CaO-SiO_2-P_2O_5 glass. (7) 1532; Effects of composition changes on the crystallization behavior of MgO-CaO-SiO_2-P_2O_5 glass-ceramics. (9) 2123
Shyu, Lieh-Jiun See Sherif, Fawzy G.
Si, Wenjie See Sun, Qingping
Silio, Cyril Eyewu
Microstructural and chemical studies of stainless steel/refractory interaction. (3) 541
Singh, Mrityunjay; and Wiedemeier, Heribert
Chemical interactions in diboride-reinforced oxide-matrix composites. (4) 724
Singh, Raj N. See LLorca, Javier
Sinn, Dong-Sook; and Kim, Moon G.
Effect of annealing on the surface microstructure of Y-Ba-Cu-O superconducting ceramics. (7) 1682
Slasor, Shaun; Thompson, Derek P.; and Ekström, Thommy
Phase relations in the Si_3N_4-rich portion of the Si_3N_4-AlN-Al_2O_3-Y_2O_3 system—comment. (3) 686
Slavin, Alan J. See Londry, Frank A.
Smith, Douglas M. See Fahrenholtz, William G.; Lindquist, David A.
Smith, William L. See Michalske, Terry A.
Smyth, Donald M. See Butler, Elizabeth P.; Hong, Dyllan J. L.
Sobon, Christine A. See Seyferth, Dietmar
Sobrados, Isabel See Sanz, Jesus
Sobue, Masahisa See Yasutomi, Yoshiyuki
Socie, Darrell F. See Lin, Chih-Kuang Jack
Soga, Naohiro See Nakanishi, Kazuki
Somiya, Shigeyuki See Yokogawa, Yoshiyuki
Sone, Takanori; Akagi, Hirokazu; and Watarai, Hisao
Effect of pore-grain boundary interactions on discontinuous grain growth. (12) 3151
Song, Kang-Ho; Sorrell, Charles C.; Dou, Xhi-Xue; and Liu, Hua-Kun
Effect of hot-pressing on the Bi-Pb-Sr-Ca-Cu-O system. (10) 2577
Soraru, Gian Domenico See Babonneau, Florence
Soraru, Gian Domenico; Ravagni, Alberto; Campostrini, Renzo; and Babonneau, Florence
Synthesis and characterization of β'-SiAlON ceramics from organosilicon polymers. (9) 2220
Soria, Javier; and Moya, Jose S.
Black color in partially stabilized zirconia—reply. (7) 1747
Sorrell, Charles C. See Song, Kang-Ho; Zhou, Ji-Ping
Sowman, Harold G. See Richards, Elizabeth A.
Spear, Karl E. See Butt, Darryl P.
Speck, James S. See Drory, Michael D.
Spess, Marie S. See Jewell, John M.
Speyer, Robert F. See Hsu, Jen-Yan
Srikanth, Varanasi; Roy, Rustum; Graham, Earl K.; and Voight, Donald E.
B_2O_3: Phases present at high pressure and temperature. (12) 3145
Srikanth, Varanasi; Subbarao, Eleswarapu C.; Agrawal, Dinesh K.; Huang, Chi-Yuen; Roy, Rustum; and Rao, Gutti V.
Thermal expansion anisotropy and acoustic emission of $NaZr_2P_3O_{12}$ family ceramics. (2) 365
Srinivasan, Sreeram; and Scattergood, Ronald O.
Indentation fracture toughness of sintered silicon carbide in the Palmqvist crack regime—comment. (4) 887
Stearns, Laura C.; Harmer, Martin P.; and Chan, Helen M.
Effect of a liquid phase on the sintering of heterogeneous $YBa_2Cu_3O_{6+x}$ compacts. (9) 2175
Steffen, Angela A.; Dauskardt, Reinhold H.; and Ritchie, Robert O.
Cyclic fatigue life and crack-growth behavior of microstructurally small cracks in magnesia-partially-stabilized zirconia ceramics. (6) 1259
Stoto, Tiziana; Nauer, Marco; and Carry, Claude
Influence of residual impurities on phase partitioning and grain growth processes of Y-TZP materials. (10) 2615
Stubican, Vladimir S. See Trubelja, Mladen F.
Subbarao, Eleswarapu C. See Srikanth, Varanasi
Sue, Yuan-Jang; Shen, Pouyan; Chen, San-Yuan; and Lu, Hong-Yang
Spherulitic growth from a phase-separated vitreous matrix in a cordierite-Y-stabilized zirconia glass-ceramic. (1) 85
Suematsu, Hisayuki; Suzuki, Tetsuya; Iseki, Takayoshi; and Mori, Tsutomu
Kinking and cracking caused by slip in single crystals of silicon carbide. (1) 173
Sugama, Toshifumi; and Carciello, Neal R.
Strength development in phosphate-bonded calcium aluminate cements. (5) 1023
Sullivan, James D. See Root, John H.
Sumita, Shigekazu; Ikeda, Masaaki; Nakano, Yukie; Nishiyama, Kousuke; and Nomura, Takeshi
Degradation of multilayer ceramic capacitors with nickel electrodes. (11) 2739
Sumita, Shigekazu; Rhine, Wendell E.; and Bowen, H. Kent
Effects of organic dispersants on the dispersion, packing, and sintering of alumina. (9) 2189
Sumiyoshi, Yoshihiro See Ushio, Masumi
Sun, Qingping; Si, Wenjie; Huang, Yong; and Jiang, ZuoZhao
Pseudoelastic behavior in Ce-TZP Al_2O_3 ceramics. (9) 2180
Sun, Wei-Ying; Tien, Tseng-Ying; and Yen, Tung-Sheng
Solubility limits of σ'-SiAlON solid solutions in the system Si_3Al_3Y/N_3O. (10) 2547; Subsolidus phase relationships in part of the system Si,Al,Y/N,O: The system Si_3N_4-AlN-YN-Al_2O_3-Y_2O_3. (11) 2753
Sun, Xiaomei See Zhou, Wancheng
Sundaresan, Sankaran; and Aksay, Ilhan A.
Mullitization of diphasic aluminosilicate gels. (10) 2388
Sundberg, Glenn J. See Nair, Shanti V.
Sung, Gun Yong; Kang, Kwang Yong; and Park, Sin-Chong
Synthesis and preparation of lanthanum aluminate target for radio-frequency magnetron sputtering. (2) 437
Sutherland, Audrey E. See VanDamme, Nobuko S.
Suzuki, Miyoko See Ushio, Masumi
Suzuki, Suguru; Asada, Shinji; Takahashi, Minoru; and Hikichi, Yasuo
Effect of extrusion on the critical current density of $Bi_{1.4}Pb_{0.6}Sr_2Ca_2Cu_3O_x$ superconducting wires. (4) 714
Suzuki, Tetsuya See Suematsu, Hisayuki
Suzuki, Yasutaka See Tanaka, Shigeru
Swain, Michael V. See Drozdov, A. V.; Hu, Xiao-Zhi; Lutz, Ekkehard H.
Tabata, Hideyo See Ohashi, Masayoshi
Taguchi, Hideki See Mall, Prakash B.
Tai, Lone-Wen; and Lessing, Paul A.
Plasma spraying of porous electrodes for a planar solid oxide fuel cell. (3) 501; Tape casting and sintering of strontium-doped lanthanum chromite for a planar solid oxide fuel cell bipolar plate. (1) 155
Takahashi, Junichi; Ikegami, Takashi; and Kageyama, Keisuke
Occurrence of dielectric 1:1:4 compound in ternary system BaO-Ln_2O_3-TiO_2 (Ln = La, Nd, and Sm): I, Improved coprecipitation method for preparing single-phase powder of ternary compound in Ln = La system. (8) 1868; Occurrence of dielectric 1:1:4 compound in the ternary system BaO-Ln_2O_3-TiO_2 (Ln = La, Nd, and Sm): II, Reexamination of formation of isostructural ternary compounds in identical systems. (8) 1873
Takahashi, Ken See Tanaka, Shigeru
Takahashi, Minoru See Suzuki, Suguru
Takahashi, Satoshi See Tohge, Noboru
Takeuchi, Nobuyuki See Wakamatsu, Mitsuru
Takita, Yusaku See Mizuhara, Yukako
Talmy, Inna See Zaykoski, James
Tanaka, Isao See Pezzotti, Giuseppe

Tanaka, Isao; Pezzotti, Giuseppe; Matsushita, Kenichi; Miyamoto, Yoshinari; and Okamoto, Taira
Impurity-enhanced intergranular cavity formation in silicon nitride at high temperatures. (4) 752
Tanaka, Junzo See Tanaka, Shigeru
Tanaka, Shigeru; Takahashi, Ken; Suzuki, Yasutaka; Akita, Chiyoshi; Ohashi, Naoki; Haneda, Hajime; and Tanaka, Junzo
Isothermal capacitance transient spectroscopy of grain-boundary interfacial states in beryllium oxide-doped silicon carbide ceramics. (10) 2675
Tanaka, Syun-ichiro See Sato, Tsugio
Tandon, Rajan; and Green, David J.
Crack stability and *T*-curves due to macroscopic residual compressive stress profiles. (8) 1981
Tanioka, Takashi See Maki, Iwao
Tashiro, Suguru See Sata, Toshiyuki
Tatsumisago, Masahiro See Tohge, Noboru
Taube, Thomas See Hohenberger, Gert
Tawil, H. See Hasselman, D. P. H.
Taylor, Jenifer A. T. See Dumas, Philippe; Kuharuangrong, Sutin
Taylor, Mark P. See Bhatt, Hemanshu
Temuri, Maqsood Z. See Wittmer, Dale E.
Thiele, Erik; and Davies, Peter K.
Thermodynamic study of reduced phases in the $BaLa_4Cu_3O_{13-\delta}$ system. (5) 1011
Thiemann, Felicia See Zürz, Alfred
Thiemeier, Thomas; Brückner-Foit, Angelika; and Kölker, Helmut
Influence of the fracture criterion on the failure prediction of ceramics loaded in biaxial flexure. (1) 48
Thompson, Derek P. See Apperley, David C.; Cheng, Yibing; Oscroft, R. J.; Slasor, Shaun
Thomson, William J. See Li, Dong X.
Thorne, Kevin J. See Babonneau, Florence
Thorogood, Gordon J. See Vance, Eric R.
Thromat, Nathalie See Jollet, Francois
Tick, Paul A.; and Mitachi, Seiko
Durability of fluoride glasses in water. (3) 481
Tien, Tseng-Ying See Kim, Dae-Joon; Li, Ping; Sun, Wei-Ying
Tikare, Veena; and Heuer, Arthur H.
Temperature-dependent indentation behavior of transformation-toughened zirconia-based ceramics. (3) 593
Tiller, Frank M.; and Hsyung, Niey B.
Theory of filtration of ceramics: II, Slip casting on radial surfaces. (1) 210
Tinta, Vence See Barbic, Lenart
Toda, Kohji See Sawaguchi, Akihiro
Tohge, Noboru; Takahashi, Satoshi; and Minami, Tsutomu
Preparation of $PbZrO_3$-$PbTiO_3$ ferroelectric thin films by the sol-gel process. (1) 67
Tohge, Noboru; Tatsumisago, Masahiro; Minami, Tsutomu; Adachi, Motoaki; Kousaka, Yasuo; and Okyuama, Kikuo
Preparation conditions and morphology of superconducting fine particles in the Bi-Ca-Sr-Cu-O system prepared by spray pyrolysis. (9) 2117
Tohyama, Yoshihide See Nogami, Masayuki
Tokizaki, Takashi See Nogami, Masayuki
Tomandl, Gerhard See Hohenberger, Gert
Tomozawa, Minoru; Han, Won-Taek; and Lanford, William A.
Water entry into silica glass during slow crack growth. (10) 2573
Tomsia, Antoni P. See Pask, Joseph A.
Travitzky, Nahum A. See Nischik, Carmen
Tressler, Richard E. See Butt, Darryl P.
Tripathi, Ramesh B.; and Johnson, David W., Jr.
Influence of lead in the processing of high-temperature 2223 Bi-Sr-Ca-Cu-O superconductor. (1) 247
Troczynski, Thomas B.; and Nicholson, Patrick S.
Fracture mechanics of titanium/bioactive glass-ceramic particulate composites. (8) 1803
Trontelj, Marija See Kraševec, Viktor
Trubelja, Mladen F.; and Stubican, Vladimir S.
Ionic conductivity of the fluorite-type hafnia–R_2O_3 solid solutions. (10) 2489
Tsai, Dah-Shyang; and Hsieh, Chien-Chung
Controlled gelation and sintering of monolithic gels prepared from γ-alumina fume powder. (4) 830
Tsai, Jing-Fong; Yu, Cheng-Sheng; and Shetty, Dinesh K.
Role of autocatalytic transformation in zone shape and toughening of ceria-tetragonal-zirconia-alumina (Ce-TZP/Al_2O_3) composites. (3) 678
Tseng, Tseung-Yuen See Haung, Chorng-Jye
Tsubakino, Harushige; Nozato, Ryoichi; and Hamamoto, Mitsuharu
Effect of alumina addition on the tetragonal-to-monoclinic phase transformation in zirconia-3 mol% yttria. (2) 440
Tsuge, Akihiko See Ohji, Tatsuki
Tsuji, Masamichi; Komarneni, Sridhar; and Malla, Prakash
Substituted tobermorites: ^{27}Al and ^{29}Si MASNMR, cation exchange, and water sorption studies. (2) 274
Tsukihashi, Fumitaka See Wakasugi, Takashi
Tummala, Rao R.
Ceramic and glass-ceramic packaging in the 1990s. (5) 895
Tung, I-Chung See Barsoum, Michel
Turner, Gary L. See Brow, Richard K.; Bunker, Bruce C.
Tuttle, Bruce A. See Carim, Atlaf H.
Twait, D. J. See Lee, Woo Y.
Uchida, Nozomu See Uematsu, Keizo
Uchino, Kenji; and Oh, Ki-Young
Piezoelectric anisotropy and polarization sublattice coupling in perovskite crystals. (5) 1131
Uchino, Takashi; Sakka, Tetsuo; and Iwasaki, Matae
Interpretation of hydrated states of sodium silicate glasses by infrared and Raman analysis. (2) 306
Udayakumar, K. R. See Shimizu, Yasuhiro
Uematsu, Keizo See Yabuta, Kazuya
Uematsu, Keizo; Miyashita, Masayori; Kim, Jin-Young; Kato, Zenji; and Uchida, Nozomu
Effect of forming pressure on the internal structure of alumina green bodies examined with immersion liquid technique. (9) 2170
Um, Woo Sik See Kim, Duk Hee
Umeya, Kazumasa See Wang, Da Yu
Uno, Tomoko; Kasuga, Toshihiro; and Nakajima, Kiichi
High-strength mica-containing glass-ceramics. (12) 3139
Unuma, Hidero; Miura, Koh; Furusaki, Tsuyoshi; and Kodaira, Kohei
Preparation and properties of glass-ceramics derived from nitrogen-containing β-spodumene glasses. (6) 1291
Upadhye, Ravindra S. See Kim, Kye-Kyoon (Kevin)
Urabe, Kazuyori See Ikawa, Hiroyuki
Ushifusa, Nobuyuki; and Cima, Michael J.
Aqueous processing of mullite-containing green sheets. (10) 2443
Ushio, Masumi; Kobayashi, Nobuo; Suzuki, Miyoko; and Sumiyoshi, Yoshihiro
Crystal growth of Mg_2SiO_4 and $MgSiO_3$ single crystals by the flux method. (7) 1654
Valdya, Kaushik J. See Golden, Steve J.
Van Voorhees, Eric J.; and Green, David J.
Failure behavior of cellular-core ceramic sandwich composites. (11) 2747
VanDamme, Nobuko S.; Sutherland, Audrey E.; Jones, Lori; Bridger, Keith; and Winzer, Stephen R.
Fabrication of optically transparent and electrooptic strontium barium niobate ceramics. (8) 1785
VanSteele, Donald R. See Woodford, David A.
Vance, Eric R.; and Thorogood, Gordon J.
Immobilization of sodium in perovskite. (4) 854
Varela, José Arana See Vollet, Dimas Roberto
Varma, Hari Krishna See Mani, Themanam Veettil
Varner, James R. See Roesky, Rainer
Velamakanni, Bhaskar V. See Chang, Jeanne C.
Velamakanni, Bhaskar V.; and Lange, Frederick F.
Effect of interparticle potentials and sedimentation on particle packing density of bimodal particle distributions during pressure filtration. (1) 166
Venkateswaran, A. See Hasselman, D. P. H.
Vethanayagam, Thirukumar See Jain, Vijay
Virkar, Anil V. See Chan, Chin-Jong; Cutler, Raymond A.; Fung, Kuan Zong; Jue, Jan Fong
Voight, Donald E. See Srikanth, Varanasi
Vollet, Dimas Roberto; and Varela, José Arana
Small-angle X-ray scattering study of the thermal decomposition of magnesium hydroxide. (10) 2683
Wada, Shigetaka See Makino, Hiroaki
Wadsworth, Jeffrey See Chokshi, Atul H.
Wakai, Fumihiro See Nagano, Takayuki
Wakamatsu, Mitsuru; Ishida, Shingo; Takeuchi, Nobuyuki; and Hattori, Tetsuyuki
Effect of firing atmosphere on sintered and mechanical properties of vanadium-doped alumina. (6) 1308
Wakasugi, Takashi; Tsukihashi, Fumitaka; and Sano, Nobuo
Thermodynamics of nitrogen in B_2O_3, B_2O_3-SiO_2, and B_2O_3-CaO systems. (7) 1650
Wang, Chien-Min See Chen, San-Yuan
Wang, Da Yu; and Umeya, Kazumasa
Spontaneous polarization screening effect and trap-state density at grain boundaries of semiconducting barium titanate ceramics. (2) 280
Wang, Hongyu; and Fischman, Gary S.
In situ synthesis of silicon carbide whiskers from silicon nitride powders. (7) 1519
Wang, Jenqdaw; and Raj, Rishi
Activation energy for the sintering of two-phase alumina/zirconia ceramics. (8) 1959; Control of the microstructure of alumina-zirconia alloys starting from inorganic salts. (7) 1707
Wang, Ling; and Lloyd, Isabel K.
Sinterability of calcined freeze-dried alumina powders. (11) 2934
Wang, Qiang See Zhang, Xiao-wen
Wang, Sea Fue; and Huebner, Wayne
Thermodynamic modeling of equilibrium subsolidus phase relations in the Ag-Pd-O_2 system. (6) 1349
Wang, Simon C. P.; Anghaie, Samim; and Collins, Clayton
Reaction of uranium hexafluoride gas with alumina and zirconia at elevated temperatures. (9) 2250
Wark, Teresa A. See Gulliver, Eric A.
Warrier, Krishna Gopakumara See Mani, Themanam Veettil
Waser, Rainer
Bulk conductivity and defect chemistry of acceptor-doped strontium titanate in the quenched state. (8) 1934
Watanabe, Hidenori; Kimura, Toshio; and Yamaguchi, Takashi
Sintering of platelike bismuth titanate powder compacts with preferred orientation. (1) 139
Watanabe, Hitoshi See Ishii, Yoshinobu
Watanabe, Masakazu See Iio, Satoshi
Watanabe, Yoshihisa See Nakamura, Yoshikazu
Watarai, Hisao See Sone, Takanori
Watari, Koji; Ishizaki, Kozo; and Mori, Katsunori
Evaluation of glassy phase in sintered silicon nitride by low-temperature specific heat measurements. (1) 244
Weber, J. K. Richard See Krishnan, Shankar
Wechsler, Barry A. See Kirby, Kevin W.
Weihs, Timothy P.; and Nix, William D.
Experimental examination of the push-down technique for measuring the sliding resistance of silicon carbide fibers in a ceramic matrix. (3) 524
Weihs, Timothy P.; Sbaizero, Orfeo; Luh, Ellice Y.; and Nix, William D.
Correlating the mechanical properties of a continuous fiber-reinforced ceramic-matrix composite to the sliding resistance of the fibers. (3) 535
Weinberg, Michael C.
Interpretation of DTA experiments used for crystal nucleation rate determinations. (8) 1905; See also Bae, Byeong-Soo; Goktas, A. Aydin
Weirauch, Douglas A., Jr. See Ownby, P. Darrell
Westmoreland, C. Gary See Bleier, Alan
Westwood, Alistair D.; and Notis, Michael R.
Inversion domain boundaries in aluminum nitride. (6) 1226
Wetherhold, Robert C.; and Zawada, Larry P.
Heat treatments as a method of protection for a ceramic fiber-glass matrix composite. (8) 1997
White, Grady S.; Freiman, Stephen W.; and Wilson, Anne M.
Indentation determination of crack growth parameters in gallium arsenide. (2) 419
White, Kenneth W. See Ghosh, Asish
White, Kenneth W.; and Guazzone, Laurent
Elevated-temperature toughening mechanisms in a SiC_w/Al_2O_3 composite. (9) 2280
White, Kenneth W.; and Kelkar, Girish P.
Evaluation of the crack face bridging mechanism in a $MgAl_2O_4$ spinel. (7) 1732
Wiedemeier, Heribert See Singh, Mrityunjay
Wiederhorn, Sheldon M. See Chen, Ching-Fong; Chuang, Tze-jer
Wiggers, Hartmut See Buhr, Hendrik
Wilkinson, David S. See Robertson, A. Gordon
Wilkinson, David S.; Cáceres, Carlos H.; and Robertson, A. Gordon
Damage and fracture mechanisms during high-temperature creep in hot-pressed alumina. (5) 922
Williams, P. Douglas; and Hawn, David D.
Aqueous dispersion and slip casting of boron carbide powder: Effect of pH and oxygen content. (7) 1614
Williams, Wendell S. See Frandsen, Marvin V.
Wilson, Anne M. See White, Grady S.
Wilson, Bill W. See Madsen, Ian C.
Winzer, Stephen R. See VanDamme, Nubuko S.
Wirtz, Gerald P. See Marques, Fernando M. B.
Wittmer, Dale E.; and Temuri, Maqsood Z.
Thermochemical studies in selected metal-carbon-oxygen systems. (5) 973
Wolfenstine, Jeff See Duong-Hiep
Wong, Thomas Y. See Han, Young H.
Woodford, David A.; VanSteele, Donald R.; and Hyder, Mohammed J.
Tensile stress relaxation of alumina at high temperature. (12) 3142
Workman, David P. See Seyferth, Dietmar
Wu, Jenn-Ming See Shyu, Jiin-Jyh
Wu, Jenn-Ming; and Lai, Chih-Huang
Effect of lead oxide on niobium-doped titania varistors. (12) 3112
Wu, Long See Chen, Ying-Chung
Wu, Suxing; and Claussen, Nils
Fabrication and properties of low-shrinkage reaction-bonded mullite. (10) 2460
Wu, Tai-Bor See Lin, Li-Jiaun
Wu, Xin See Xue, Liang A.
Wusirika, Raja
Alkali durability of oxynitride glass fibers. (2) 454; See also Quinn, Candace
Wuttig, Manfred See Zaykoski, James
Xia, Fei See Zhou, Yan-Chun
Xie, Sishen See Ji, Yangyang
Xiu, Xiaomei See Lindquist, David A.
Xu, Xiaojie J.; Ray, Chandra S.; and Day, Delbert E.
Nucleation and crystallization of Na_2O·2CaO·3SiO_2 glass by differential thermal analysis. (5) 909
Xue, Liang A.; and Chen, I-Wei
Low-temperature sintering of alumina with liquid-forming additives. (8) 2011
Xue, Liang A.; and Raj, Rishi
Grain growth in superplastically deformed zinc sulfide/diamond composites. (7) 1729
Xue, Liang A.; Wu, Xin; and Chen, I-Wei
Superplastic alumina ceramics with grain growth inhibitors. (4) 842

Yabuta, Kazuya; Nishio, Hiroaki; and Uematsu, Keizo
Effect of phase composition on the mechanical properties of hot isostatically pressed SiAlON ceramics. (4) 884
Yamada, Osamu See Zeng, Jianren
Yamada, Toshiyuki See Ikawa, Hiroyuki
Yamaguchi, Takashi See Kimura, Toshio; Watanabe, Hidenori
Yamaguchi, Takashi; and Mian, Guo
Sintering of platelike iron(III) oxide powders. (8) 1955
Yamaguchi, Yoshimasa See Nakamura, Yoshikazu
Yamamoto, Nobuyuki See Noritake, Fumitomo
Yamamuro, Takao See Kokubo, Tadashi
Yamanaka, Takamitsu See Ohtaka, Osamu
Yamaoka, Shinobu See Akaishi, Minoru
Yamashita, Hiroya; Yoko, Toshinobu; and Sakka, Sumio
Preparation of $Li_2B_4O_7$ films with preferential orientation by sol-gel method. (7) 1668
Yamashita, Tomohisa See Nomura, Shunji
Yan, Man F. See Ling, Hung C.
Yanagawa, Teruaki See Ogihara, Takashi
Yanagida, Hiroaki See Noritake, Fumitomo; Pai, Chul-Hoon
Yang, Sung-Chul; and German, Randall M.
Grain growth kinetics in liquid-phase-sintered zinc oxide-barium oxide ceramics. (12) 3085
Yang, Wein-Joe; Yu, Chang-Te; and Kobayashi, Albert S.
SEM quantification of transgranular vs intergranular fracture. (2) 290
Yao, Takeshi; Imafuji, Osamu; and Jinno, Hiroshi
EXAFS study of cation distribution in nickel aluminate ferrites. (2) 314
Yashima, Isamu See Mitomo, Mamoru
Yashima, Masatomo; Ishizawa, Nobuo; Noma, Tatsuo; and Yoshimura, Masahiro
Stable and metastable phase relationships in the system ZrO_2-$ErO_{1.5}$. (3) 510
Yashima, Masatomo; Noma, Tatsuo; Ishizawa, Nobuo; and Yoshimura, Masahiro
Effects of noncompositional inhomogeneity on $t \rightarrow m$ phase transformation during grinding of various rare-earth-doped zirconias. (12) 3011
Yasui, Itaru See Yokoyama, Yasuharu
Yasutomi, Yoshiyuki; Chiba, Akio; and Sobue, Masahisa
Development of reaction-bonded electroconductive silicon nitride-titanium nitride and resistive silicon nitride-aluminum oxide composites. (5) 950
Yen, Tung-Sheng See Shi, Jian-Lin; Sun, Wei-Ying
Yilmaz, Veysel T.; Lachowski, Eric E.; and Glasser, Fred P.
Chemical and microstructural changes at alkali-resistant glass fiber-cement interfaces. (12) 3054
Yoden, Hiroyoshi See Hashimoto, Noboru
Yoko, Toshinobu See Yamashita, Hiroya
Yoko, Toshinobu; Nishiwaki, Toshio; Kamiya, Kanichi; and Sakka Sumio
Copper ⇌ alkali ion exchange of alkali aluminosilicate glasses in copper-containing molten salt: I, Monovalent copper salt, CuCl. (5) 1104; Copper ⇌ alkali ion exchange of alkali aluminosilicate glasses in copper-containing molten salt: II, Divalent copper salts, $CuCl_2$ and $CuSO_4$. (5) 1112
Yokogawa, Yoshiyuki; Ishizawa, Nobuo; Somiya, Shigeyuki; and Yoshimura, Masahiro
High-temperature phase relations in the system Gd_2O_3-Ta_2O_5. (9) 2073
Yokogawa, Yoshiyuki; and Yoshimura, Masahiro
High-temperature phase relations in the system Y_2O_3-Ta_2O_5. (9) 2077
Yokoi, Hitoshi See Iio, Satoshi
Yokoyama, Yasuharu; Nanba, Tokuro; Yasui, Itaru; Kaya, Hiroshi, Maeshima, Tsugio; and Isoda, Takeshi
X-ray diffraction study of the structure of silicon nitride fiber made from perhydropolysilazane. (3) 654
Yong, Ding; and Jiang, Zhonghong
Prediction of glass formation regions by calculation of eutectics using the ideal-solution model. (9) 2295
Yoon, Duk-N. See Kang, Suk-Joong L.
Yoon, Woo Young See Cooper, Reid F.
Yoshida, Kokichi See Ogihara, Takashi
Yoshihara, Satoru See Kokubo, Tadashi
Yoshimura, Masahiro See Kajiyoshi, Koji; Yashima, Masatomo; Yokogawa, Yoshiyuki
Yoshino, Hisashi See Nomura, Shunji
Yoshino, Yuichi; and Ohtsu, Hidehiko
Interface structure and bond strength of copper-bonded alumina substrates. (9) 2184
Yoshizawa, Yuichi See Okada, Kazuki
Young, Albert C.; Omatete, Ogbemi O.; Janney, Mark A.; and Menchhofer, Paul A.
Gelcasting of alumina. (3) 612
Young, J. Francis See Popoola, Oludele O.
Yu, Chang-Te See Yang, Wein-Joe
Yu, Cheng-Sheng See Tsai, Jing-Fong
Yuce, Hakan H. See Robinson, R. S.
Yurek, Gregory J. See Sandhage, Kenneth H.
Zawada, Larry P. See Wetherhold, Robert C.
Zawada, Larry P.; Butkus, Lawrence M.; and Hartman, George A.
Tensile and fatigue behavior of silicon carbide fiber-reinforced aluminosilicate glass. (11) 2851
Zaykoski, James; Talmy, Inna; Norr, Marriner; and Wuttig, Manfred
Desiliconization of mullite felt. (10) 2419
Zeng, Jianren; Miyamoto, Yoshinari; and Yamada, Osamu
Combustion synthesis of Si_3N_4-SiC composite powders. (9) 2197
Zhang, Litong See Zhou, Wancheng
Zhang, Shuren See Zhou, Liqin
Zhang, Xiao-wen; Wang, Qiang; and Gu, Bing-lin
Study of the order-disorder transition in $A(B'B'')O_3$ perovskite type ceramics. (11) 2846
Zhang, Zhi-Fan; Babonneau, Florence; Laine, Richard M.; Mu, Ying; Harrod, John F.; and Rahn, Jeffrey A.
Poly(methylsilane)—A high ceramic yield precursor to silicon carbide. (3) 670
Zhen, Chao See Chen, Zhi
Zhou, Ji-Ping; Sorrell, Charles C.; Dou, Shi-Xue; and Apperley, Miles H.
Alignment of $YBa_2Cu_3O_{7-x}$ and Ag-$YBa_2Cu_3O_{7-x}$ composites at ≈930 °C by eutectic formation. (7) 1541
Zhou, Liqin; Jiang, Zhihua; and Zhang, Shuren
Electrical properties of $Sr_{0.7}Ba_{0.3}TiO_3$ ceramics doped with Nb_2O_5, $3Li_2O{\cdot}2SiO_2$, and Bi_2O_3. (11) 2925
Zhou, Wancheng; Fu, Hengzhi; and Zhang, Litong; Sun, Xiaomei; She, Shengyang; and Ma, Junzhang
Effects of impurities and manufacturing methods on the devitrification of silica fibers. (5) 1125
Zhou, Yan-Chun; and Xia, Fei
Effect of processing temperature on the morphology of silicon carbide whiskers. (2) 447
Zhou, Yu; Lei, Ting-Chuan; and Sakuma, Taketo
Diffusionless cubic-to-tetragonal phase transition and microstructural evolution in sintered zirconia-yttria ceramics. (3) 633
Zhu, Yi-Qing See Nogami, Masayuki
Zinkle, Steven J. See Kim, Hyoun-Ee
Zok, Frank; Lange, Fred F.; and Porter, John R.
Packing density of composite powder mixtures. (8) 1880
Zok, Frank; Sbaizero, Orfeo; Hom, Craig L.; and Evans, Anthony G.
Mode I fracture resistance of a laminated fiber-reinforced ceramic. (1) 187
Zouboulis, Elias S. See Chan, Sai-Kit
Zürz, Alfred; Odler, Ivan; Thiemann, Felicia; and Berghöfer, Katarina
Autoclave-free formation of α-hemihydrate gypsum. (5) 1117

SUBJECT INDEX TO THE JOURNAL OF THE AMERICAN CERAMIC SOCIETY INDLUCING ADVANCED CERAMIC MATERIALS AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of the *Journal*; numbers following are *page* numbers.

Acids,
pH, effect on microstructure of Al_2O_3 composites (12) 3100
Additives,
Al and Nd, effect on devitrification of SiO_2 glasses (8) 1916
Al_2O_3, effect on phase transformation of ZrO_2-3 mol% Y_2O_3 (2) 440
C, to $MoSi_2$ (10) 2704
MgO, effect on densification of Al_2O_3 (7) 1578
liquid-forming, sintering Al_2O_3 with (8) 2011
organic dispersants, effect on dispersion, packing, and sintering of Al_2O_3 (9) 2189
Adsorption,
N, onto Si powders (6) 1417
electrostatic, of sintering agent on Si_3N_4 particles (6) 1335
Aging,
behavior, of xPb(Fe$_{2/3}$W$_{1/3}$)O$_3$·(1 − x)Pb(Fe$_{1/2}$Nb$_{1/2}$)O$_3$ (2) 287
low-temperature, t'-ZrO_2 (8) 1811
Air,
-flow, non-Darcian, through ceramic foam (4) 728
Albite,
glass, seeded, epitaxial crystallization of (6) 1378
Alite,
crystal growth, in cement clinker, impurity distribution during (9) 2082
Alloys,
Al_2O_3-ZrO_2, control of microstructure of (7) 1707
TiN-Ni-(TiC), migration of liquid films and grain boundaries (6) 1397
brazing, for joining SiC (8) 1855
Aluminates,
La, target for sputtering, synthesis of (2) 437
Aluminum,
molten, corrosion of refractories by, effect of alkalis and reducing atmosphere (11) 2781
wetting of BN by (3) 658
wetting of sapphire by (6) 1275
Aluminum oxide,
96%, residual-stress-induced grain pullout in (3) 646
B_4C reinforced composites (3) 674
Mg-doped, ionic double layers at surface (1) 25
Si-whisker-reinforced, atmospheric effects on compressive creep (6) 1240
SiC-whisker-reinforced, corrosion and strength of (6) 1354
V-doped, effect of firing atmosphere on sintered and mechanical properties (6) 1308
ZTA, contribution of $t \rightarrow m$ phase transformation to strength (7) 1703
-ZrO_2, grain-size distribution in (11) 2820
-ZrO_2 mixtures, consolidation of (3) 625
α-, tribological characteristics (5) 1036
bridging grains, cyclic fatigue from frictional degradation at (6) 1340
caged particles, in reticular foam (10) 2715
-coated C film (7) 1722
corrosion behavior, in caustic alkaline solutions at high temperatures (12) 3081
densification, effect of green density and role of MgO additive (7) 1578
dispersion, packing, and sintering of, effects of organic dispersants (9) 2189
fatigue, indentation (1) 148
fatigue of, static and cyclic (7) 1511
forged or hot pressed, texture in (11) 2941
gelcasting of (3) 612
grains, forces between in SiO_2 melt, effect on grain boundary wetting (10) 2495
green bodies, effect of forming pressure on structure (9) 2170
high- refractories, quantitative analysis of (3) 619
hot-pressed, creep and creep fracture in (5) 915
fracture mechanism during high-temperature creep (5) 922
liquid, refractive index (4) 881
mechanical properties, enhanced by TiB_2 inclusions (1) 241
membrane, composites, preparation, and properties (1) 219
metastable, in Al_2O_3-25 wt% ZrO_2 and Al_2O_3-42 wt% ZrO_2 (2) 410
microwave-annealed, grain growth in (7) 1675
-mullite composites, residual stress in (3) 579
powders, calcined freeze-dried, sinterability of (11) 2934
spherical, preparation from alkoxides (9) 2263
reinforced with SiC whiskers, in situ observation of toughening processes in (12) 3154
single-crystal, O tracer diffusion in (9) 2086
sintering, effects of MgO on grain-boundary segregation of Ca during (4) 819
evolution of pore size distribution in (10) 2535
with liquid-forming additives (8) 2011
stress relaxation, tensile, at high temperature (12) 3142
subjected to biaxial flexure, reliability analysis (2) 333
superplastic, with grain growth inhibitors (4) 842
thermally stable, composite membrane (10) 2721
toughened, R-curve behavior (10) 2634
Analysis,
DTA, of crystal nucleation rate (8) 1905
EXAFS, of cation distribution in nickel aluminate ferrites (2) 314
IR and Raman, of hydrated states of sodium silicate glasses (2) 306
IR, of thioborate compounds and polycrystals (5) 1003
NMR, of SiC polytypes (4) 777
NMR and XPS, of B-doped β-SiC (8) 2025
SEM, of transgranular vs intergranular fracture (2) 290
X-ray absorption, of CeO_2 with trivalent dopants (5) 958
X-ray scattering, of thermal decomposition of magnesium hydroxide (10) 2683
finite-element and laser holographic, of crack models for cement mortar (1) 130
kinetic, of CVD of BN (10) 2642
quantitative, of high-Al_2O_3 refractories (3) 619
reliability, of Si_3N_4 and Al_2O_3 subjected to biaxial flexure (2) 333
theoretical, of fiber pullout and pushout tests (7) 1585
thermochemical, of metal-C-O systems (5) 973
thermodynamic, of $BaLa_4Cu_3O_{13.1-\delta}$ (5) 1011
of CVD AlN (8) 1821
of system Y_2O_3-BaO-CuO_x (1) 78
of system ZrO_2-$YO_{1.5}$ (7) 1569
of system ZrO_2-$YO_{1.5}$-MgO (9) 2107
Anisotropy,
Knoop microhardness, of aragonite (12) 3129
of single-crystal cassiterite (5) 1053
piezoelectric, in perovskite crystals (5) 1131
toughness, in YSZ (4) 859
Annealing,
effect on surface microstructure, of Y-Ba-Cu-O (7) 1682
Apatite,
growth, in MgO-CaO-SiO_2-P_2O_5 glass (7) 1532
hydroxy-, kinetics of formation (5) 934
solution chemistry during formation (8) 1848
Aragonite,
single-crystal, Knoop microhardness anisotropy of (12) 3129
Arsenic,
GaAs, crack growth in (2) 419
Atmosphere,
firing, effect on properties of V-doped Al_2O_3 (6) 1308
Barium titanate,
PTCR, intergranular phases in (7) 1719
effect on properties, of PZMN (2) 400
film, on Ti substrate (2) 369
grain boundaries, screening effect and trap-state density at (2) 280
precursors, sol-gel processing of (5) 968
undoped, PTCR effect in—comment (7) 1749
PTCR effect in—reply (7) 1750
Bioceramics,
bone cement, based on CaO-SiO_2-P_2O_5 glass (7) 1739
composites, Ti/bioactive glass-ceramic particulate, fracture mechanics (8) 1803
from concept to clinic (7) 1487
Boehmite,
needles, preparation from aluminum alkoxide precursors (6) 1303
Bonding,
Si_3N_4, with C interlayers (9) 2315
porcelain, on Ti, effect of leucite (6) 1449
reaction, of Si_3N_4-SiC refractories (5) 1139
Borates,
$Li_2B_4O_7$, films, with preferential orientation (7) 1668
Borides,
TiB_2, thermal spalling during electrical discharge machining (4) 801
Boron,
B_2O, phases present at high pressure and temperature (12) 3145
Brittle materials,
cellular, factors controlling fracture resistance (5) 1061
flaw interactions in, statistics (2) 352
quasi-, geometry-dependent R-curve for (11) 2831
toughening, transformation, model of (10) 2564
Calcium,
grain-boundary segregation, during sintering of Al_2O_3, effect of MgO (4) 819
Calcium oxide,
single-crystalline, low-stress creep of (10) 2697
Capacitors,
with Ni electrodes, degradation of (11) 2739
with flat dielectric curves, $K_{6.2}Sr_{6.4}NbO_3$ for (11) 2809
Carbides,
B_4C, powders, slip casting of (7) 1614
mechanosynthesis, by grinding of powders (6) 1382
transition-metal, cemented, thermal conductivity and electrical resistivity (6) 1411
Carbon,
-N pyrolyzates (7) 1686
additions, to $MoSi_2$ (10) 2704
fibers, metal carbide coatings on, by reaction bonding (11) 2928
film, sol-gel Al_2O_3-coated (7) 1722
films, IR absorption and Raman spectra of (11) 2932
interfacial layers, formed by oxidation of SiC/Ba-stuffed cordierite (7) 1663
interlayers, bonding dense Si_3N_4 with (9) 2315
Carbonation,
of cement pastes, hardened C_3S, changes in structure due to (11) 2891
Casting,
gel-, of Al_2O_3 (3) 612
slip, of B_4C powders (7) 1614
tape, of Sr-doped lanthanum chromite (1) 155
of mullite and ZrO_2-mullite (10) 2448
Cells,
fuel, solid oxide, porous electrodes for (3) 501
Cements,
C_3S, hardened, changes in structure due to carbonation (11) 2891
MDF, microstructure (8) 1928
bone, based on CaO-SiO_2-P_2O_5 glass (7) 1739
calcium aluminate, phosphate-bonded, strength development (5) 1023
hydrated portland, sulfate expansion in—comment (1) 250
sulfate expansion in—reply (1) 251
pore size distributions in, simulation (8) 1861
portland clinker, growth of alite, impurity distribution during (9) 2082
Ceramic materials,
cracking in, indentation, observation and analysis (11) 2945
duplex, K^R-curve behavior (1) 11
infiltration of, theory (1) 210
loaded in flexure, effect of fracture criterion (1) 48
strength degradation, thermal shock, relation between flaw resistance and R-curve behavior (11) 2859
toughened, microstructural design of (10) 2720
Ceramic-metal systems,
SiC/stainless steel, solid-state reactions of (4) 1364
joints, brazed, thermal residual stresses in (9) 2141
Ceramics,
under repeated rapid heating, thermal stress failure of (6) 1189
toughened, microstructural design of (2) 255
Chemical properties,
alkali durability, of oxynitride glass fibers (2) 454
dissolution rates, of Na_2O-CaO and Pyrex borosilicate glasses (7) 1554
durability, of Y_2O_3-aluminosilicate glasses containing Na_2O and ZrO_2 (2) 428
of Zr-containing waste forms in water (4) 863
durability in water, of fluoride glasses (3) 481
of precursors, Si-Al-C-O (7) 1725
Chemistry,
defect, of acceptor-doped $SrTiO_3$ (8) 1934
phase, of $Bi_2Sr_2CaCu_2O_x$, effects of annealing (6) 1391
solution, during formation of hydroxyapatite (8) 1848
Chromium,
Sr-doped lanthanum chromite, for fuel cells, tape casting and sintering (1) 155

Clays,
/acrifavine complex disk, structure and properties (11) 2824
Coatings,
BN, on oxide substrates (10) 2587
calcium phosphate, sputtered, spectroscopic characterization of (9) 2301
composite, BN and Al, by CVD (9) 2136
metal carbide, on C fibers, by reaction-bonding process (11) 2928
plasma spray, precipitation of YSZ for—correction (6) 1477
residual stress and Young's moduli, determination of (7) 1646
sol-gel, of lithium zinc ferrite powders (4) 851
spray, precipitation of YSZ for (2) 375
8 wt% Y_2O_3-ZrO_2, thermal barrier (2) 381
Cobalt,
oxide, polymorphs of (2) 270
Colloids,
processing, of whisker-reinforced mullite matrix composites (10) 2438
Color,
black, in PSZ—comment (7) 1745
in PSZ—reply (7) 1747
Combustion,
of metals, refractory, in nitrogen, effect of particle morphology (11) 2912
Compaction,
centrifugal, of Al_2O_3 and Al_2O_3/ZrO_2 composite slurries (9) 2201
consolidation, of powders—correction (5) 1157
of mixtures, Al_2O_3-ZrO_2 (3) 625
of powders, model for (3) 682
shock, fabrication of diamond by—comment (7) 1760
fabrication of diamond by—reply (7) 1761
Compacts,
SiC, of polycarbosilane-impregnated hollow particles, sintering of (11) 2922
$YBa_2Cu_3O_{6+x}$, effect of liquid phase on sintering (9) 2175
ZrO_2, agglomerated, sintering behavior (5) 994
diamond, synthesis and microstructure (1) 5
microstructure and sintering, precoarsening to improve (11) 2902
powder, Si, nitridation kinetics and thermodynamics of (6) 1248
green density, effect on combustion synthesis (9) 2113
Composites,
Al_2O_3 reinforced with SiC whiskers, toughening processes in (12) 3154
Al_2O_3-25 wt% ZrO_2 and Al_2O_3-42 wt% ZrO_2, metasable Al_2O_3 in (2) 410
Al_2O_3-SiC-whisker, creep deformation of (8) 1886
Al_2O_3-ZrO_2, effect of pH and particle size on properties and microstructure (12) 3100
α-Al_2O_3-diamond, hot-pressing of (10) 2666
Al_2O_3-fiber-reinforced CVI SiC matrix, thermal diffusivity of (7) 1631
Al_2O_3-mullite, residual stress in (3) 579
Al_2O_3/TiC, deformation at elevated temperatures (9) 2258
Al_2O_3/ZrO_2, activation energy for sintering (8) 1959
B_4C-reinforced Al_2O_3 (3) 674
BN, AlN, and BN + AlN, CVD, composition and microstructure (2) 301
C-fiber-reinforced aluminoborosilicate glass-matrix, effect of fiber orientation on thermal conductivity (6) 1463
Cd-ZrO_2 and Al_2O_3, enhanced fracture toughness in (12) 2979
Ce-TZP Al_2O_3, pseudoelastic behavior (9) 2180
Ce-TZP/Al_2O_3, with improved hardness and strength (1) 179
role of transformation (3) 678
O-3 ceramic-polymer, colloidal processing to improve piezoelectric properties (7) 1699
Si_3N_4O/SiC-whisker, mechanical properties (2) 296
Si_3N_4 matrix, effect of SiC whiskers on thermal properties (4) 874
Si_3N_4-SiC, mechanical and electrical properties (5) 1142
Si_3N_4-TiN and Si_3N_4-Al_2O_3, reaction-bonded (5) 950
Si_3N_4/SiC-whisker, without sintering aids (2) 326
Si-SiC C-rings, steady-state creep behavior (10) 2531
SiC-fiber-reinforced Si_3N_4, effect of stress ratio on fatigue (7) 1639
SiC-fiber-reinforced aluminosilicate glass, tensile and fatigue behavior (11) 2851
SiC$_w$/Al_2O_3, toughening mechanisms in (9) 2280
SiC-borosilicate glass, interfacial sliding friction (1) 115
SiC-particle-reinforced $MoSi_2$, hardness and fracture toughness (10) 2700
SiC-whisker-reinforced Al_2O_3, atmospheric effects on compressive creep (6) 1240
corrosion and strength of (6) 1354
SiC-whisker-reinforced Al_2O_3-ZrO_2, oxidation behavior (8) 1793
SiC-whisker/Al_2O_3, tribological behavior against carburized 8620 steel (9) 2224
Ti/bioactive glass-ceramic particulate, fracture mechanics (8) 1803
Y-Ce-TZP/Al_2O_3, strength and stability (3) 606
$YBa_2Cu_3O_{7-d}$-Ag, thermopower of (10) 2679
$YBa_2Cu_3O_{7-x}$ and Ag-$YBa_2Cu_3O_{7-x}$, alignmemt by eutectic formation (7) 1541
ZrB_2/ZrC/Zr, preparation of (9) 2093
ZrO_2-Al_2O_3, role of cavitation in fracture of (4) 869
brittle-matrix, crack initiation in (5) 1082
calcium aluminate-polymer, micromechanical analysis (8) 1928
cellular-core ceramic sandwich, failure behavior (11) 2747
ceramic fiber-glass matrix, heat treatments as protection for (8) 1997
ceramic particulate, sintering of (2) 433
ceramic-matrix, BN interphase in (10) 2482
laminated, delamination cracking in (12) 3066
theory of mechanical properties of (11) 2837
clay mineral/acrifavine complex disk, structure and properties (11) 2824
coatings, BN and Al, by CVD (9) 2136
continuous-SiC-fiber-reinforced RBSN matrix, mechanical properties (10) 2551
diboride-reinforced oxide-matrix, chemical interactions in (4) 724
fabric-reinforced, modeling of CVI for (4) 746
fiber-reinforced brittle matrix, cracking damage in (11) 2776
fiber-reinforced cement-based, mechanical behavior (11) 2727
fiber-reinforced cementitious, interfacial properties (9) 2156
fiber-reinforced ceramic, fracture behavior, effect of fiber and interfacial properties (11) 2882
fiber-reinforced ceramic-matrix, mechanical properties (3) 535
interfacial shear in, estimated from frictional heating measurements (11) 2802
laminated fiber-reinforced, Mode I fracture resistance (1) 187
membrane, Al_2O_3, preparation and properties (1) 219
thermally stable Al_2O_3, perparation and properties (10) 2721
mullite and mullite-matrix, by sintering of powders (10) 2428
mullite-ZrO_2, reaction-sintered, high-temperature properties (10) 2476
mullite/Al_2O_3, particulate, by infiltration (10) 2453
platelet-reinforced ceramic, formation by reaction of Zr with B_4C (9) 2093
platelet-reinforced mullite, effect of processing on mechanical properties (10) 2464
powders, Si_3N_4-SiC, combustion synthesis of (9) 2197
sialon-YAG, cavitation damage during flexural creep (7) 1658
slurries, Al_2O_3 and Al_2O_3/ZrO_2, centrifugal consolidation of (9) 2201
thermal shock behavior (1) 19
whisker-reinforced, matrix-grain-bridging contributions to toughening (9) 2131
whisker-reinforced ceramic-matrix, synergies of toughening (1) 194
whisker-reinforced mullite matrix, colloid processing and mechanical properties (10) 2438
whiskers for, mullite, synthesis of (10) 2414
zinc sulfide/diamond, deformed, grain growth in (7) 1729
Compounds,
tin(IV) alkoxide, condensation to form particles (5) 1091
Conductivity, electrical,
bulk, of acceptor-doped $SrTiO_3$ (8) 1934
of electrolytes, Y_2O_3-Bi_2O_3 containing aliovalent dopants (8) 1970
inhomogeneous, in varistors (9) 2067
in tin oxide, temperature dependence—comment (7) 1757
temperature dependence—reply (7) 1759
Conductivity, ionic,
of Cu^+, in glasses of system CuBr-Cu_2MoO_4-Cu_3PO_4 (12) 3133
in glasses, phosphate (8) 1767
of solid solutions, fluorite-type HfO_2-R_2O_3 (10) 2489
Conductivity, thermal,
of AlN, effect of microstructure (9) 2214
of glass-ceramics, $Li_2O{\cdot}Al_2O_3{\cdot}nSiO_2$ (12) 3035
high, AlN with (9) 2242
of packed bed, of hollow ZrO_2 microspheres (12) 3118
Copper,
CaO-M_2O_3-CuO (M = Nd, Gd, Y), new phases in (3) 569
Corrosion,
of α-SiC, in potassium sulfate melts (9) 2152
behavior, of Al_2O_3 in caustic alkaline solutions at high temperatures (12) 3081
of composites, SiC-whisker-reinforced Al_2O_3 (6) 1354
of fibers, optical, STM of (4) 814
of refractories, by molten Al, effect of alkalis and reducing atmosphere (11) 2781
Cracking,
R-curve, for quasi-brittle materials (11) 2831
R-curve behavior, of toughened Al_2O_3 and Si_3N_4 (10) 2634
caused by slip, in SiC crystals (1) 173
in composites, fiber-reinforced brittle matrix (11) 2776
delamination, in laminated ceramic-matrix composites (12) 3066
indentation, in glass and ceramics, direct observation and analysis of (11) 2945
Cracks,
K^R-curve behavior, of duplex ceramics (1) 11
R-curve behavior, effect on thermal shock strength degradation (11) 2859
creep-growth, by damage accumulation in glass-ceramics (7) 1605
face bridging mechanism, in $MgAl_2O_4$ (7) 1732
growth, in GaAs (2) 419
in Mg-PSZ, acoustic emission during (8) 1922
in MgO-PSZ (6) 1259
in Si_3N_4, effect of impurities (4) 752
indentation-induced, in YSZ (4) 859
initiation, in brittle-matrix composites (5) 1082
kinking out of an interface (4) 767
micro- protype, implications for microcrack toughening (7) 1695
resistance, of Ce-TZP (12) 3028
of system ZrO_2-Y_2O_3-Al_2O_3 (2) 318
stability, and *T*-curves due to residual compressive stress (8) 1981
subcritical, growth in Na_2O-CaO glass under Mode I and II loading—correction (2) 418
tip, direct measurement of stresses at (11) 2897
-tip-bridging stresses (8) 1828
Creep,
in Al_2O_3, hot-pressed (5) 915
compressive, of SiC-whisker-reinforced Al_2O_3, atmospheric effects (6) 1240
of polycrystalline mullite (10) 2469
-crack growth, by damage accumulation in glass-ceramics (7) 1605
deformation, of Al_2O_3-SiC-whisker composites (8) 1886
flexural, of sialon-YAG, cavitation damage during (7) 1658
high-temperature, in hot-pressed Al_2O_3, fracture mechanisms during (5) 922
low-stress, of single-crystalline CaO (10) 2697
low-temperature, of titanium(IV) oxide (11) 2918
during sintering, effect of green density (3) 514
steady-state, of Si-SiC C-rings (10) 2531
Crystallization,
of $PbTiO_3$ (9) 2309
of SiC, in cubic form, preference for (10) 2630
of ZrO_2-Gd_2O_3 (11) 2786
behavior, of glass-ceramics, efffect of thermal history (5) 1129
epitaxial, of seeded albite glass (6) 1378
of gels, CaO-Al_2O_3 (5) 1066
of glass, Li_2O-SiO_2, kinetics (1) 60
of glass-ceramics, Corning, effect on thermal conductivity and specific heat (3) 564
MgO-CaO-SiO_2-P_2O_5, effect of composition changes (9) 2123
of glasses, $Li_2O{\cdot}Al_2O_3{\cdot}6SiO_2$ containing niobium pentoxide dopant (2) 395
$Na_2O{\cdot}2CaO{\cdot}3SiO_2$ (5) 909
heavy-metal fluoride (4) 788
hydrothermal, of ZrO_2 and ZrO_2 solid solutions (10) 2622
Crystals,
Li_2O, Raman spectrum (9) 2324
Mg_2SiO_4 and $MgSiO_3$, growth by flux method (7) 1654
SiC, kinking and cracking caused by slip (1) 173
YSZ, temperature dependence of hardness (3) 491
alkaline-earth boroaluminate, local structure (6) 1425
nucleation rate, determined from DTA (8) 1905
perovskite, piezoelectric anisotropy in (5) 1131
thioborate, preparation and IR characterization (5) 1003
whiskers, SiC, effect of processing on morphology (2) 447
SiC, pyrolysis of rice husks for formation of (11) 2869
TiN, microstructure and crystallography of (11) 2769
in situ synthesis from Si_3N_4 powders (7) 1517
Decomposition,
radiolytically induced, of soda-silicate glasses (5) 1145
of sodium sulfate, foaming in glass melts produced by (3) 551
thermal, of magnesium hydroxide, X-ray scattering study (10) 2683
Defects,
equilibria, in $YBa_2Cu_3O_{7-x}$—comment (7) 1751
in $YBa_2Cu_3O_{7-x}$—reply (7) 1753
flaw interactions, in brittle materials, statistics of (2) 352
Deformation,
of composites, Al_2O_3/TiC (9) 2258
creep, of Al_2O_3-SiC-whisker composites (8) 1886
Densification,
of Al_2O_3, effect of green density and role of MgO additive (7) 1578
during sintering, effect of green density (3) 514
liquid-phase (2) 425
Density,
of TiO_2, liquid (10) 2718
of glasses, in series $xNa_2S + (1-x)B_2S_3$ (6) 1466
green, of powder compacts (9) 2113
packing, of composite powder mixtures (8) 1880
trap-state, at grain boundaries of $BaTiO_3$ (2) 280

Dental ceramics,
porcelain, leucite thermal instability in (2) 450
Deposition,
CVD, of AlN films (6) 1331
of BN films, from polymeric cyanoborane (2) 406
of BN, AlN, and BN + AlN composites (2) 301
of BN, kinetic analysis of (10) 2642
simultaneous, of BN and AlN (10) 2649
of films, CuO_x (7) 1597
of noble metal and spinel, on floor of ceramic melter for nuclear wastes (7) 1559
Design,
of engineering materials, data for (9) 2037
microstructural, of toughened ceramics (10) 2720; (2) 255
Devitrification,
of fibers, SiO_2, effect of impurities and manufacturing methods (5) 1125
Diagrams,
phase, of Al_4C_3-AlN-SiC—comment (9) 2327
of Al_4C_3-AlN-SiC—reply (9) 2329
in binary alkali silicate systems (8) 1833
for spinodal decomposition in system TiO_2-SnO_2 (8) 1910
of system CaO-ZrO_2 (1) 234
of system Y_2O_3-BaO-CuO_x (1) 78
Diamonds,
CVD, fracture toughness of (12) 3148
compact, synthesis and microstructure (1) 5
fabrication, by shock compaction—comment (7) 1760
by shock compaction—reply (7) 1761
films, CVD, effect of microwave power on H content (7) 1715
Dielectric materials,
PMNT, thin-layer (12) 3000
microwave, (Zr,Sn)TiO_4, properties of (6) 1320
systems, BaO-La_2O_3-TiO_2 (Ln = La, Nd, and Sm) (8) 1873
BaO-Ln_2O_3-TiO_2 (Ln = La, Nd, and Sm) (8) 1868
Dielectric properties,
of $0.9Pb(Mg_{1/3}Nb_{2/3})O_3$-$0.1PbTiO_3$ (12) 2996
microwave, of doped $BaTi_4O_9$ (8) 1894
Diffusion,
O tracer, in Al_2O_3 (9) 2086
in vitreous SiO_2 (1) 203
of Sr and Ca impurities, into $CaTiO_3$ and $SrTiO_3$ (4) 772
cation inter-, in CeO_2-ZrO_2-HfO_2 solid solution (10) 2610
in grain boundaries, Monte Carlo solution to (4) 823
Diffusivity,
thermal, flash test for (5) 941
Dopants,
aliovalent, properties of Y_2O_3-Bi_2O_3 solid electrolytes containing (8) 1970
niobium pentoxide, crystallization of $Li_2O{\cdot}Al_2O_3{\cdot}6SiO_2$ glasses containing (2) 395
trivalent, CeO_2 with, X-ray absorption studies (5) 958
Elasticity,
of glasses, porous and reinforced (1) 229
modulus, of monoclinic ZrO_2, temperature dependence of (7) 1742
pseudo-, in Ce-TZP Al_2O_3 ceramics (9) 2180
Electrical properties,
of $Sr_{0.7}Ba_{0.3}TiO_3$, doped with Nb_2O_5, $3Li_2O{\cdot}2SiO_2$, and Bi_2O_3 (11) 2925
of Y_2O_3, CeO_2-doped (3) 598
of composites, Si_3N_4-SiC (5) 1142
of films, La-doped $PbTiO_3$ (12) 3023
thermo-, of SiC compacts (11) 2922
Electrodes,
porous, for solid oxide fuel cell (3) 501
Electrolytes,
Y_2O_3-Bi_2O_3, containing aliovalent dopants, properties of (8) 1970
Electronics,
composites, reaction-bonded Si_3N_4-TiN and Si_3N_4-Al_2O_3 (5) 950
electroceramics, smart (3) 463
packaging, ceramic and glass-ceramic, in the 1990s (5) 895
Electrooptics,
strontium barium niobate, fabrication of (8) 1785
Emission,
acoustic, of $NaZr_2P_3O_{12}$ (2) 365
during crack growth in Mg-PSZ (8) 1922
Energy,
activation, for sintering Al_2O_3/ZrO_2 (8) 1959
Equilibrium,
oxidation-reduction, in copper phosphate glass melted in air (12) 3039
subsolidus phase relations, in system Ag-Pd-O_2 (6) 1349
Etching,
SiC, in N-based gas (2) 457
plasma, of α-sialon (4) 856
Eutectics,
regions, in glass-forming systems (9) 2295
Expansion,
thermal, of $ZrTiO_4$, effect of ionic substitution (9) 2205
Extraction,
Weibull parameter, noise sensitivity of fit procedures for (9) 2293
Fatigue,
of Ce-TZP (12) 3028
of YSZ (6) 1197; (6) 1206
of composites, SiC-fiber-reinforced Si_3N_4, effect of stress ratio (7) 1639
cyclic, from frictional degradation at bridging grains in Al_2O_3 (6) 1340
cyclic life, of MgO-PSZ (6) 1259
indentation, of Al_2O_3 (1) 148
mechanisms, in SiO_2-glass fibers (8) 1993
static and cyclic, of Al_2O_3 (7) 1511
strength, of SiC-fiber-reinforced aluminosilicate glass (11) 2851
of systems, ZrO_2-Y_2O_3-Al_2O_3 (2) 318
Ferrites,
lithium zinc, powders, sol-gel coating of (4) 851
lithium zinc, with borosilicate liquid phase, sintering of (10) 2513
nickel aluminate, cation distribution, EXAFS study (2) 314
Ferroelectric materials,
PZMN, effect of $BaTiO_3$ on properties (2) 400
films, $PbZrO_3$-$PbTiO_3$, by sol-gel process (1) 67
microstructure (7) 1635
xPb($Fe_{1/2}W_{1/2}$)O_3-$(1-x)$Pb($Fe_{1/2}Nb_{1/2}$)O_3, aging behavior (2) 287
Fiber optics,
SiO_2, effect of alkali hydroxides on strength and fatigue (10) 2592
corrosion of, STM of (4) 814
Fibers,
C, metal carbide coatings on, by reaction bonding (11) 2928
Si_3N_4, preparation from diatomaceous earth (4) 846
structure of (3) 654
SiC, in ceramic matrix, sliding resistance of (3) 524
SiO_2, devitrification, effect of impurities and manufacturing methods (5) 1125
fabrics, CVI of composites reinforced with (4) 746
felt, mullite, desiliconization of (10) 2419
friction coefficient, measurement of (7) 1692
inorganic, literature review (12) 2959
mullite, reactions and microstructure development in (10) 2404
Nicalon SiC, strength of (3) 666
pullout and pushout tests, theoretical analysis of (7) 1585
pullout interfacial shear stresses, in SiC-borosilicate glass system, effect of oxidation (10) 2693
Films,
Al_2O_3, porous, as humidity sensors (6) 1325
AlN, by CVD (6) 1331
BN, CVD from polymeric cyanoborane (2) 406
$BaTiO_3$, on Ti substrate (2) 369
Bi(Pb)-Sr-Ca-Cu-O, on MgO, preparation of (9) 2102
Bi-Sr-Ca-Cu-O, preparation and properties (1) 123
C, IR absorption and Raman spectra of (11) 2932
sol-gel Al_2O_3-coated (7) 1722
CuO_x, CVD by CuI and O_2 (7) 1597
La-doped $PbTiO_3$, preparation and electrical properties (12) 3023
$Li_2B_4O_7$, sol-gel preparation of (7) 1668
PZT, microstructure (6) 1455
$PbTiO_3$, sol-gel processing of (6) 1407
$PbZrO_3$-$PbTiO_3$, sol-gel processing of (1) 67
Si_3N_4, effects of wet oxidation on properties (7) 1563
TiN, effect of nitridation rate on composition and conductivity (11) 2937
TiO_2, effect of heating rate on sintering (10) 2669
$YBa_2Cu_3O_{7-x}$, in situ growth of (9) 2305
diamond, CVD, effect of microwave power on H content (7) 1715
ferroelectric, microstructure (7) 1635
of one-layer phase, in system Bi-Sr-Ca-Cu-O (4) 797
Filtration,
pressure, effect of particle packing (1) 166
Fluorides,
glasses, durability in water (3) 481
Foamed ceramics,
airflow through, non-Darcian (4) 728
particles, caged Al_2O_3 (10) 2715
Formation,
of hydroxyapatite, kinetics of (5) 934
solution chemistry during (8) 1848
of glasses, Ce-Si-O-N (8) 2018
of lead niobate, in molten salt systems (1) 42
of mullite, from nonstoichiometric diphasic precursors (10) 2382
Fracture,
behavior, of cellular-core ceramic sandwich composites (11) 2747
of fiber-reinforced ceramic composites, effect of fiber and interfacial properties (11) 2882
of ceramics, loaded in biaxial flexure (1) 48
of composites, ZrO_2-Al_2O_3, role of cavitation (4) 869
creep, of hot-pressed Al_2O_3 (5) 915
creep deformation, of oxynitride glass-joined Si_3N_4 (1) 103
fractography, relation to fractal geometry (12) 3136
indentation, toughness of sintered SiC—comment (4) 887
toughness of sintered SiC—reply (4) 889
mechanics, of Ti/bioactive glass-ceramic particulate composites (8) 1803
mechanisms, during high-temperature creep of Al_2O_3 (5) 922
resistance, Mode I, of laminated fiber-reinforced ceramic (1) 187
of brittle cellular materials, factors controlling (5) 1061
of transparent magnesium aluminate spinel (7) 1624
toughness, of CVD diamond (12) 3148
enhanced, in Ce-ZrO_2 and Al_2O_3 composites (12) 2979
transgranular vs intergranular, SEM quantification (2) 290
Friction,
behavior, of SiC-whisker/Al_2O_3 composites against lubricated steel (9) 2224
coefficient, of fibers, measurement of (7) 1692
interfacial sliding, in SiC-borosilicate glass composites (1) 115
sliding resistance, of SiC fibers in ceramic matrix (3) 524
tribological characteristics, of α-Al_2O_3 (5) 1036
Fuels,
U_3O_8-Al cermet, reactions during processing (4) 733
Furnaces,
glassmelting, modeling of flow and haet-transfer in (12) 3091
melter, Joule-heated, noble metal and spinel deposition on floor (7) 1559
Garnets,
YAG, synthesis by glycothermal method (6) 1452
Gases,
N-based, etching SiC in (2) 457
uranium hexafluoride, reaction with Al_2O_3 and ZrO_2 (9) 2250
Gels,
CaO-Al_2O_3, preparation and crystallization of (5) 1066
SiO_2 xero-, mechanical properties (6) 1469
structure of pores in (12) 2988
aluminosilicate, diphasic, mullitization of (10) 2388
effect of physical structure on phase development (10) 2393
nucleation of spinel, effect of mullite crystallization (10) 2374
transformations in, effects of hydrolysis (3) 574
-casting, of Al_2O_3 (3) 612
prepared from γ-Al_2O_3 fume powder, gelation and sintering of (4) 830
Glass fibers,
SiO_2, fatigue mechanisms in (8) 1993
-cement interfaces, chemical and microstructural changes at (12) 3054
fluoride, strength, effect of processing parameters (6) 1373
oxynitride, alkali durability of (2) 454
Glass industry,
furnaces, modeling of flow and heat-transfer in (12) 3091
Glass-ceramics,
Corning, effect of crystallization on thermal conductivity (3) 564
$Li_2O{\cdot}Al_2O_3{\cdot}nSiO_2$, thermal conductivity of (12) 3035
MgO-CaO-SiO_2-P_2O_5, effect of composition on crystallization (9) 2123
cordierite-Y-stabilized ZrO_2, spherulitic growth from matrix (1) 85
creep-crack growth, by damage accumulation in (7) 1605
crystallization behavior and hardness, effect of thermal history (5) 1129
derived from N-containing β-spodumene, preparation and properties (6) 1291
mica-containing, high-strength (12) 3139
systems, Li_2O-SiO_2-Al_2O_3-$Me^{II}O$, for tile glazes (5) 983
Glass,
CaO-P_2O_5-Fe_2O_3, redox state of Fe (1) 226
CaO-SiO_2-P_2O_5, bone cement based on (7) 1739
Ce-Si-O-N, formation of (8) 2018
CuCl-doped SiO_2, optical properties (1) 238
$Li_2O{\cdot}Al_2O_3{\cdot}6SiO_2$, containing niobium pentoxide dopant, crystallization of (2) 395
Li_2O-SiO_2, crystallization kinetics (1) 60
MgO-CaO-SiO_2-P_2O_5, spherulitic growth of apatite in (7) 1532
Na_2O-CaO, crack growth in Mode I and II loading—correction (2) 418
Na_2O-CaO and Pyrex borosilicate, dissolution rates (7) 1554
$Na_2O{\cdot}2CaO{\cdot}3SiO_2$, nucleation and crystallization of (5) 909
SiO_2, effect of Al and Nd admixtures on devitrification (8) 1916
water entry during slow crack growth (10) 2573
Y_2O_3-aluminosilicate containing Na_2O and ZrO_2, thermal expansion and chemical durability (2) 428
albite, seeded albite glass (6) 1378
alkali aluminosilicate, Cu=alkali ion exchange in Cu-containing molten salt (5) 1104
alkaline-earth boroaluminate, local structure (6) 1425
aluminum aluminosilicate, effect of heat treatment on properties (1) 92
copper phosphate, melted in air, oxidation-reduction equilibrium in (12) 3039

cracking in, indentation, observation and analysis (11) 2945
fluoride, durability in water (3) 481
formation regions, prediction of (9) 2295
-forming liquids, nucleation and crystallization in (10) 2659
heavy-metal fluoride, Pt nucleation and crystallization of (4) 788
lithium disilicate, nucleation in (5) 1015
melts, foaming produced by sodium sulfate decomposition (3) 551
perturbation theory for transport properties (10) 2599
metaphosphate, cations effects on ^{31}P MAS NMR shifts (6) 1287
nuclear waste, Zr-containing, durability in water (4) 863
phase, of sintered Si_3N_4, evaluation of (1) 244
phosphate, ionic conduction in (8) 1767
porous and reinforced, homogenizing techniques for elastic response (1) 229
rare-earth aluminogermanate (5) 1031
rubidium borate, anomalous behavior of ultrasonic velocity in (10) 2603
series xNa$_2$S + (1-x)B$_2$S$_3$, density measurements of (6) 1466
silicate, dissolution rates in water at pH 7 (6) 1269
soda-silicate, radiolytically induced decomposition of (5) 1145
sodium borosilicate, percolation phenomenon for dissolution of (4) 783
sodium silicate, hydrated states, IR and Raman study (2) 306
standard reference, thermooptic coefficients (7) 1689
systems, CuBr-Cu$_2$MoO$_4$-Cu$_3$PO$_4$, preparation and Cu$^+$-ion-conducting properties (12) 3133
SiC-borosilicate, effect of oxidation on fiber pullout stresses (10) 2693
thioborate, preparation and IR characterization (5) 1003
waste, durability in groundwater (9) 2234

Glazes,
tile, from system Li$_2$O-SiO$_2$-Al$_2$O$_3$-Me^{II}O (5) 983

Grain boundaries,
of BaTiO$_3$, screening effect and trap-state at (2) 280
in alloys, in TiN-Ni-(TiC), migration of (6) 1397
diffusion in, Monte Carlo solution to (4) 823
heating of, microwave (4) 849
interfacial states, in BeO-doped SiC, spectroscopy of (10) 2675
migration, in Ce-TZP (2) 387
wetting, in SiO$_2$ melt, effect of forces between Al$_2$O$_3$ grains (10) 2495

Grain growth,
in Al$_2$O$_3$, microwave-annealed (7) 1675
in Y-TZP, effect of impurities (10) 2615
of ZnO, during sintering of ZnO-Sb$_2$O$_3$ (6) 1296
of ZrO$_2$-Gd$_2$O$_3$ (11) 2786
α-Al$_2$O$_3$, phase transformations (9) 2270
in composites, deformed zinc sulfide/diamond (7) 1729
discontinuous, effect of pore-grain boundary interactions (12) 3151
inhibitors, superplastic Al$_2$O$_3$ with (4) 842
kinetics, in liquid-phase-sintered ZnO-BaO (12) 3085

Grinding (comminution),
ZrO$_2$, effect of inhomogeneity on phase transformation during (12) 3011

Gypsum,
α-hemihydrate, autoclave-free formation of (5) 1117

Hafnium,
HfO$_2$, Raman spectra (3) 520

Hardness,
Knoop micro-, anisotropy of aragonite (12) 3129
of TiO$_2$, nanocrystalline, temperature dependence of (10) 2672
of YSZ, temperature dependence (3) 491
of composites, SiC-particle-reinforced MoSi$_2$ (10) 2700
of glass-ceramics, effect of thermal history (5) 1129

Heat,
specific, of two Corning glass-ceramics, effect of crystallization (3) 564
treatment, effect on properties of lithium aluminosilicate glass (1) 92
treatments, as protection for ceramic fiber-glass matrix composites (8) 1997

Heating,
microwave, of grain boundaries (4) 849
rate, effect on sintering and coarsening (6) 1217
effect on sintering of TiO$_2$ films (10) 2669

Humidity,
effect on superconductors, (Pb,Bi)SrCaCuO (7) 1710
sensors (4) 697
porous Al$_2$O$_3$ film as (6) 1325

Hydrogen,
content, of CVD diamond films, effect of microwave power (7) 1715
dissolution in and release from, nonmetals (1) 72

Hydroxides,
magnesium, thermal decomposition, X-ray scattering study (10) 2683

Imaging,
EPR, for mapping porosity (4) 709

Impurities,
in Y-TZP, effect on phase partitioning and grain growth (10) 2615
distribution, during alite growth in cement clinker (9) 2082

Indentation,
behavior, of transformation-toughened ZrO$_2$ (3) 593
fatigue, of Al$_2$O$_3$ (1) 148

Infiltration,
CVI, for composites reinforced with fabrics (4) 746
of ceramics, theory of (1) 210
chemical vapor, reaction and diffusion kinetics during (12) 3046
composites by, mullite/Al$_2$O$_3$ particulate (10) 2453

Infrared,
transmittance, of calcium iodide, effect of doping (1) 161

Insulation, thermal,
coating, 8 wt% Y$_2$O$_3$-ZrO$_2$ (2) 381

Interfaces,
C layers, formed by oxidation of SiC/Ba-stuffed cordierite (7) 1663
alkali-resistant glass fiber-cement, chemical and microstructural changes at (12) 3054
grain-boundary, states in BeO-doped SiC (10) 2675
kinking of crack out of (4) 767
metal-Al$_2$O$_3$ and metal-AlN, electronic structure and chemical reactions at (6) 1163
properties, effect on fracture behavior of fiber-reinforced ceramic composites (11) 2882
of fiber-reinforced cementitious composites (9) 2156
roughness, effect on frictional stress in pushout tests (11) 2793

Iodides,
Cs, effect of doping on strength and IR transmittance (1) 161

Ion exchange,
Cu$^+$-alkali, in alkali aluminosilicate glasses in Cu-containing molten salt (5) 1104

Ions,
Cu$^+$, conductivity in glasses of system CuBr-Cu$_2$MoO$_4$-Cu$_3$PO$_4$ (12) 3133
cation, deficiency in Bi$_4$(Sr,Ca)$_3$Cu$_2$O$_{10+\delta}$ (10) 2711
effects on ^{31}P MAS NMR shifts of metaphosphate glasses (6) 1287
cation distribution, in nickel aluminate ferrites, EXAFS study (2) 314
double layers, at surface of Mg-doped Al$_2$O$_3$ (1) 25
substitution, effect on thermal expansion of ZrTiO$_4$ (9) 2205

Iron,
redox state, in CaO-P$_2$O$_5$-Fe$_2$O$_3$ glasses (1) 226

Isotopes,
^{17}O, preparation of magnesium aluminate spinel containing (6) 1442

Joining,
SiC, brazing alloy for (8) 1855

Joints,
brazed, ceramic-to-metal, thermal residual stresses in (9) 2141

Kaolinite,
-mullite reaction series (6) 1401
and sol-gel mixtures, formation of mullite from (10) 2367

Kinetics,
of CO$_2$ degradation, of YBa$_2$Cu$_3$O$_{7-x}$ (8) 2007
diffusion, during CVI (12) 3046
formation, of hydroxyapatite (5) 934
sol-gel, followed by total reflectance IR spectroscopy (10) 2559

Laminates,
fiber-reinforced, Mode I fracture resistance (1) 187

Lead,
effect in processing, of 2223 Bi-Sr-Ca-Cu-O (1) 247

Liquids,
TiO$_2$, density of (10) 2718
glass-forming, nucleation and crystallization in (10) 2659

Machining,
electrical discharge, of TiB$_2$, thermal spalling during (4) 801

Magnesium oxide,
effect on grain-boundary segregation of C, during sintering of Al$_2$O$_3$ (4) 819

Manganese,
(Mg,Zn,Ni) vanadate (10) 2686

Materials, engineering,
design, data for (9) 2037
toughened, microstructural design of (10) 2720

Materials, raw,
purity, effect on microstructure and properties of Ba$_2$YCu$_3$O$_{7-x}$ (10) 2663

Matrix,
Al$_2$O$_3$-ZrO$_2$, consolidation of (3) 625
brittle, crack initiation in (5) 1082

Measurement,
density, of glasses in series xNa$_2$S + (1-x)B$_2$S$_3$ (6) 1466
direct, of crack tip stresses (11) 2897
of friction coefficient, of fibers (7) 1692
frictional heating, estimation of interfacial shear in composites from (11) 2802
of transformation zone strains, in toughened ZrO$_2$ (3) 584

Mechanical properties,
of Al$_2$O$_3$, enhanced by TiB$_2$ inclusions (1) 241
of V-doped Al$_2$O$_3$, effect of firing atmosphere (6) 1308
of composites, Ce-TZP/Al$_2$O$_3$ (1) 179
Si$_3$N$_4$O/SiC-whisker (2) 296
Si$_3$N$_4$-SiC (5) 1142
ceramic-matrix, theory of (11) 2837
continuous-SiC-fiber-reinforced RBSN matrix (10) 2551
fiber-reinforced cement-based (11) 2727
fiber-reinforced ceramic-matrix (3) 535
mullite/Al$_2$O$_3$ particulate (10) 2453
platelet-reinforced mullite (10) 2464
whisker-reinforced mullite matrix (10) 2438
of mullite, reaction-bonded (10) 2460
of sialons, HIP, effect of phase composition (4) 884
of silicon oxynitride (1) 109
of xerogels, SiO$_2$ (6) 1469

Melts,
CaO-MgO-Al$_2$O$_3$-SiO$_2$, dissolution of (Al,Cr)$_2$O$_3$ in (8) 1941
SiO$_2$, forces between Al$_2$O$_3$ grains, effect on grain boundary wetting (10) 2495
glass, foaming produced by sodium sulfate composition (3) 551
perturbation theory for transport properties (10) 2599
magnesium metasilicate, undercooled, nucleation of (6) 1312
processing, of YBa$_2$Cu$_3$O$_{7-x}$ (8) 1964

Membranes,
composite, thermally stable Al$_2$O$_3$, preparation and properties (10) 2721
composites, Al$_2$O$_3$, preparation and properties (1) 219

Metals,
refractory, combustion in N, effect of particle morphology (11) 2912

Mica,
-containing glass ceramics, high-strength (12) 3139

Microscopy,
HREM, for structural characterization of mullite (10) 2359
TEM, of Sb-doped ZnO (4) 760
scanning tunneling, of optical fiber corrosion (4) 814

Migration,
grain-boundary, in Ce-TZP (2) 387
of liquid films, in TiN-Ni-(TiC) alloy (6) 1397

Minerals,
cassiterite, Knoop microhardness anisotropy of (5) 1053

Mixtures,
powder, packing density (8) 1880
sol-gel and kaolinite, formation of mullite from (10) 2367

Models,
cell, for viscous sintering (7) 1523
consolidation, for powders (3) 682
crack, for cement mortar, finite-element analysis (1) 130
mathematical, of flow and heat-transfer in glassmelting furnaces (12) 3091
thermodynamic, of cubic-to-tetragonal transition in nonstoichiometric ZrO$_2$ (8) 2005
of equilibrium subsolidus phase relations in system Ag-Pd-O$_2$ (6) 1349
of phase diagrams in binary alkali silicate systems (8) 1833

Morphology,
contact damage, of Si$_3$N$_4$, effect of grain size (8) 2001
inversion domain boundaries, in AlN (6) 1226
of whiskers, SiC, effect of processing (2) 447

Mortars,
cement, analysis of crack models for (1) 130

Mullite,
-ZrO$_2$ composites, reaction-sintered, high-temperature properties (10) 2476
and ZrO$_2$-mullite, tape casting and properties (10) 2448
-containing green sheet, aqueous processing of (10) 2443
creep of, high-temperature compressive (10) 2469
crystallization, effect of spinel nucleation in aluminosilicate gels on (10) 2374
felt, desiliconization of (10) 2419
fibers, reactions and microstructure development in (10) 2404
formation, from nonstoichiometric diphasic precursors (10) 2382
from sol-gel mixtures and kaolinite (10) 2367
mullitization, of diphasic aluminosilicate gels (10) 2388
and other mixed-oxide systems, technique for producing (10) 2410
platelet-reinforced composites, mechanical properties (10) 2464
precursors, structural changes induced by thermal treatment (10) 2398
properties and microstructure (12) 3017
reaction-bonded, fabrication and properties (10) 2460
structural characterization, benefits of HREM (10) 2359
for structural, electronic, and optical applications (10) 2343
whiskers, for composites, synthesis of (10) 2414

Nickel,
electrodes, degradation of capacitors with (11) 2739

Niobates,
K$_{0.2}$Sr$_{0.4}$NbO$_3$, for capacitors (11) 2809
KNbO$_3$, synthesis from metal alkoxides (1) 53
LiNbO$_3$, nonstoichiometric, model for ferroelectric transition in (5) 988

Pb, formation in molten salt systems (1) 42
$0.9Pb(Mg_{1/3}Nb_{2/3})O_3$-$10.1PbTiO_3$, synthesis and dielectric properties (12) 2996
$Pb(Mg_{1/3}Nb_{2/3})O_3$, structural evolution to $La(M_{1/2}Nb_{1/2})O_3$ (6) 1360
Pb-Zn-Mg, perovskite phase formation in (10) 2506
$YNbO_4$, twinning in (2) 431
strontium barium, transparent and electrooptic, fabrication of (8) 1785

Nitridation,
kinetics, of Si powder compacts (6) 1248
rate, effect on properties of TiN films (11) 2937

Nitrides,
AlN, CVD, thermodynamic analyses (8) 1821
effect of microstructure on thermal conductivity (9) 2214
films, by CVD (6) 1331
with high thermal conductivity (9) 2242
inversion domain boundaries in (6) 1226
inversion domains in (5) 1148
powder, from Al polynuclear complexes (6) 1282
$AlN(Y_2O_3)$, phase composition, O content, and thermal conductivity of (4) 718
BN, CVD films, from polymeric cyanoborane (2) 406
CVD, kinetic analysis of (10) 2642
interphase in ceramic-matrix composites (10) 2482
powders, by aerosol decomposition of poly(borazinylamine) solutions (12) 3126
wetting by Al (3) 658
BN and AlN, simultaneous CVD of (10) 2649
C, preparation from C-N pyrolyzates (7) 1686
TiN, films, effect of nitridation rate on composition and conductivity (11) 2937
whiskers, microstructure and crystallography (11) 2769

Nitrogen,
-containing PSZ (5) 1135
in systems, B_2O_3, B_2O_3-SiO_2, and B_2O_3-CaO, thermodynamics of (7) 1650

Noise,
sensitivity, of fit procedures for Weibull parameter extraction (9) 2293

Nuclear materials,
Zr-containing waste forms, durability in water (4) 863
fuels, U_3O_8-Al cermet, reactions during processing (4) 733
uranium hexafluoride gas, reaction with Al_2O_3 and ZrO_2 (9) 2250
wastes, glass for, durability in groundwater (9) 2234

Nucleation,
Pt, of heavy-metal fluoride glasses (4) 788
in glasses, lithium disilicate (5) 1015
$Na_2O{\cdot}2CaO{\cdot}3SiO_2$ (5) 909
in liquids, glass-forming (10) 2659
of melts, magnesium metasilicate (6) 1312
rate, by DTA (8) 1905
of spinel, in aluminosilicate gels, effect on mullite crystallization (10) 2374

Oil well cements,
slurries, effect of storage time on rheology (5) 945

Optical properties,
of glasses, CuCl-doped SiO_2 (1) 238
thermo-, of standard reference glasses (7) 1689

Orientation,
c-axis, transparent ZnO with (1) 232
fiber, effect on thermal conductivity of C-fiber-reinforced glass-matrix composites (6) 1463
preferential, $Li_2B_4O_7$ films with (7) 1668

Oxidation,
of Si_3N_4, concentration profiles (9) 2286
of SiC, CVD, in Ar-O_2 atmosphere (10) 2583
in environments containing K salt vapor (3) 556
of SiC and Si_3N_4, new perspective (5) 1095
of SiC/Ba-stuffed cordierite, C interfacial layers formed by (7) 1663
behavior, of silicon oxynitride (1) 109
of SiC-whisker-reinforced Al_2O_3-ZrO_2 composites (8) 1793
effect on fiber pullout stresses, in SiC-borosilicate glass system (10) 2693
-reduction, in copper phosphate glass melted in air (12) 3039
wet, effects on properties of Si_3N_4 films (7) 1563

Oxides,
$(Al,Cr)_2O_3$, dissolution in CaO-MgO-Al_2O_3-SiO_2 melt (8) 1941
B_2O, phase present at high pressure and temperature (12) 3145
CeO_2, with trivalent dopants, X-ray absorption studies (5) 958
CoO, polymorphs of (2) 270
Li_2O, temperature dependence of Raman spectrum (9) 2324
MoO_3/phenathroline complex, carbothermal reduction of (6) 1439
ZnO-BaO, liquid-phase-sintered, grain growth kinetics in (12) 3085
cadmium tin, X-ray photoelectron spectroscopy (3) 662
iron(III), platelike powders, sintering (8) 1955
lead, effect on Nb-doped TiO_2 varistors (12) 3112
mixed, and mullite, technique for producing (10) 2410
substrates, BN coatings on (10) 2587
tin, electrical conductivity in—comment (7) 1757
electrical conductivity in—reply (7) 1759
titanium(IV), low-temperature creep of (11) 2918

Oxygen,
content, of $AlN(Y_2O_3)$ (4) 718
tracer, diffusion in vitreous SiO_2 (1) 203
tracer diffusion, in Al_2O_3 (9) 2086
vacancies, effect on electronic structure of Y_2O_3 (2) 358

Packaging,
electronic, ceramic and glass-ceramic, in the 1990s (5) 895

Particles,
Al_2O_3, caged in reticular foam (10) 2715
Bi-Ca-Sr-Cu-O, preparation and morphology (9) 2117
Si_3N_4, electrostatic adsorption of sintering agent on (6) 1335
formation of, by condensation of tin(IV) alkoxide compounds (5) 1091
packing, effect on pressure filtration (1) 166

Perovskites,
$A(B'B'')O_3$, study of order-disorder transition in (11) 2846
$Pb(Fe_{0.5}Nb_{0.5})O_3$, molten salt synthesis of (1) 38
crystals, polarization sublattice coupling in (5) 1131
immobilization of Na in (4) 854
phase, formation in lead zinc magnesium niobate (10) 2506
formation in system $PbMg_{1/3}Nb_{2/3}O_3$-$PbTiO_3$ (5) 1152

Phase equilibria,
systems, Al_2O_3-B_2O_3-Nd_2O_3 (2) 444
$BaTiO_3$-TiO_2 (8) 1841
CaO-CuO and CaO-Bi_2O_3 (9) 2148
Si_3N_4-AlN-Al_2O_3-Y_2O_3, relations in Si_3N_4-rich portion—comment (3) 686
relations in Si_3N_4-rich portion—reply (3) 688
Si,Al,Y/N,O (11) 2753
ZrO_2-$ErO_{1.5}$ (3) 510

Phases,
B_2O, present at high pressure and temperature (12) 3145
borosilicate liquid, sintering lithium zinc ferrites with (10) 2513
development, of aluminosilicate gels, effect of physical properties (10) 2393
glassy, of sintered Si_3N_4, evaluation of (1) 244
intergranular, in PTCR $BaTiO_3$ (7) 1719
new, in CaO-M_2O_3-CuO (M = Nd, Gd, Y) (3) 569
perovskite, formation in lead zinc magnesium niobate (10) 2506
formation in system $PbMg_{1/3}Nb_{2/3}O_3$-$PbTiO_3$ (5) 1152
relations, in system Gd_2O_3-Ta_2O_5 (9) 2073
in system Y_2O_3-Ta_2O_5 (9) 2077
stability, in CeO_2-ZrO_2-HfO_2 solid solution (10) 2610

Phosphates,
$NaZr_2P_3O_{12}$, thermal expansion anisotropy and acoustic emission of (2) 365
Ti(III) and Ti(IV), synthesis of (4) 837
calcium, coatings, spectroscopic characterization (9) 2301
titanium, determination of Ti^{3+} in (9) 2299

Physical properties,
of ZrO_2, cubic and tetragonal in system ZrO_2-Y_2O_3-Ta_2O_5 (12) 3061

Piezoelectric properties,
of composites, 0-3 ceramic-polymer, colloidal processing to improve (7) 1699

Polymers,
SiO_2- solution, gelling, phase separation in (10) 2518
preceramic, as reagents (10) 2687

Polymorphs,
of CoO (2) 270

Porcelain,
bonding, on Ti, effect of leucite (6) 1449
dental, leucite thermal instability in (2) 450

Pores,
-grain boundary interactions, effect on discontinuous grain growth (12) 3151
size distribution, in cements, simulation of (8) 1861
evolution in sintering of Al_2O_3 (10) 2535
in xerogels, SiO_2, structure of (12) 2988

Porosity,
mapping, with EPR imaging (4) 709

Porous materials,
glass, reinforced, homogenizing techniques for elastic response (1) 229

Powders,
Al_2O_3, calcined freeze-dried, sinterability of (11) 2934
spherical, preparation from alkoxides (9) 2263
AlN, from Al polynuclear complexes (6) 1282
$AlTiO_5$, synthesis from gels (8) 1807
B_4C, slip casting of (7) 1614
BN, by aerosol decomposition of poly(borazinylamine) solutions (12) 3126
$La_2Ti_2O_7$, preparation of (11) 2876
PSZ, hot-pressing of (7) 1547
Si, silane-derived, N adsorption onto (6) 1417
Si_3N_4, synthesis from chlorinated silanes (11) 2759
synthesis of SiC whiskers from (7) 1517
Si_3N_4-SiC, combustion synthesis of (9) 2197
$YBa_2Cu_3O_{7-\delta}$, reaction with NO_x (9) 2165
ZnS, preparation (1) 225
spheres, formation of—comment (6) 1472
spheres, formation of—reply (6) 1474
γ-Al_2O_3 fume, sintering of gels prepared from (4) 830
bismuth titanate, with preferred orientation, sintering (1) 139
calcium lanthanum sulfide, preparation via alkoxide sulfurization (11) 2815
compacts, Si, nitridation kinetics and thermodynamics of (6) 1248
green density, effect on combustion synthesis (9) 2113
composite, Al_2O_3-TiB_2, mechanical properties (1) 241
consolidation, model for (3) 682
model for—correction (5) 1157
lithium zinc, ferrite, sol-gel coating of (4) 851
mixed, packing density of (8) 1880
platelike iron(III) oxide, sintering (8) 1955
sintering, fabrication of mullite and mullite-matrix composites by (10) 2428

Precipitation,
Fe and spinel, in Fe-doped sapphire (4) 865
of YSZ, for spray coatings (2) 375
for spray coatings—correction (6) 1477

Precursors,
$BaTiO_3$, sol-gel processing of (5) 968
Si-Al-C-O, chemical properties (7) 1725
aluminum alkoxide, preparation of colloidal boehmite needles by treatment of (6) 1303
mullite, structural changes induced by thermal treatment (10) 2398
nonstoichiometric diphasic, mullite formation from (10) 2382
poly(methysilane), to SiC (3) 670
polymer, as reagents (10) 2687

Pressing,
HIPing, of $YBa_2Cu_3O_{7-x}$ (8) 2014
of sintered Si_3N_4 (7) 1735
hot-, of α-Al_2O_3-diamond (10) 2666
of PSZ powders (7) 1547
effect on Bi-Pb-Sr-Ca-Cu-O (10) 2577

Pressure,
forming, effect on structure of Al_2O_3 green bodies (9) 2170
vapor, of Ba and Cu in $YBa_2Cu_3O_{7-x}$ (6) 1445

Production processes and equipment,
infiltration, chemical vapor, reaction and diffusion kinetics during (12) 3046

Pyrolysis,
of rice husks, for formation of SiC whiskers (11) 2869

Reactions,
SiC/stainless steel, selectivity of (4) 1364
of $YBa_2Cu_3O_x$, with YSZ substrates (8) 2021
of $YBa_2Cu_3O_{7-\delta}$, with NO_x (9) 2165
of Zr with B_4C, formation of platelet-reinforced composites by (9) 2093
chemical, in diboride-reinforced oxide-matrix composites (4) 724
at metal-Al_2O_3 and metal-AlN interfaces (6) 1163
kaolinite-mullite (6) 1401
pore-grain boundary, effect on discontinuous grain growth (12) 3151
stainless steel/refractory, microstructural and chemical studies of (3) 541
of uranium hexafluoride gas, with Al_2O_3 and ZrO_2 (9) 2250

Reduction,
carbothermal, of molybdium oxide/phenathroline complex (6) 1439

Refractive index,
of Al_2O_3, liquid (4) 881

Refractories industry,
Si_3N_4-SiC, produced by reaction bonding (5) 1139

Refractories,
corrosion, by molten Al, effect of alkalis and reducing atmosphere (11) 2781
high-Al_2O_3, quantitative analysis of (3) 619
metals, combustion in N, effect of particle morphology (11) 2912
stainless steel/ interaction, microstructural and chemical studies of (3) 541
thermal properties, hot-strip test for (3) 650

Relaxation,
tensile stress, of Al_2O_3 at high temperature (12) 3142

Resistivity, electrical,
PTCR effect, in undoped $BaTiO_3$—comment (7) 1749
in undoped $BaTiO_3$—reply (7) 1750
of carbides, cemented transition-metal (6) 1411

Resonance,
EPR, for porosity imaging (4) 709

Rheology,
of slurries, oil well cement, effect of storage time (5) 945

Salts,
molten, formation of lead niobate in (1) 42

Sapphire,
Fe-doped, Fe and spinel precipitation in (4) 865
wetting, by Al (6) 1275

Sensors,
with actuating functions (3) 463
humidity (4) 697
porous Al_2O_3 film as (6) 1325

Separation,
phase, in gelling SiO_2-organic polymer solution (10) 2518

Shear,
interfacial, in composites, estimated from frictional heating measurements (11) 2802

Shock resistance,
thermal, of duplex ceramics (1) 19

Shrinkage,
during sintering, liquid-phase (2) 425
Sialons,
HIP, effect of phase composition on mechanical properties (4) 884
-YAG, cavitation damage during flexural creep (7) 1658
α-, plasma etching of (4) 856
β'-, synthesis and characterization of (9) 2220
Silanes,
poly(methylsilane), precursor to SiC (3) 670
Silicates,
Mg_2SiO_4 and $MgSiO_3$, crystal growth by flux method (7) 1654
alumino-, diphasic gels, mullitization of (10) 2388
gels, effect of hydrolysis on transformations in (3) 574
glasses, dissolution rates in water at pH 7 (6) 1269
magnesium meta-, undercooled, nucleation of (6) 1312
sodium, glasses, hydrated states of (2) 306
Silicides,
$MoSi_2$, C additions to (10) 2704
titanium, effect of SiC reinforcement on properties (10) 2707
Silicon,
oxynitride, processing, properties, and oxidation behavior (1) 109
powders, H adsorption onto (6) 1417
Silicon carbide,
B-doped β-, NMR and XPS study (8) 2025
BeO-doped, spectroscopy of grain-boundary interfacial states in (10) 2675
CVD, oxidation in Ar-O_2 atmosphere (10) 2583
α-, corrosion and strength in potassium sulfate melts (9) 2152
effect of pyridine-borane on sintering behavior (3) 642
crystals, kinking and cracking caused by slip in (1) 173
etching, in N-based gas (2) 457
fibers, in ceramic matrix, sliding resistance of (3) 524
growth in cubic form, preference of (10) 2630
joining, brazing alloy for (8) 1855
Nicalon fibers (3) 666
oxidation, in environments containing K salt vapor (3) 556
oxidation of, new perspective (5) 1095
polytypes, NMR studies (4) 777
precursor to, poly(methylsilane) (3) 670
reinforcements, effect on properties of titanium silicide (10) 2707
sintered, indentation fracture toughness—comment (4) 887
indentation fracture toughness—reply (4) 889
sintering, liquid-phase, analysis of SiC-Al_2O_3 reaction (2) 345
/stainless steel reactions, selectivity of (4) 1364
whiskers, effect of processing on morphology (2) 447
effect on thermal properties of Si_3N_4 matrix composites (4) 874
formation, pyrolysis of rice husks for (11) 2869
synthesis from Si_3N_4 powders (7) 1517
Silicon dioxide,
fibers, devitrification, effect of impurities and manufacturing methods (5) 1125
fatigue mechanisms in (8) 1993
optical, effect of alkali hydroxides on strength (10) 2592
glass, water entry during slow crack growth (10) 2573
glasses, effect of Al and Nd admixtures on devitrification (8) 1916
spheres, hollow, by sol-gel processing (8) 1987
vitreous, O tracer diffusion in (1) 203
xerogels, mechanical properties (6) 1469
structure of pores in (12) 2988
Silicon nitride,
/SiC-whisker composites, sintering without aids (2) 326
β-, synthesis from SiO_2, effect of Fe-Si-N liquid (9) 2312
cavity formation in, impurity-enhanced intergranular (4) 752
dense, with C interlayers, bonding of (9) 2315
fiber, structure of (3) 654
fiberlike, preparation from diatomaceous earth (4) 846
films, effects of wet oxidation on properties (7) 1563
hot-pressed, effect of grain size on properties (8) 2001
-matrix composites, effect of SiC whiskers on thermal properties (4) 874
oxidation of, new perspective (5) 1095
oxidized, concentration profiles in (9) 2286
oxynitride glass-joined, time-dependent failure of (1) 103
particles, electrostatic adsorption of sintering agent on (6) 1335
powders, synthesis from chlorinated silanes (11) 2759
sintered, HIPing of (7) 1735
evaluation of glassy phase (1) 244
subjected to biaxial flexure, reliability analysis (2) 333
synthesis, carbothermal (1) 31
toughened, R-curve behavior of (10) 2634
whisker-reinforced, toughness and tensile strength (4) 739
Sintering,
Al_2O_3, effect of organic dispersants (9) 2189
evolution of pore size distribution in (10) 2535
with liquid-forming additives (8) 2011
Al_2O_3/ZrO_2, activation energy (8) 1959
Sr-doped lanthanum chromite (1) 155
$YBa_2Cu_3O_{7-\delta}$, effect of $BaCuO_2$ (5) 998
ZnO-Sb_2O_3, grain growth of ZnO during (6) 1296
α-SiC, effect of pyridine-borane (3) 642
compacts, $YBa_2Cu_3O_{6+x}$, effect of liquid phase (9) 2175
agglomerated ZrO_2 (5) 994
polycarbosilane-impregnated SiC (11) 2922
powder, precoarsening to improve (11) 2902
composites, Si_3N_4/SiC-whisker, without aids (2) 326
ceramic particulate (2) 433
densification and creep during, effect of green density (3) 514
effect of heating rate on (6) 1217
gels, prepared from γ-Al_2O_3 fume powder (4) 830
liquid-phase, of SiC, analysis of SiC-Al_2O_3 reaction (2) 345
densification and shrinkage during (2) 425
lithium zinc ferrites, with borosilicate liquid phase (10) 2513
powders, calcined freeze-dried Al_2O_3 (11) 2934
fabrication of mullite and mullite-matrix composites by (10) 2428
platelike iron(III) oxide (8) 1955
of titanate (1) 139
viscous, cell models for (7) 1523
Slurries,
composite, Al_2O_3 and Al_2O_3/ZrO_2, centrifugal consolidation of (9) 2201
oil well cement, effect of storage time on rheology (5) 945
Sodium,
immobilization, in perovskite (4) 854
Sol-gel process,
of CaO-Al_2O_3 (5) 1066
of $La_2Zr_2O_7$ (2) 422
of films, $PbTiO_3$ (6) 1407
$PbZrO_3$-$PbTiO_3$ (1) 67
kinetics, followed by total reflectance IR spectroscopy (10) 2559
of precursors, $BaTiO_3$ (5) 968
of spheres, hollow SiO_2 (8) 1987
Solubility,
of H, in nonmetals (1) 72
of solid solutions, α-sialon, in system Si,Al,Y/N,O (10) 2547
Solutions, solid,
$Bi_2(Sr_xCa_{1-x})_{n+1}Cu_nO_y$ (5) 1045
CeO_2-ZrO_2-HfO_2, cation interdiffusion and phase stability in (10) 2610
HfO_2-R_2O_3, fluorite-type, ionic conductivity of (10) 2489
ZrO_2, hydrothermal crystallization of (10) 2622
α-sialon, solubility limits in system Si,Al,Y/N,O (10) 2547
systems, $ZrTiO_4$-In_2O_3-M_2O_5 (M = Sb, Ta), thermal expansion of (8) 1899
Solutions,
SiO_2-organic polymer, gelling, phase separation in (10) 2518
caustic alkaline, corrosion behavior of Al_2O_3 in (12) 3081
of glasses, sodium borosilicate in water, percolation phenomenon (4) 783
silicate, in water at pH 7, rate of (6) 1269
Sound,
ultrasonic velocity, in rubidium borate glasses, anomalous behavior of (10) 2603
Spectra,
IR absorption and Raman, of C films (11) 2932
Raman, in Li_2O single crystal (9) 2324
of ZrO_2 and HfO_2 (3) 520
Spectroscopy,
EPR, of Ti^{3+} in titanium phosphate (9) 2299
X-ray photoelectron, of calcium phosphate coatings (9) 2301
of cadmium tin oxide (3) 662
of low-temperature forms of zirconium titanate (6) 1459
reflectance IR, sol-gel kinetics followed by (10) 2559
Spheres,
SiO_2, hollow, by sol-gel processing (8) 1987
ZnS, formation of—comment (6) 1472
formation of—reply (6) 1474
ZrO_2 hollow micro-, thermal conductivity of packed bed of (12) 3118
Spinels,
$MgAl_2O_4$, crack face bridging mechanism in (7) 1732
magnesium aluminate, containing ^{17}O isotope, preparation of (6) 1442
transparent, fracture resistance (7) 1624
Spodumene,
β-, N-containing, glass-ceramics derived from (6) 1291
Sputtering,
rf magnetron, synthesis of lanthanum aluminate target for (2) 437
Stability,
of Zr^{3+}, monoclinic and orthorhombic (3) 505
of composites, Y-Ce-TZP/Al_2O_3 (3) 606
phase, of cubic and tetragonal ZrO_2 in system ZrO_2-Y_2O_3-Ta_2O_5 (12) 3061
Statistics,
of flaw interactions, in brittle materials (2) 352
Strain,
transformation zone, in toughened ZrO_2 (3) 584
Young's moduli, in coatings, determination of (7) 1646
Strength,
of Cs diode, effect of doping (1) 161
of Si_3N_4, whisker-reinforced (4) 739
of α-SiC, in potassium sulfate melts (9) 2152
bond, of Cu-bonded Al_2O_3 substrates (9) 2184
of composites, Ce-TZP/Al_2O_3 (1) 179
Y-Ce-TZP/Al_2O_3 (3) 606
development, in phosphate-bonded calcium aluminate cements (5) 1023
of fibers, SiO_2 optical, effect of alkali hydroxides (10) 2592
fluoride glass, effect of processing parameters (6) 1373
Nicalon SiC (3) 666
flexural, of mullite (12) 3017
fracture, of CVD diamond (12) 3148
in Cd-ZrO_2 and Al_2O_3 composites (12) 2979
of SiC-particle-reinforced $MoSi_2$ (10) 2700
of transparent magnesium aluminate spinel (7) 1624
indentation fracture, of sintered SiC in Palmqvist regime—comment (4) 887
of sintered SiC in Palmqvist region—reply (4) 889
processes, in Al_2O_3 reinforced with SiC whiskers, in situ observations (12) 3154
residual, of Si_3N_4, effect of grain size (8) 2001
tensile and fatigue, of SiC fiber-reinforced aluminosilicate glass (11) 2851
thermal shock, degradation in ceramics, relation between flaw resistance and R-curve behavior (11) 2859
Strengthening,
of ZTA, contribution of phase transformation (7) 1703
of composites, Ce-TZP/Al_2O_3, role of transformation (3) 678
SiC$_w$/Al_2O_3 composites (9) 2280
whisker-reinforced ceramic-matrix, synergies of (1) 194
ferroelastic, in bismuth vanadate (7) 1619
microcrack, analysis of (7) 1695
transformation, in brittle materials, model of (10) 2564
whisker-reinforced ceramics, by matrix-grain-bridging (9) 2131
Stresses,
crack tip, direct measurement of (11) 2897
crack-tip-bridging (8) 1828
frictional, measured by pushout tests, effect of interfacial roughness (11) 2793
-induced grain pullout, in 96% Al_2O_3 (3) 646
in-plane, role in kinking of a crack out of an interface (4) 767
ratio, of SiC-fiber-reinforced Si_3N_4 composites, effect on fatigue (7) 1639
residual, in Al_2O_3-mullite composites (3) 579
in coatings, determination of (7) 1646
residual compressive profiles, crack stability and T-curves due to (8) 1981
tensile, relaxation of Al_2O_3 at high temperature (12) 3142
thermal, failure of ceramics under repeated rapid heating (6) 1189
thermal residual, in ceramic-to-metal brazed joints (9) 2141
Structure, micro-,
of 96% Al_2O_3 (3) 646
of AlN, effect on thermal conductivity (9) 2214
of $Ba_2YCu_3O_{7-x}$, effect of purity of raw materials (10) 2663
of $Bi_2Sr_2CaCu_2O_8$, effects of annealing (6) 1391
of PZMN (2) 400
in ZrO_2-Y_2O_3, sintered (3) 633
of alloys, Al_2O_3-ZrO_2, control of (7) 1707
of cements, MDF composite (8) 1928
changes, at glass fiber-cement interface (12) 3054
of compacts, diamond (1) 5
powder, precoarsening to improve (11) 2902
of composites, Al_2O_3-ZrO_2, effect of pH and particle size (12) 3100
BN, AlN, and BN + AlN (2) 301
design, of toughened ceramics (2) 255
in fibers, mullite (10) 2404
of films, PZT (6) 1455
ferroelectric (7) 1635
of mullite (12) 3017
surface, of Y-Ba-Cu-O, effect of annealing (7) 1682
of whiskers, TiN (11) 2769
Structure,
of cement pastes, hardened, C_3S, changes due to carbonation (11) 2891
crystal, of orthorhombic ZrO_2 (9) 2321
of disk, clay mineral/acrifavine (11) 2824
electronic, of Y_2O_3, effect of O vacancies (2) 358
at metal-Al_2O_3 and metal-AlN interfaces (6) 1163
of fibers, Si_3N_4, XRD study (3) 654

of green bodies, Al_2O_3, effect of forming pressure (9) 2170
interface, of Cu-bonded Al_2O_3 substrates (9) 2184
inversion domains, in AlN (5) 1148
local, of alkaline-earth boroaluminate glasses and crystals (6) 1425
of mullite, HREM study (10) 2359
physical, effect on phase development of aluminosilicate gels (10) 2393
of precursors, mullite, changes induced by thermal treatment (10) 2398
of tobermorites, Al substituted (2) 274
twinning, in $YNbO_4$ (2) 431

Substrates,
Al_2O_3, Cu-bonded, interface structure and bond strength (9) 2184
Ti, $BaTiO_3$ film on (2) 369
YSZ, interaction of CVD $YBa_2Cu_3O_x$ with (8) 2021
oxide, BN coatings on (10) 2587

Sulfates,
expansion, in hydrated portland cement—comment (1) 250
in hydrated portland cement—reply (1) 251

Sulfides,
ZnS, powders, preparation (1) 225
calcium lanthanum, powders, preparation via alkoxide sulfurization (11) 2815
spheres, formation of—comment (6) 1472
formation of—reply (6) 1474

Superconductors,
$Ba_2YCu_3O_{7-x}$, effect of purity of raw materials on microstructure and properties (10) 2663
$BaLa_4Cu_3O_{13.1-x}$, thermodynamic study (5) 1011
$Bi_2(Sr,Ca)_3Cu_2O_{8+y}$, cation deficiency in (10) 2711
$Bi_2Sr_2CaCu_2O_8$, effects of annealing on microstructure and phase chemistry (6) 1391
Bi-Pb-Sr-Ca-Cu-O, effect of hot-pressing on (10) 2577
2223 Bi-Sr-Ca-Cu-O, effect of Pb in processing (1) 247
films, preparation and properties (1) 123
(Pb,Bi)SrCaCuO, humidity effect on (7) 1710
Y-Ba-Cu-O, effect of annealing on surface microstructure (7) 1682
$YBa_2Cu_3O_{7-\delta}$, effect of $BaCuO_2$ on sintering and properties (5) 998
$YBa_2Cu_3O_{7-\delta}$-Ag composite, thermopower of (10) 2679
$YBa_2Cu_3O_{7-x}$, HIPing of (8) 2014
defect and transprot in—comment (7) 1751
defect and transport in—reply (7) 1753
kinetics of CO_2 degradation (8) 2007
melt processing of (8) 1964
vapor pressure of Ba and Cu (6) 1445
$YBa_2Cu_3O_x$, CVD, interaction with YSZ substrates (8) 2021
nonstoichiometry of—comment (7) 1753
nonstoichiometry of—reply (7) 1753
compacts, $YBa_2Cu_3O_{6+x}$, effect of liquid phase on sintering (9) 2175
composites, $YBa_2Cu_3O_{7-x}$ and Ag-$YBa_2Cu_3O_{7-x}$, alignment of (7) 1541
films, Bi(Pb)-Sr-Ca-Cu-O, on MgO, preparation of (9) 2102
CuO_x, CVD of (7) 1597
$YBa_2Cu373O_{7-x}$, in situ growth of (9) 2305
of one-layer phase in system Bi-Sr-Ca-Cu-O (4) 797
particles, Bi-Ca-Sr-Cu-O, preparation and morphology (9) 2117
powder, $YBa_2Cu_3O_{7-\delta}$, reaction with NO_x (9) 2165
solid-solutions, $Bi_2(Sr,Ca_{1-x})_{n+1}Cu_nO_y$ (5) 1045
systems, Y_2O_3-BaO-CuC_x, thermodynamic studies (1) 78
$YBa_2Cu_3O_x/O_2$, redox processes for—comment (7) 1751
redox processes for—reply (7) 1753
$YBa_2Cu_3O_x/O_2$, redox processes for—reply (7) 1753
wire, $Bi_{1.4}Pb_{0.4}Ca_2Cu_3O_x$, effect of extrusion on critical density (4) 714

Surface,
of Mg-doped Al_2O_3, ionic double layers at (1) 25

Switching,
domain, of tetragonal ZrO_2, texture from (10) 2690
ferroelastic domain, in tetragonal-ZrO_2 (4) 807

Synthesis,
of $KNbO_3$, from metal alkoxides (1) 53
of Ti(III) and Ti(IV) phosphate (4) 837
of YAG, by glycothermal method (6) 1452
of β'-sialon (9) 2220
of β-Si_3N_4, from SiO_2, effect of Fe-Si-N liquid (9) 2312
of barium lanthanum titanates (4) 878
carbothermal, of Si_3N_4 (1) 31
combustion, of Si_3N_4-SiC composite powders (9) 2197
mechano-, of carbides, by grinding of powders (6) 1382
of lanthanum aluminate, target for rf sputtering (2) 437
molten salt, of $Pb(Fe_{0.5}Nb_{0.5})O_3$ (1) 38
of powder, $AlTiO_3$, from gels (8) 1807
of powders, Si_3N_4 from chlorinated silanes (11) 2759
of whiskers, mullite, for composites (10) 2414

Systems,
Al_2O_3-B_2O_3-Nd_2O_3, phase relations in (2) 444
Al_4C_3-AlN-SiC, phase diagram—comment (9) 2327
phase diagram—reply (9) 2329
B_2O_3, B_2O_3-SiO_2, and B_2O_3-CaO, thermodynamics of N in (7) 1650
BaO-TiO_2-ZrO_2, $Ba(Ti,Zr)O_3$-$(Zr,Ti)O_2$ (9) 2318
$BaTiO_3$-TiO_2, relations in (8) 1841
CaO-CuO and CaO-Bi_2O_3, phase equilibria in (9) 2148
CaO-ZrO_2, phase diagram (1) 234
Gd_2O_3-Ta_2O_5, phase relations in (9) 2073
Si_3N_4-AlN-Al_2O_3-Y_2O_3, phase relations in Si_3N_4-rich portion-comment (3) 686
phase relations in Si_3N_4-rich portion—reply (3) 688
Si,Al,Y/N_2O, solubility of α-sialon solid solutions in (10) 2547
Si,Al,Y/N,O, subsolidus phase relationships in (11) 2753
TiO_2-SnO_2, spinodal decomposition in (8) 1910
Y_2O_3-Ta_2O_5, phase relations in (9) 2077
ZrO_2-$ErO_{1.5}$, phase relationships in (3) 510
ZrO_2-Y_2O_3-Al_2O_3, crack resistance and fatigue of (2) 318
ZrO_2-$YO_{1.5}$, thermodynamic assessment of (7) 1569
ZrO_2-$YO_{1.5}$-MgO, thermodynamic calculation of (9) 2107
binary alkali silicate, modeling of phase diagrams in (8) 1833
metal-C-O, thermochemical studies (5) 973
nickel oxide-MgO, activity-composition relations in (9) 2209

Tantalates,
$LiTaO_3$, nonstoichiometric, model for ferroelectric transition in (5) 988

Temperature,
dependence, of elastic moduli of monoclinic ZrO_2 (7) 1742
of hardness of YSZ (3) 491
of hardness of nanocrystalline TiO_2 (10) 2672
heat treatment, effect on properties of lithium aluminosilicate glass (1) 92

Testing,
thermal shock (1) 98; (6) 1189

Tests,
flash, for thermal diffusivity (5) 941
hot-strip, for thermal coductivity and diffusivity of refractories (3) 650
pushout, effect of interfacial roughness on frictional stress (11) 2793

Texture,
in Al_2O_3, forged or hot-pressed (11) 2941
from domain switching, of tetragonal ZrO_2 (10) 2690

Thermal properties,
of composites, mullite-ZrO_2 (10) 2476
conductivity, of $AlN(Y_2O_3)$ (4) 718
of C-fiber-reinforced aluminoborosilicate glass-matrix composites, effect of fiber orientation (6) 1463
of cemented transition-metal carbides (6) 1411
conductivity and diffusivity, of refractories, hot-strip test for (3) 650
diffusivity, of Al_2O_3-fiber-reinforced SiC composites (7) 1631
flash test for (5) 941
expansion, of Y_2O_3-aluminosilicate glasses containing Na_2O and ZrO_2 (2) 428
of solid solutions in system $ZrTiO_4$-In_2O_3-M_2O_3 (M = Sb, Ta) (8) 1899
expansion anisotropy, and acoustic emission, of $NaZr_2P_3O_{12}$ (2) 365
shock behavior, of duplex ceramics (1) 19
shock resistance, test for (1) 98

Thermodynamics,
activity-composition relation, in system nickel oxide-MgO (9) 2209

Thermoelectricity,
power, of $YBa_2Cu_3O_{7-\delta}$-Ag composite (10) 2679

Tile,
glazes, from system Li_2O-SiO_2-Al_2O_3-$Me^{II}O$ (5) 983

Tin,
SnO_2, Knoop microhardness anisotropy of (5) 1053

Titanates,
$AlTiO_3$, powder, synthesis from gels (8) 1807
Bi, powders, sintering (1) 139
$CaTiO_3$, Sr impurity diffusion in (4) 772
$La_2Ti_2O_7$, powders, preparation of (11) 2876
La-doped $PbTiO_3$, films, preparation and electrical properties (12) 3023
PMNT, thin-layer (12) 3000
PZT, films, microstructure (6) 1455
$0.9Pb(Mg_{1/3}Nb_{2/3})O_3$-$0.1PbTiO_3$, synthesis and dielectric properties (12) 2996
$PbTiO_3$, crystallization of (9) 2309
films, sol-gel processing of (6) 1407
$Sr_{0.7}Ba_{0.3}TiO_3$, doped with Nb_2O_5, $3Li_2O{\cdot}2SiO_2$, and Bi_2O_3, electrical properties (11) 2925
$SrTiO_3$, Ca impurity diffusion in (4) 772
Zr, X-ray photoelectron spectroscopy of (6) 1459
$(Zr,Sn)TiO_4$, microwave dielectric, chemical processing and properties (6) 1320
$ZrTiO_4$, effect of ionic substitution on thermal expansion (9) 2205
acceptor-doped strontium, bulk conductivity and defect chemistry (8) 1934
barium lanthanum, synthesis and characterization of (4) 878
doped $BaTi_4O_9$, dielectric properties (8) 1894
systems, $PbMg_{1/3}Nb_{2/3}O_3$-$PbTiO_3$, formation of perovskite phase (5) 1152

Titanium,
Ti^{3+}, in titanium phosphate, EPR spectroscopic determination (9) 2299
Ti(III) and Ti(IV) phosphate, synthesis of (4) 837
porcelain bonding on, effect of leucite (6) 1449
silicide, effect of SiC reinforcement on properties (10) 2707

Titanium dioxide,
Nb-doped, varistors, effect of lead oxide on (12) 3112
films, effect of heating rate on sintering (10) 2669
liquid, density of (10) 2718
nanocrystalline, low-temperature creep of (11) 2918
temperature dependence of hardness (10) 2672

Tobermorite,
substituted (2) 274

Transformations,
α-Al_2O_3, grain growth (9) 2270
autocatalytic, role in toughening of Ce-TZP/Al_2O_3 composites (3) 678
in gels, aluminosilicate, effect of hydrolysis (3) 574
microindentation-induced, in Y-PSZ (5) 1071
phase, of ZrO_2-3 mol% Y_2O_3, effect of Al_2O_3 addition (2) 440
contribution to toughening of ZTA (7) 1703
of rare-earth-doped ZrO_2 during grinding, effect of inhomogeneity (12) 3011
-toughened ZrO_2, indentation behavior (3) 593
toughening, in brittle materials, model of (10) 2564

Transitions,
cubic-to-tetragonal, in nonstoichiometric ZrO_2 (8) 2005
ferroelectric, in $LiNbO_3$ and $LiTaO_3$, model for (5) 988
order-disorder, in $A(B'B'')O_3$ (11) 2846
phase, in ZrO_2-Y_2O_3 (3) 633

Transparent materials,
ZnO, with c-axis orientation (1) 232
strontium barium niobate, fabrication of (8) 1785

Transport,
in $YBa_2Cu_3O_{7-x}$—comment (7) 1751
properties, of glass melts, perturbation theory for (10) 2599

Vanadates,
bismuth, ferroelastic toughening in (7) 1619
manganese (Mg,Zn,Ni) (10) 2686

Vapors,
K salt, oxidation of SiC in (3) 556

Varistors,
Nb-doped TiO_2, effect of lead oxide on (12) 3112
conductivity in, inhomogeneous (9) 2067

Velocity,
ultrasonic, anomalous behavior in rubidium borate glasses (10) 2603

Wastes,
nuclear, glass for, durability in groundwater (9) 2234
noble metal and spinel deposition on floor of melter for (7) 1559

Water,
entry into glass, SiO_2, during slow crack growth (10) 2573

Waves,
micro-, heating of grain boundaries (4) 849

Wetting,
of BN, by Al (3) 658
of sapphire, by Al (6) 1275

Wire,
superconducting, $Bi_{1.4}Pb_{0.4}Ca_2Cu_3O_x$, effect of extrusion on critical current density (4) 714

Yttrium,
Y_2O_3, CeO_2-doped, electrical properties (3) 598
effect of O vacancies on electronic structure (2) 358

Zinc oxide,
-BaO ceramics, grain growth kinetics and liquid-phase-sintering of (12) 3085
Sb-doped, TEM study (4) 760
grain growth, during sintering of ZnO-Sb_2O_3 (6) 1296
transparent, vapor-phase growth (1) 232

Zirconates,
$La_2Zr_2O_7$, sol-gel preparation (2) 422

Zirconium dioxide,
-Al_2O_3 composites, role of cavitation in fracture of (4) 869
Al_2O_3-, grain-size distribution in (11) 2820
Ce-TZP, crack resistance and fatigue of (12) 3028
grain-boundary migration in (2) 387
-Gd_2O_3, crystallization, phase partitioning, and grain growth of (11) 2786
H release from (1) 72
Mg-PSZ, acoustic emission during crack growth (8) 1922
MgO-PSZ, cyclic fatigue life and crack-growth behavior (6) 1259

PSZ, black color in—comment (7) 1745
black color in—reply (7) 1747
powders, hot-pressing of (7) 1547
Raman spectra (3) 520
-Y_2O_3, phase transition and microstructure (3) 633
Y-PSZ, microindentation-induced transformation in (5) 1071
Y-TZP, effect of residual impurities on grain growth (10) 2615
Y-TZP and CeO_2-doped Y-TZP, subeutectoid degradation of (6) 1254
YSZ, fatigue of (6) 1197; (6) 1206
indentation-induced cracks and toughness anisotropy (4) 859
for spray coatings, precipitation of (2) 375
for spray coatings, precipitation of—correction (6) 1477
and ZrO_2 solid solutions, hydrothermal crystallization of (10) 2622
cordierite-Y-stabilized, glass-ceramic, spherulitic growth from vitreous matrix (1) 85
cubic and tetragonal, in system ZrO_2-Y_2O_3-Ta_2O_5, phase stability and physical properties (12) 3061
hollow microspheres, thermal conductivity of packed bed of (12) 3118
-3 mol% Y_2O_3, effect of Al_2O_3 addition on phase transformation (2) 440
monoclinic, temperature dependence of elastic moduli (7) 1742
monoclinic and orthorhombic, stability of (3) 505
-mullite, tape casting and properties (10) 2448
nonstoichiometric, model of cubic-to-tetragonal transition in (8) 2005
orthorhombic, crystal structure of (9) 2321
rare-earth-doped, effects of inhomogeneity on phase transformation during grinding (12) 3011
t'-, low-temperature aging of (8) 1811
tetragonal, N-containing (5) 1135
ferroelastic domain switching in (4) 807
texture from domain switching of (10) 2690
toughened, transformation zone strains in (3) 584
transformation-toughened, temperature-dependent indentation behavior (3) 593